



PARTS SALES DIVISION

Peter Bicknell Automotive Inc.

Please call this number for the following inquiries:

- Canadian Sales
- General Product Support

PHONE: 905-685-7223

FAX: 1-800-891-0521

Canadian Retail Store Hours

Monday - Thursday: 8:00am - 5:30pm

Friday: 8:00am - 4:30pm

Saturday 9:00am - 12:00pm

Open Saturdays From Jan 1st until 1 week after Labour Day

Canadian Retail Sales Contact Info:

Accounts Receivable:

aliciahowe@bicknellracingproducts.com

General Canadian Sales:

cdnsales@bicknellracingproducts.com

Other Questions:

erica@bicknellracingproducts.com

Canadian Retail Store Address is:

117 Cushman Road
St. Catharines, Ontario (FRONT)
L2M 6S9

Canadian Retail Store Offers The Following Payment Options:



Bicknell Racing Products USA Ltd.

Please call this number for the following inquiries:

- U.S.A. Sales
- General Product Support

PHONE: 716-285-7502

FAX: 1-800-285-1454

U.S.A. Retail Store Hours

Monday - Thursday: 8:00am - 5:30pm

Friday: 8:00am - 4:30pm

Saturday 9:00am - 12:00pm

We Are Closed For All Major Holidays

U.S.A. Retail Sales Contact Info:

Accounts Receivable:

ar_usa@bicknellracingproducts.com

General U.S.A. Sales:

usasales@bicknellracingproducts.com

Other Questions:

tim@bicknellracingproducts.com

U.S.A. Retail Store Address is:

1733 Maryland Ave.
Niagara Falls, NY
14305

U.S.A. Retail Store Offers The Following Payment Options:



SHOP ON-LINE DAY OR NIGHT @

www.bicknellracingproducts.com

Our website offers the following payment options:



www.bicknellracingproducts.com

A	
AFCO SHOCKS	88-89
AIR DUCT HOSE	81
AIR DUCTS	81
AIR DRYERS	165
AIR FILTERS	156
AIR FILTER OIL	156
ALUMINUM ROD ENDS	13
ALTERNATORS	147,149,152
ALUMINUM SHEETING	179
ALUMINUM SPACERS	16, 17
ALUMINUM TAP TUBING	16
AN FITTINGS	112-118
AN WRENCHES	163
APPAREL	4-5
ARM RESTRAINTS	168
AXLES	53
DIRT MODIFIED FRONT	22
FRONT AXLE BRACKET	23
MICROSPRINT	195-197
MOD LITE	53 203
TQ-MIDGET	187-189
WIDE 5 REAR	52
B	
BALANCE BAR	78
BALANCE BAR ADJUSTER	80
BALLAST MOUNTS	180
BALLAST WEIGHT	180
BALL JOINTS	20
BALL JOINT SLEEVES	20
BATTERIES	136
BATTERY BOXES	136
BATTERY CABLES	136
BATTERY POSTS	136
BEAD BREAKER	164
BEAD LOCKS	108
BELTS-ENGINE	144-152
BELL HOUSING	130
BELTS AND PULLEYS	144-152
BERT TRANSMISSION	126-129
BILSTEIN SHOCKS	86-88
BIRDCAGES	31-36
BIRDCAGE BEARINGS	31-35, 197
BODIES (MODIFIED)	184-187
BODY SUPPORTS	187
BOLT KITS	194
BRAIDED HOSE	113-114
BRAKES AND ACCESSORIES	66-81
BRAKE ADJUSTERS	80
BALANCE BARS	78
BIAS GAUGE PANEL	79, 140
BLEEDERS	77
CALIPERS	66-67
CALIPER BRACKETS	29, 72-74
CALIPER BRACKETS CHART	72, 74
DUCTS	81
FITTINGS	77
FLUID	75
HATS	70
LINE DEFLECTORS	74
LINES & CLAMPS	75-77
MASTER CYLINDERS	78-80, 199
PAD SPACERS	70
PADS	68-70
PEDALS	76, 80
PRESSURE GAUGE	79
PROPORTIONING VALVE	76
RESIDUAL VALVES	76

ROTOR ADAPTOR	29, 90, 73
ROTOR MOUNTS	73
ROTORS	71,196,197,199,203
SHUTOFF VALVES	76
SLAVE CYLINDERS	78
BREATHERS	125
BRIDGE PARTS (REAR END)	47
BUMPERS AND MOUNTS	181
CLIPS	193
DOOR MOUNTS	181
FRONT AND REAR BUMPERS	181
QUARTER PANEL MOUNTS	181
ROOF MOUNTS	181
SIDE BARS	181
BUMP RUBBERS	92
BUTTON TOOL	166
C	
CALIPER BOLTS	70
CARBURETORS	153
ADAPTORS	156
CARBURETOR FITTINGS	154-155
CARBURETOR GASKETS	134
JETS	153
POWER VALVES	153
SPACERS	155
CASTER-CAMBER GAUGE	163
CHASSIS AND COMPONENTS	181-194
CHASSIS PARTS BREAKDOWN	188-192
CLAMP-ON BRAKE BRACKETS	73, 80
CLECOS & PLIERS	166
CLEVISES	13
CLUTCHES (CONVENTIONAL)	133
CLUTCH FORK	132
CLUTCH PEDAL	80
CLUTCH SLAVE CYLINDER	78
CLUTCH THROWOUT BEARINGS	133
COG BELTS AND PULLEYS	150
COIL OVER BEARINGS	92, 103
COIL OVER BRACKETS	36,93,94
COIL OVER KITS	96-100
COIL OVER SPRINGS	101-103
COIL SPRING BUCKETS	105
COIL SPRING COVERS	91,101
COIL SPRING SPACERS	105
COM BEARINGS	13
CONTROL ARM BUSHINGS	19, 21
CONTROL ARM MOUNTS	20
CONTROL ARMS	19
CRANK FLANGES	131
CRASH POCKETS	188-192
CRATE ENGINE (602)	119
CROSS SHAFTS	19, 194
CYLINDER HEADS	122
CYLINDER LEAKDOWN GAUGES	121
D	
DECALS	5
DIAPER PINS	91
DISTRIBUTORS & PARTS	137
DMI QC REAR END	47-48
DRAG LINK	24
DRAIN PAN	47
DRILLS	65, 166
DRIVE FLANGES	58-62, 64
DRIVE SHAFT COVERS	41, 132
DRIVE SHAFT SAFETY HOOPS	43
DRIVE SHAFTS	131
DRIVE YOKES	131
DRIVING SUITS	170-171
DRY BRAKES	157

DRY SUMP TANKS	122
DUROMETERS	164
DWARF / MOD LITE	203-204
DZUS BUTTONS	178
DZUS PLATES	178
DZUS SPRINGS	178
DZUS TOOL	166
E	
ELECTRICAL AND GAUGES	136-140
ENGINE AND ACCESSORIES	119-122
ENGINE DOWELS	121
ENGINE LIFT PLATE	121
ENGINE MOUNTS AND PLATES	121
ENGINE OIL LINES	121
EXHAUST	159-161
ELBOWS & TURNOUTS	160
HANGERS	161
MUFFLERS	160
PIPES	160
WRAP	161
EXPANSION TANK	142
F	
FAN SHROUDS	142
FANS & SPACERS	141
FASTENERS & ACCESSORIES	178-180
BUTTONS	178
CLECOS & PLIERS	166
DZUS TOOL	166
PLATES	178
RIVETS	178
SPRINGS	178
FIBERGLASS PARTS	184
FIRE SYSTEMS	168
FITTINGS	112-118
FLEX PLATES	131-133
FLOORS	42, 193
FORD 9 INCH REAR ENDS	55-56
GRAND NATIONAL 5 X 5	52
MINI 3/4 TON FLOATER	52,56
WIDE 5	52
FOX SHOCKS	84-85
FRONT CLIPS	193
FUEL SYSTEM AND ACCESS.	153-158
CELLS	156-157
FILTERS	155
FUNNELS	167
JETS	153
JUGS	167
LOGS	154
POWER VALVES	153
PRESSURE REGULATOR	154
PUMPS	154
SHUTOFF VALVES	155
G	
GAS PEDALS	194
GASKETS	134-135
GAUGES & PANELS	138-140
GEARS (QUICK CHANGE)	54
GEAR TOTE BOX	47, 54
GEAR LUBE	50, 124,125
GLOVES	170
GUSSETS	178
H	
HANS DEVICES	172
HEADERS AND EXHAUST	159-161
WRAP	161
HEAD AND NECK RESTRAINTS	172
HELMET FANS	176
HELMET HOOKS	176

HELMET RESTRAINTS	167
HELMETS	173-175
HELMET SHIELDS	176
HOOD PIN KITS	180,
HOODS (MOD/SPORTS.)	184
HOSE	112-114,143,157
BRAIDED	113-114
CLAMPS	143
FIRE SLEEVE	113
PUSH ON	112
RADIATOR	143
HUBS AND DRIVE FLANGES	57-64
KART	198-199
LARGE BEARING	25-29, 35-36, 59-64
LATE MODEL IMPALA	64
LIVE AXLE	57
MICRO SPRINT	195-197
MIDGET	195-197
MINI 3/4 TON	56, 64
SIX PIN	29-30
WIDE 5	58-62
I	
IGNITION SYSTEM	137
IMPACT WRENCHES	166
INTAKE MANIFOLDS	121
INTEGRA SHOCKS	82-83
INTERNATIONAL SPINDLE	30
J	
JACK BOLTS	93
JACKS-ALUMINUM	167
JAM NUTS	13
JET PLATE	153
JETS	152
K	
KART PARTS	198-202
AIR FILTERS AND ADAPTORS	201
AXLES	199
BRAKE PARTS	199
BRAKE PEDALS	198
CARB PARTS	201
CHAIN LUBE	200
CHAINS	200
CLAMP BRACKETS	201
CLUTCHES	200
ENGINE OIL	200
EXHAUST PARTS	193
FRONT HUBS	198
FUEL FILTERS	200
FUEL TANK	201
GAS PEDALS	198
GASKETS	200
MASTER CYLINDERS	199
MOTOR MOUNTS	201
MUFFLERS	201
REAR HUBS	199
ROTORS	199
SEATS	201
SPINDLES	198
SPROCKETS	200
STEERING WHEEL	201
TIE RODS	198
TIRES	202
KING PINS	25-28, 30, 198
KNEE GUARD	10
L	
LARGE BEARING PARTS	25, 28-29, 59-63
LEAD BALLAST	180
LEAF SPRINGS & PARTS	104
LIFT ARM COIL MOUNT	95

LIVE REAR PARTS	57	RACK & PINION	204	SPOILERS	186	TORSION BARS	45
LOWERING BLOCKS	57	RADIATORS AND COOLING	141-143	SPRINGS AND ACCESSORIES	101-105	TORSION BEARINGS	44
LUBRICANTS AND FILTERS	123-125	RADIATORS	142	COIL OVER SPRINGS	101-103	TORSION BUSHINGS	44
LUG NUT WRENCH	65	RADIATOR HOSES & CLAMPS	143	CONVENTIONAL COILS	104	TORSION RACKS	45
LUG NUTS	65	RADIATOR MOUNTS	194	DZUS	178	TORSION STOPS	45, 197
M		RADIATOR NECKS	141	MINI	38	TQ MIDGETS	195-197
MANDRELS	149-151	RADIO RECEIVERS	167	MULTILEAF	104	TRAILING ARM BRACKETS	32, 36
MASTER CYLINDERS	78, 199	RADIUS ROD SLUGS	16	PIGTAIL	104	TRANSMISSIONS	126-130
MICRO SPRINT	195-197	RADIUS RODS AND ROD ENDS	13-17, 38-39	STREET STOCK	104	TRANSMISSION FLUID	125
MINI SPRINT	195-197	REDUCER BUSHINGS	16	TAKE-UP	103	TRANSPONDERS	167
MINISPOOLS	54	REAMERS	21	SPRING FLOATER	103	TUBES (STEEL & ALUMINUM)	51-52
MOD LITE	203-204	REAR AXLE TUBES	51-52	SPRING RODS	37-38	TUBING (STEEL & ALUMINUM)	16
MOTOR MOUNTS	121, 201	REAR AXLES	53, 195, 196, 199, 203	SPRING SEAT (REAR)	105	U	
MSD ACCESSORIES	137	REAR CLIP	188, 190, 193	SPRING SPACER	105	U BOLTS	55, 104, 131
MUD PLUGS	111	REAR END FILLER	47	STABILIZER BAR PARTS	19	UNIVERSAL JOINTS	12, 131
MUDD OFF	167	REAR ENDS AND ACCESSORIES	47-57	STARTERS	132	DRIVELINE	131
MUFFLERS	159, 160, 201	RING & PINION	49, 50	STARTERS AND DRIVETRAIN	126-133	STEERING	12
N		RIVETS	18, 179	STAT O SEALS	117	UNDERWEAR	171
NECK BRACES	170	ROD END SPACERS	16-17	STEEL CLEVISSES	13	UPPER CONTROL ARM MOUNTS	20
NOMEX CLOTHING	171	ROD ENDS	12, 13	STEEL REDUCER BUSHINGS	16	UPPER CONTROL ARMS	19
NE MOD FRONT SUSPENSION	22-30	ROLLER CHANGING TOOL	44, 166	STEEL TAPER SPACERS	17	V	
NE MOD REAR SUSPENSION	31-46	ROLL BAR PADDING	168	STEEL TUBING	12, 16	V BELT PULLEYS	150-152
O		ROOF MOUNTS / SUPPORTS	181, 187	STEERING & QUICK RELEASES	6-12	VALVE STEMS	111
OEM SUSP. COMPONENTS	19-20	ROTOR ADAPTORS	29, 59, 72	ARMS	24	VENT TANK	122
OIL SYSTEM		ROTORS	71, 196, 197, 199, 203	BOX MOUNTS	10	W	
DRY SUMP TANKS	122	ROOFS-MODIFIED	184	BOXES	11	WARNING LIGHTS	140
OIL	124-125	RUBBER REAR PANHARD	39	COUPLERS	12	WATER OUTLETS	143
OIL COOLERS	123	S		KNEE GUARDS	10	WATER PUMPS	141
OIL FILTERS	123	SAFETY ACCESSORIES	167-176	QUICK RELEASES	6	WATER WETTER	143
OIL FILTER ADAPTORS	123	SAFETY WIRE & PLIERS	166	QUICKENERS	12	WEDGE BOLTS	93
OIL PAN HEATER	122	SCALES	162	ROD ENDS (OVERSIZE)	12	WEGNER ENGINE (W16)	120
OIL PUMP	125	SEATS AND ACCESSORIES	177	SHAFT COLLARS	12	WEIGHT JACKS	95, 105
ORINGS	116	SEAT BELTS	169	SHAFTS	12	WELD IN BUNGS (ALUMINUM)	118
OUTERWEAR PREFILTERS	156	SEAT COVERS	177	SUPPORT BEARINGS	12	WELD ON SLUGS (STEEL)	16
P		SEAT SUPPORTS	177	UNIVERSAL JOINTS	12	WHEELS AND ACCESSORIES	106-111
PANEL FASTENERS	178	SERPENTINE PULLEYS	144-148	WHEEL CENTER PADS	7	ADAPTORS (STOCK)	110
PANHARD BAR	39	SETUP STANDS	194	WHEEL SPACERS	7	ADAPTORS (WIDE 5)	110
PANHARD SLIDERS	25, 57	SHACKLE BOLTS & PLATES	104	WHEELS	7, 201	ALUMINUM	107
PANHARD MOUNTS	23, 39-40	SHIFTER BALL	133	STREET STOCK BUMPER	18	BEARING GREASE	125
PEDALS	76, 80	SHIFTER EXTENSION	132	STOP WATCHES	166	NUTS	66
PILOT BUSHING	132	SHOCKS AND ACCESSORIES	82-95	SURGE TANK	142	SPACERS (ALUMINUM)	110-111
PIT AND SAFETY	167-176	AFCO	88-89	SWAY ARMS	30	STEEL	106, 109
PIT SOCKETS	65, 166	BILSTEIN	86-88	SWITCHES & PANELS	138, 140	STUDS	65
PITMAN ARMS	24	FOX	84-85	T		WRENCH	109
PLASTIC (ROLLS)	179	INTEGRA	82-83	TACHOMETERS	139	WIDE 5	26-27, 58, 61-64
PLASTIC CLEANER	167	PRO	89-90	TAP TUBING	16	WINDOW NETS	168
PLUMBING AND FITTINGS	112-118	SHOCK COVERS	91	TAPE	18, 180	WINDOW SCREENS	194
POWER STEERING	6-12	SHOCK INFLATION UNIT	91	TEAROFFS	176	WING SLIDERS	197
BRACKETS	9	SHOCK MOUNTS	31, 93-94	TEMPERATURE GUN	164	WINTERS QC REAR	50
FILTERS	10	SHOCK OIL	91	THERMOSTAT HOUSINGS	143	COVER GASKETS	55, 134
FITTINGS	8, 10, 11	SHOCK SLIDERS	25, 93-94	THREADED SLUGS	16	GEARS	54
FLUID	10	SHOCK TOWERS	189, 192	THROTTLE ROD KITS	153	GEAR COVER	50
HOSES	8, 118	SHOCK TOWER / TUBING CAPS	178	THROWOUT BEARINGS	133	INSPECTION PLUGS	50, 55
PUMPS	8	SHOES	170	THRUSHAFTS	49, 50	O RINGS (SIDE BELL)	50
RESERVOIRS	11	SIX PIN PARTS	29-30	TIE RODS	14, 24	POSI LOCK	50
PRECISION CONTROL LINK	37	SLAVE CYLINDER	78	TIE WRAPS	178	RING & PINION	50
PRE-FILTERS	156	SLIP YOKES	131	TIRE GRINDER	165	SIDE BELLS	50
PRO SHOCKS	89-91	SOCKS (NOMEX)	171	TIRE GROOVER	165	SPOOLS	50
PULLEYS	144-152	SPACERS	17	TIRE IMPROVER	165	SPOOL SEALS	50
Q		SPARK PLUG WIRES	137	TIRE PRESSURE GAUGE	164	U-BOLTS (U JOINTS)	55, 104, 131
QC GEARS	54	SPARK PLUGS	137	TIRE SIPER	165	VENT TUBE KIT	55
QC REAR END PARTS	47-55	SPINDLES	25-28, 30, 195, 198	TIRE TAPE	164	WINTERS TRANSMISSION	127
QC REARS	48-50	8 BOLT	52	TIRE VALVE STEMS	111	WRENCHES	109
QC THIRD LINK MOUNT	57	10 DEGREE	25-28	TOE PLATES	164	Y	
QUADLOCK	31-33, 47, 51	INTERNATIONAL WIDE 5	30	TOOLS, TIRE GAUGES & SCALES	162-166	YOKES	131
QUICK FILL PARTS	157	KART	198	TORQUE ARM SLIDERS	41-42		
QUICK RELEASES	6	LARGE BEARING	25, 28	TORQUE ARMS	43		
R		MICRO SPRINT	195	TORQUE TUBES	57		
RACEIVERS	167	NUT WRENCHES	26, 30, 63	TORSION ARMS	45-46, 197		

UNISEX APPAREL



DESCRIPTION	P/N
White Car Shirt	APP 175-SIZE
Available Sizes: S, M, L, XL, XXL, XXXL	



DESCRIPTION	P/N
Antique Cherry Car Shirt	APP 185-SIZE
Available Sizes: S, M, L, XL, XXL, XXXL	



DESCRIPTION	P/N
2019 Black T Shirt	APP 430-SIZE
Available Sizes: Small to 4X Large	



DESCRIPTION	P/N
2019 Black Hoodie	APP 435-SIZE
Available Sizes: Small to 4X Large	



DESCRIPTION	P/N
Black Logo Hoodie	APP 350-SIZE
Available Sizes: Medium - XXXL	



DESCRIPTION	P/N
Twill University Style Hoodie	APP 395-SIZE
Available Sizes: S, M, L, XL, XXL, XXXL	



DESCRIPTION	P/N
40 Yr Anniversary Hoodie	APP 400-SIZE
Available Sizes: S, M, L, XL, XXL, XXXL	



DESCRIPTION	P/N
Grey Car Hoodie	APP 405-SIZE
Available Sizes: S, M, XL, XXL, XXXL	



DESCRIPTION	P/N
Grey Full Zip Hoodie	APP 60-SIZE
Sizes: S, L, XL, XXL	



DESCRIPTION	P/N
Mesh Back Snap Back Hat (One Size Fits Most)	APP 126



DESCRIPTION	P/N
Fitted "B" Black FlexFit Hat Size: Small / Medium	APP 120S/M



DESCRIPTION	P/N
Fitted "B" Black FlexFit Hat Size: Large / XLarge	APP 120L/XL



DESCRIPTION	P/N
Full Back Snap Back "B" Hat - One Size Fits Most	APP 125



DESCRIPTION	P/N
Winter Beanie	APP 130

LADIES APPAREL



DESCRIPTION	P/N
Ladies Cotton Polo	APP 55-SIZE
Available Sizes: S, M, L, XL, XXL	



DESCRIPTION	P/N
Ladies Papaya Shirt	APP 440-SIZE
Available Sizes: S, M, L, XL, XXL	



DESCRIPTION	P/N
Ladies Military Hat	APP 116
One Size Fits All	



DESCRIPTION	P/N
Ladies Mesh Back Hat	APP 117
One Size Fits All	

MEN'S / LADIES JACKETS



APP 410

DESCRIPTION	P/N
Men's Glacier Jacket	APP 410-SIZE
Available Sizes: M, L, XL, XXL, XXXL	



APP 415

DESCRIPTION	P/N
Ladies Glacier Jacket	APP 415-SIZE
Available Sizes: S, M, L, XL, XXL	



APP 420

DESCRIPTION	P/N
Unisex Winter Jacket	APP 420-SIZE
Available Sizes: S, M, L, XL, XXL, XXXL	

STICKERS / BANNERS



DESCRIPTION	P/N
5 3/4" X 9 1/2" BRP Decal	APP 525



DESCRIPTION	P/N
5" X 5" Square BRP Decal	APP 560



DESCRIPTION	P/N
3' X 8' BRP Banner	APP 537



DESCRIPTION	P/N
Beverage Koozie	APP 15-10

STEERING QUICK RELEASES

Lightweight Hex Aluminum
Shaft O.D. - 1" Hex

Did You Know...
DO NOT MIX WITH OTHER
PRODUCTS! LOCKING
MECHANISM MAY FAIL!



BRP 191

DESCRIPTION	RED P/N	BLACK P/N
Complete 5/8" I.D. weld on assembly (red)	BRP 191	BRP 191BK
Complete 3/4" I.D. weld on assembly (red)	BRP 192	BRP 192BK
Complete 17 spline I.D. assembly - Profile, GME or Nields steering Box (red)	BRP 193*	
Quick Release Hub only	BRP 194	BRP 194BK
5/8" I.D. weld on shaft only	BRP 195	
3/4" I.D. weld on shaft only	BRP 196	
17 Spline I.D. shaft only	BRP 184*	

*Includes BRP 184W and BOL 051502FZ

Standard Hex Aluminum
Shaft O.D. - 1" Hex


Did You Know...
BOLT PATTERN
IS 3 ON 1.755"



BRP 186

DESCRIPTION	P/N
Complete 5/8" I.D. weld on assembly (red)	BRP 186
Complete 3/4" I.D. weld on assembly (red)	BRP 188
Complete 17 spline I.D. assembly - Profile, GME or Nields steering Box (red)	BRP 190*
5/8" I.D. weld on shaft only	BRP 180
3/4" I.D. weld on shaft only	BRP 182
17 Spline I.D. shaft only	BRP 184*
Quick Release Hub only	BRP 185

*Includes BRP 184W and BOL 051502FZ

Aluminum & Steel Rim Hex Type
Shaft O.D. - 1" Hex

BRP 177

BRP 177S

DESCRIPTION	RED ALUM P/N	BLACK ALUM P/N	STEEL P/N
Complete 5/8" I.D. assembly	BRP 177	BRP 177BK	BRP 177S
Complete 3/4" I.D. assembly	BRP 178	BRP 178BK	BRP 178S
Complete 17 spline I.D. assembly fits Profile, GME or Nields steering Box	BRP 179*	BRP 179BK*	
5/8" I.D. weld on shaft only	BRP 173	BRP 173	BRP 173
3/4" I.D. weld on shaft only	BRP 174	BRP 174	BRP 174
17 Spline I.D. shaft only	BRP 175*	BRP 175*	BRP 175*
Quick Release Hub Only	BRP 176	BRP 176BK	BRP 176S

*Includes BRP 184W and BOL 052002FZ

Aluminum Body - Aluminum Rim - Multi Spline - Push Lock Style

Did You Know...
You don't have to pull the ring
to put this on. Just push it and
it snaps into place!



BRP 159

BRP 160BK

DESCRIPTION	RED P/N	BLACK P/N
Complete 5/8" I.D. weld on assembly	BRP 160	BRP 160BK
Complete 3/4" I.D. weld on assembly	BRP 161	BRP 161BK
Complete 17 spline I.D. assembly Profile, GME or Nields steering Box	BRP 162*	BRP 162BK*
Quick Release Hub only	BRP 159	BRP 159BK
17 Spline I.D. Shaft only		BRP 162-1*
5/8" I.D. weld on shaft only		BRP 160-1
3/4" I.D. weld on shaft only		BRP 161-1

*Includes BRP 184W and BOL 051002FZ

Aluminum Body - Steel Rim - Multi Spline - Rim Type



BRP 167

DESCRIPTION	P/N
Complete 5/8" I.D. weld on assembly	BRP 167
Complete 3/4" I.D. weld on assembly	BRP 168
Complete 17 spline I.D. assembly Profile, GME or Nields steering Box	BRP 169*
17 Spline I.D. Shaft only	BRP 163*
5/8" I.D. weld on shaft only	BRP 164
3/4" I.D. weld on shaft only	BRP 165
Quick Release Hub only	BRP 166

*Includes BRP 184W and BOL 051502FZ

Aluminum Body - Aluminum Rim - Multi Spline - Rim Type



BRP 2127

DESCRIPTION	RED P/N	BLACK P/N
Complete 5/8" I.D. weld on assembly	BRP 2127	BRP 2127BK
Complete 3/4" I.D. weld on assembly	BRP 2128	BRP 2128BK
Complete 17 spline I.D. assembly Profile, GME or Nields steering Box	BRP 2129*	BRP 2129BK*
Quick Release Hub only	BRP 2121	BRP 2121BK
5/8" weld on shaft only		BRP 164
3/4" weld on shaft only		BRP 165
Splined Shaft only		BRP 163*

*Includes BRP 184W and BOL 051502FZ

Lightweight Aluminum - Multi Spline - Pin Type



BRP 2137

DESCRIPTION	P/N
Complete 5/8" I.D. weld on assembly	BRP 2137
Complete 3/4" I.D. weld on assembly	BRP 2138
Quick Release Hub only	BRP 2131
5/8" I.D. weld on shaft only	BRP 2133
3/4" I.D. weld on shaft only	BRP 2134

STEERING WHEELS

Sweet Aluminum Steering Wheels



DESCRIPTION	P/N
13" Flat Aluminum Wheel (with Knuckle Grips)	SWE 601-70131
13" Dish Aluminum Wheel (3" Dish with Knuckle Grips)	SWE 601-70132
15" Flat Aluminum Wheel (with Knuckle Grips)	SWE 601-70151
15" Dish Aluminum Wheel (3" Dish with Knuckle Grips)	SWE 601-70152
17" Flat Aluminum Wheel (with Knuckle Grips)	SWE 601-70171
17" Dish Aluminum Wheel (3" Dish with Knuckle Grips)	SWE 601-70172

Bolt Pattern - 3 on 1.75"


Rebco / Longacre Aluminum Steering Wheels



DESCRIPTION	P/N
15" Dish Aluminum Wheel	LON 52-56801
17" Dish Aluminum Wheel	LON 52-270-8655

Bolt Pattern - 3 on 1.75"

Rebco / Longacre Steel Steering Wheels



DESCRIPTION	P/N
15" Dish Steel Wheel	LON 52-56841
17" Dish Steel Wheel	LON 52-56851

Bolt Pattern - 3 on 1.75"

STEERING WHEEL SPACERS



DESCRIPTION	RED P/N	BLACK P/N
1/2" Thick Aluminum Spacer	BRP 189-50	BRP 189-50BK
1" Thick Aluminum Spacer	BRP 189-100	BRP 189-100BK
1 1/2" Thick Aluminum Spacer	BRP 189-150	BRP 189-150BK
2" Thick Aluminum Spacer	BRP 189-200	BRP 189-200BK

All spacers include bolts
Bolt Pattern - 3 on 1.75"

KART STEERING WHEELS



DESCRIPTION	P/N
12" Aluminum Kart Wheel (no grip)	BRP 4363
14" Aluminum Kart Wheel (no grip)	BRP 4601

BRP 4363 and 4601 have big (3 on 1.755") and small (3 on 1-5/8") bolt pattern.

Did You Know...
Aluminum Kart Wheels weigh less than 1 pound, while the steel Kart Wheel weighs 2.5 pounds.

STEERING WHEEL PADS




DESCRIPTION	P/N
Black 6" Round Pad	KIR 00001
Black Sprint Style Pad	KIR 00021
Molded Steering Wheel Pad	ALL 52322

Maximum RPM for a power steering pump is 7000 RPM.
Power steering pumps reach maximum pressure @ 1500 RPM's.
To calculate p/s pump RPM, use the following formula:
$$\frac{\text{p/s pulley diameter}}{\text{crank pulley diameter}} \times \text{max engine RPM} = \text{P/S RPM}$$

POWER STEERING PUMPS

Did You Know...
Aluminum Power Steering Pumps weigh 3.15 pounds and operate at 1500 PSI, while a cast iron pump weighs 4.30 pounds and operates at 1200 PSI.



DESCRIPTION	P/N	REPLACEMENT PULLEY
Power Steering Pump Only	BRP 579	N/A
Power Steering Pump with 6" V Pulley (1/2" Belt)	BRP 580	BRP 996
Power Steering Pump with 6" V Pulley (3/8" Belt)	BRP 580-1	BRP 996-1
Power Steering Pump with 4 1/4" Serpentine Pulley	BRP 581	BRP 951
Aluminum Power Steering Pump Only (no pulley)	KRC 10096000	N/A
Aluminum Power Steering Pump with Reservoir (no pulley)	KRC 10096100	N/A
Aluminum Power Steering Pump with 4 1/4" Serpentine Pulley	KRC 581	BRP 951
Aluminum Power Steering Pump with 6" V Pulley	KRC 580	BRP 996
Power Steering Pump with 7MM Pulley	BRP 9288	BRP 9272
Aluminum Power Steering Pump with 7MM Pulley	TUR 9288	BRP 9272
Power Steering Pump with WEGWAO31 Hub (for Wegner W16)	BRP 9515	WEGWAO354 6-1/2" 3 RIB PULLEY
Only includes hub, purchase pulley separate		

REPLACEMENT PARTS

DESCRIPTION	P/N
AN 9 O-ring to AN 10 (commonly used on return side of pump)	BRP 5026
AN 9 O-ring to 3/8" NPT Female (used on return side of pump)	BRP 5027
Rear Pump Cover O-ring	NIA 138
Outlet Pressure Fitting (threads into pump body)	BRP 579-1
AN 6 Outlet Fitting (threads into BRP 579-1)	BRP 579-2
Pressure Relief Valve	BRP 579-3
AN 6 Pressure Outlet Fitting - 2 gal/min flow (replaces BRP 579-1 & 579-2)	
* FOR RACK AND PINION *	AFC 37130
AN 6 Pressure Outlet Fitting - 5 gal/min flow	
* FOR DIRT MODIFIEDS *	BRP 9551
Pump Seal O-Ring Repair Kit	BRP 579-7




POWER STEERING HOSES

Pre-Made Power Steering Hoses

DESCRIPTION	P/N
46" Power Steering Pressure Hose for Profile Steel Box (AN 6 ends) <u>has 1 straight AN6 fitting and 1 45° AN6 fitting</u>	BRP 577
52" Power Steering Pressure Hose for GME/Profile Aluminum box (AN6 ends) <u>has 1 straight AN6 fitting and 1 45° AN6 fitting</u>	BRP 578-1
AN 10 Power Steering Return Hose and Fitting Kit	BRP 582

BRP 582 Includes:

1 - KBP 225
1- XRP 231210
1- XRP 239010
1- XRP 230006
1- XRP 239006
1.5 ft- XRP 340006
4 ft- XRP 340010



Re-usable Power Steering Hoses & Fittings

DESCRIPTION	P/N
AN 6 Bulk High Pressure Hose (sold per foot)	XRP 510006
Straight AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 500006
45° AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 504506
90° AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 509006

Quick Disconnect Power Steering Hoses

DESCRIPTION	P/N
AN6 Pressure line Pump Side (11" long with male disconnect)	SFP BICRACING-39
AN6 Pressure line Box Side (34" long with female disconnect)	SFP BICRACING-40
AN10 Feed line Pump Side (19" long with female disconnect)	SFP BICRACING-41
AN10 Feed line Box Side (33" long with male disconnect)	SFP BICRACING-42



POWER STEERING BRACKETS

Big Block Chevrolet - Head Mount

DESCRIPTION	RED P/N	BLACK P/N
Big Block Chevrolet cylinder head mount power steering pump bracket kit	BRP 7154	BRP 7154BK
Big Block Chevrolet head bracket only	BRP 7152	BRP 7152BK
Spacer between bracket and cylinder head	BRP 7150	BRP 7150BK

Big Block Chevrolet - Block Mount

DESCRIPTION	RED P/N	BLACK P/N
Big Block Chevrolet Block mount power steering pump bracket	BRP 271	BRP 271BK

Use BRP 1631, 1633, 1633-1 or 1634 to adapt power steering pump to this bracket.

Power Steering Pump Spacers

DESCRIPTION	RED P/N	BLACK P/N
1/8" Thick power steering pump bracket adaptor or spacer	BRP 1631	
3/8" Thick power steering pump bracket adaptor or spacer	BRP 1633	
1/2" Thick power steering pump bracket adaptor or spacer	BRP 1633-1	
5/8" Thick power steering pump bracket adaptor or spacer	BRP 1634	

Small Block Chevrolet - Head Mount

DESCRIPTION	RED P/N	BLACK P/N
Small Block Chevrolet cylinder head power steering pump bracket kit	BRP 277	BRP 277BK
Small Block Chevrolet head bracket only	BRP 275	BRP 275BK
Replacement Nut Retainer Plate	BRP 275-1	
Replacement Square Nut	BOL 057C	
Spacer Between bracket and cylinder head (.380" thick X 3/8" hole)	BRP 277S	
3/16" Long Spacer - 2 required	BRP 275-2	

Small Block Chevrolet Block Mount

DESCRIPTION	RED P/N	BLACK P/N
Small Block Chevrolet power steering bracket kit	BRP 268	BRP 268BK
Replacement Square Nut - 5/16"-18NC	BOL 057C	

Small Block Chevrolet Head Mount - Electric Water Pump

DESCRIPTION	RED P/N	BLACK P/N
Small Block Chevrolet head mount power steering bracket		BRP 9292
604 Crate power steering bracket		BRP 9542

Small Block Ford V Pulley - Head Mount

DESCRIPTION	RED P/N	BLACK P/N
Small Block Ford V-Pulley power steering pump bracket kit	BRP 936	
Small Block Ford V-Pulley bracket only	BRP 935	
Spacer from bracket and cylinder head (4.885" long)	BRP 934	


Small Block Ford Serpentine Pulley - Head Mount

DESCRIPTION	BLACK P/N
Small Block Ford Serpentine Head mount power steering bracket kit	BRP 1421BK
Small Block Ford Serpentine Mount only	BRP 935BK
Spacer from bracket and cylinder head (.850" O.D. X 2 1/2"L - 7/16" hole)	BRP 499BK

Power Steering Block Mount Bracket Spacers


DESCRIPTION	RED P/N
1/8" Thick BB/SB Wet Sump- Block Mount Power Steering Spacer	BRP 270
1/4" Thick BB/SB Wet Sump- Block Mount Power Steering Spacer	BRP 270-1
3/8" Thick BB/SB Wet Sump- Block Mount Power Steering Spacer	BRP 270-2

GM POWER STEERING BOX FITTINGS



GM Power Steering Fittings - 80 & up

DESCRIPTION	P/N
Small 16mm X 1.50 O-Ring Style to AN6 (return)	ALL 48210
Large 18mm X 1.50 O-Ring Style to AN6 (pressure)	ALL 48212



GM Power Steering Fittings - up to '79

DESCRIPTION	P/N
Small 5/8" X 18 TPI Flare Style (return)	ALL 48215
Large 1 1/2" X 18 TPI Flare Style (pressure)	ALL 48217

POWER STEERING FLUID / FILTERS



Power Steering Filter

DESCRIPTION	P/N
Power Steering Filter Assembly - AN10 IN AND OUT (can be used for power steering or fuel)	BRP 585
Replacement Stainless Steel Filter Only	ALL 40222
AN6 Power Steering Cooler	ALL 52102

Did You Know...
Sweet power steering fluid is a full synthetic fluid, which reduces foaming.



Power Steering Fluid

DESCRIPTION	P/N
Sweet Power Steering Fluid (1 quart)	SWE 301-30179
Sweet Power Steering Fluid (case of 6 quarts)	SWE 301-30178
Champion Power Steering Fluid (1quart)	CHO 4182H

CENTER STEER KNEE GUARDS



BRP 9046




BRP 9591

DESCRIPTION	P/N
Padded Center Steer Knee Guard	BRP 9046
Half Box Knee Guard (Only Required for Half Boxes)	BRP 9591

Did You Know...
BRP 9046 will fit any steering box! It is covered in high density padding to stop your knees from hitting the steering box on rough tracks or impacts.

STEERING BOX MOUNTS



Center Steering Box Mounts

DESCRIPTION	RED P/N	BLACK P/N
Center Steering Hanger Assembly for Standard Chassis	BRP 274	BRP 274BK
Center Steering Hanger Assembly for Driver Back Chassis	BRP 274-6	BRP 274-6BK
Replacement 4" Standard Strap (sold each)	BRP 274-2	BRP 274-2BK
Replacement 6" Driver Back Strap (sold each)		BRP 274-3



Side Steering Box Mount

DESCRIPTION	RED P/N	BLACK P/N
3" Bolt Spacing Side Steering Box Mount (TEO STYLE)	BRP 273	BRP 273BK
2 1/2" Bolt Spacing Side Steering Box Mount (BRP Cars)	BRP 215	BRP 215BK
3" Bolt Spacing Non Binding Steering Box Mount (TEO STYLE)		BRP 9303
2 1/2" Bolt Spacing Non Binding Steering Box Mount (BRP cars)		BRP 9298




Box mount without Right Side Tube

DESCRIPTION	P/N
Right Side Mounting Plate for KSE Steering Box / GME 2 1/4" I.D.	BRP 9044
Right Side Mounting Plate for Profile/Nields Steering Box - 2" I.D.	BRP 9045
Upper Steel Weld On Chassis Tab	CHA 216
Lower Steel Weld On Chassis Tab	CHA 215

MODIFIED STEERING BOXES

Did You Know...
Steel Boxes weigh 34.3 pounds,
Aluminum boxes weigh 29.6 pounds.



PRF PRO



PRF BOX190

ALL 48210
with O-RingALL 48215
without O-Ring

GME 951850NH



Profile Steering Boxes

DESCRIPTION	P/N
Profile Aluminum Center Steering Box-190 Spool Valve (12:1 Ratio)	PRF PRO
Profile Steel Center Steering Box Light Spool Valve (14:1 Ratio)	PRF BOX-190
Profile Aluminum Center Steering Box - 190 Spool Valve (9:1 Ratio)	PRF PRO-9

Profile Rebuild Parts

DESCRIPTION	P/N
Seal Kit	PRF KIT
Right Side Tube for Steering Box	BRP PROFILE
Aluminum Box Fittings -both fittings (comes with o-ring)	XRP 980006
Replacement O-Ring for XRP 980006	NIA 112
Steel Box Return Fitting (commonly red) Small 5/8" -18 Flare type	ALL 48215
Steel Box Pressure Fitting (commonly blue) Large 11/16" - 16 Flare type	ALL 48217
GM Power Steering Fitting '80 and up M16 X 1.5 with O-Ring	ALL 48210
GM Power Steering Fitting '80 and up M18 X 1.5 with O-Ring	ALL 48212
Aluminum Box - Sector Shaft	PRF SECTOR
Steel Box - Sector Shaft	PRF SECTOR-STEEL



GME Steering Boxes

DESCRIPTION	P/N
GME Aluminum Half Box - 9:1 Ratio	GME GA951850NH
GME Aluminum Full Box - 9:1 Ratio	GME GA951850NF
GME Aluminum Full Box - 12:1 Ratio	GME GA125183NF
GME Aluminum Half Box - 12:1 Ratio	GME GA125183NH

POWER STEERING RESERVOIRS

Did You Know...

This has a billet end and cap with an o-ring.
No more wornout stamped caps and ends- This one
will be the only one you will buy!



FIG	DESCRIPTION	P/N
1	Aluminum round tank with billet cap (no mount)	BRP 563
2	Mounting bracket for round tank to mount on horizontal tubing	BRP 564
3	Aluminum round tank with flat mounting bracket and billet cap	BRP 563B
4	Replacement billet cap for BRP 563 & BRP 563B - RED	BRP 563F
4	Replacement billet cap for BRP 563 & BRP 563B - BLACK	BRP 563FBK
-	Replacement O-Ring for BRP 563F billet cap	NIA 216
5	Mounting plate for BRP 563B (common on DIRT Modifieds)	BRP 562M
6	Cockpit Mounted Power Steering Tank	BRP 9372
7	Replacement Power Steering / Dry Sump Tank Cap	ALL 36124



KRC 91312000

KRC Reservoir

DESCRIPTION	P/N
Power Steering Reservoir Bolt On - For 9.6 Elite Series Pump	KRC 91312000

STEERING ROD ENDS AND SUPPORT BEARINGS

Did You Know...

Made Oversized for 3/4" shaft- no hassles, no sanding!



.007" Oversized Rod Ends
rod end will slide over 3/4" shaft

DESCRIPTION	P/N
Steel Rod End	AFC 10400
3/4"F Steel Jam Nut	BRP 788
3/4"F Alum. Jam Nut	BRP 772




Firewall/Midplate Support Bearing

DESCRIPTION	P/N
.750" Support Bearing	ALL 52130

Did You Know...

Steering shaft tubing is available in different lengths. You can cut the shaft to desired length to make a custom steering shaft! SEE CHART BELOW FOR LENGTHS

STEERING SHAFT TUBING AND MOUNTS



BRP 9151

12 GAUGE STEEL



BRP 5108

DESCRIPTION	P/N
11" Long - Multi Slot Steering Shaft Mount	BRP 5108
10" Long - Multi Slot Steering Shaft Mount	ALL 52126
3/4" X .120" wall DOM steering shaft 18" Long	BRP 197
3/4" X .120" wall DOM steering shaft 36" Long	BRP 198
3/4" X .120" wall DOM steering shaft 48" Long	BRP 199
3/4" X .120" wall DOM steering shaft 72" Long	BRP 199-1
Weld on .760" ID X 2 1/2" long shaft coupler for 3/4" tubing	BRP 9151

STEERING SHAFT COLLARS




DESCRIPTION	P/N
5/8" Shaft Collar	BRP 181A
3/4" Shaft Collar	BRP 181-1A

Did You Know...

These aluminum collars mount on the steering shaft with set screws to keep the shaft from sliding. Also, file a small flat on the steering shaft so it doesn't gall the shaft!

STEERING QUICKENERS




Did You Know...

Both sides of the steering quickener are 3/4" X 36 Spline.

DESCRIPTION	P/N
1.5:1 Ratio	HOW 5225
2:1 Ratio	HOW 522B2

UNIVERSAL JOINTS AND COUPLERS



U-JOINT

COUPLER

APPLICATION	SPLINE A	DESCRIPTION	SPLINE B	U-JOINT P/N	COUPLER P/N
Smooth	3/4" Smooth	3/4" Smooth	3/4" Smooth	SWE 401-50606	
Stiletto Spline (.620)	3/4" Smooth	5/8" 36 Spline	5/8" 36 Spline	SWE 401-50607	
Smooth	3/4" Smooth	5/8" Smooth	5/8" Smooth	SWE 401-50608	
Sweet Spline / Sweet Rack	3/4" Smooth	3/4" 48 Spline	3/4" 48 Spline	SWE 401-50610	SWE 301-30100
Chevy Power / Sweet Steering Box	3/4" Smooth	13/16" 36 Spline	13/16" 36 Spline	SWE 401-50611	SWE 301-30110
Chevy Manual / Pinto Power / Howe	3/4" Smooth	3/4" 36 Spline	3/4" 36 Spline	SWE 401-50612	SWE 301-30120
Pinto Manual	3/4" Smooth	9/16" 26 Spline	9/16" 26 Spline	SWE 401-50613	SWE 301-30130
Vega Spline (.600)	3/4" Smooth	5/8" 36 Spline	5/8" 36 Spline	SWE 401-50614	SWE 301-30140
New Chevy Power / Appleton	3/4" Smooth	3/4" 30 Spline	3/4" 30 Spline	SWE 401-50615	SWE 301-30150
Chevy Column	3/4" Smooth	1" 48 Spline	1" 48 Spline	SWE 401-50618	
Double D	3/4" Smooth	3/4" Double D	3/4" Double D	SWE 401-50619	
Smooth	5/8" Smooth	5/8" Smooth	5/8" Smooth	SWE 401-50808	
Double D Both Ends	3/4" Double D	3/4" Double D	3/4" Double D	SWE 401-51919	
3/4" Double D to 36 Spline	3/4" Double D	3/4" 36 Spline	3/4" 36 Spline	SWE 401-51219	
3/4" 36 Spline to 36 Spline	3/4" 36 Spline	3/4" 36 Spline	3/4" 36 Spline	SWE 401-51212	
5/8" Smooth to 36 Spline	5/8" Smooth	5/8" 36 Spline	5/8" 36 Spline	SWE 401-50814	
9/16" 26 Spline to 3/4" Double D	9/16" 26 Spline	3/4" Double D	3/4" Double D	SWE 401-51319	


STEEL ROD ENDS



ROD END SPECS			COMMERCIAL GRADE ZINC 1 PIECE		MOLY 1 PIECE BLACK OXIDE		PRECISION GRADE ZINC 2 PIECE		AIRCRAFT GRADE 4130 ZINC PLATED	
BORE	SHANK	TYPE	RH THREAD	LH THREAD	RH THREAD	LH THREAD	RH THREAD	LH THREAD	RH THREAD	LH THREAD
3/16"	3/16"F	Male	BRE 1031R	BRE 1031L						
3/16"	3/16"F	Female	BRE 1032R	BRE 1032L						
1/4"	1/4"F	Male	BRE 1041R	BRE 1041L						
1/4"	1/4"F	Female	BRE 1042R	BRE 1042L						
1/4"	1/4"F	Stud/Fem.	BRE 1042RS	BRE 1042LS						
5/16"	5/16"F	Male	BRE 1051R	BRE 1051L						
5/16"	5/16"F	Female	BRE 1052R	BRE 1052L						
5/16"	3/8"F	Male					BRE 4061R	BRE 4061L		
3/8"	3/8"F	Male	BRE 1061R	BRE 1061L			BRE 2061R	BRE 2061L		
3/8"	3/8"F	Female	BRE 1062R	BRE 1062L						
7/16"	7/16"F	Male	BRE 1071R	BRE 1071L			BRE 2071R	BRE 2071L		
7/16"	7/16"F	Female	BRE 1072R	BRE 1072L						
7/16"	1/2"F	Male					BRE 4081R	BRE 4081L		
1/2"	1/2"F	Male	BRE 1081R	BRE 1081L	BRE 8081R	BRE 8081L	BRE 2081R	BRE 2081L		
1/2"	1/2"F	Female	BRE 1082R	BRE 1082L			BRE 2082R	BRE 2082L		
1/2"	5/8"F	Male			BRE 5081R	BRE 5081L	BRE 4101R	BRE 4101L		
5/8"	5/8"F	Male	BRE 1101R	BRE 1101L	BRE 5101R	BRE 5101L	BRE 2101R	BRE 2101L	BRE 3101R*	BRE 3101L*
5/8"	5/8"F	Female	BRE 1102R	BRE 1102L					BRE 3102R	BRE 3102L
5/8"	3/4"F	Male					BRE 4121R	BRE 4121L		
3/4"	3/4"F	Male	BRE 1121R	BRE 1121L			BRE 2121R	BRE 2121L	BRE 3121R*	BRE 3121L*
3/4"	3/4"F	Female	BRE 1122R	BRE 1122L						

ALUMINUM ROD ENDS

*Add T for Teflon



BORE	SHANK	RH THREAD	LH THREAD
1/2"	1/2" FINE THREAD	BRE 6081R	BRE 6081L
1/2"	5/8" FINE THREAD	BRE 7101R	BRE 7101L
5/8"	5/8" FINE THREAD	BRE 6101R	BRE 6101L
3/4"	3/4" FINE THREAD	BRE 6121R	BRE 6121L

JAM NUTS



SIZE	THICKNESS	STEEL		ALUMINUM	
		RH THREAD	LH THREAD	RH THREAD	LH THREAD
3/16" F	7/32"	BRP 774	BRP 775		
1/4"F	7/32"	BRP 776	BRP 777		
5/16"F	1/4"	BRP 778	BRP 779		
3/8"F	1/4"	BRP 780	BRP 781		
7/16"F	1/4"	BRP 782	BRP 783	BRP 782A	
1/2"F	5/16"	BRP 784	BRP 785	BRP 784A	BRP 785A
5/8"F	3/8"	BRP 786	BRP 787	BRP 770	BRP 771
3/4"F	7/16"	BRP 788	BRP 789	BRP 772	BRP 773

STEEL COM BEARINGS



DESCRIPTION	P/N
1/2" I.D. COM Bearing	BRE COM8
5/8" I.D. COM Bearing	BRE COM10
3/4" I.D. COM Bearing	BRE COM12

STEEL CLEVIS



DESCRIPTION	P/N
5/8"F RH Thread, 3/8" hole with 3/8" wide slot	BRP 690
5/8"F LH Thread, 3/8" Hole with 3/8" wide slot	BRP 691

NOTE: All Lengths under 36" are anodized red or black, over 36" are polished.



BRP 1090

1" O.D. Aluminum Radius Rod X 5/8" F threads

LENGTH	RED P/N	BLACK P/N
4"	BRP 1040	BRP 1040BK
6"	BRP 1060	BRP 1060BK
6 1/2"	BRP 1065	BRP 1065BK
7"	BRP 1070	BRP 1070BK
8"	BRP 1080	BRP 1080BK
8 1/2"	BRP 1085	BRP 1085BK
9"	BRP 1090	BRP 1090BK
10"	BRP 1100	BRP 1100BK
10 1/2"	BRP 1105	BRP 1105BK
11"	BRP 1110	BRP 1110BK
11 1/2"	BRP 1115	BRP 1115BK
12"	BRP 1120	BRP 1120BK
12 1/2"	BRP 1125	BRP 1125BK
13"	BRP 1130	BRP 1130BK
13 1/2"	BRP 1135	BRP 1135BK
14"	BRP 1140	BRP 1140BK
14 1/2"	BRP 1145	BRP 1145BK
15" (Rear Panhard Bar)	BRP 1150	BRP 1150BK
15 1/2"	BRP 1155	BRP 1155BK
16"	BRP 1160	BRP 1160BK
16 1/2"	BRP 1165	BRP 1165BK
17"	BRP 1170	BRP 1170BK
17 1/2"	BRP 1175	BRP 1175BK
18"	BRP 1180	BRP 1180BK
18 1/2"	BRP 1185	BRP 1185BK
19"	BRP 1190	BRP 1190BK
19 1/2"	BRP 1195	BRP 1195BK
20 1/2"	BRP 1205	BRP 1205BK
21" (Front Panhard Bar)	BRP 1210	BRP 1210BK
21 1/2"	BRP 1215	BRP 1215BK
22"	BRP 1220	BRP 1220BK
22 1/2"	BRP 1225	BRP 1225BK
23"	BRP 1230	BRP 1230BK
23 1/2"	BRP 1235	BRP 1235BK
24"	BRP 1240	BRP 1240BK
24 1/2"	BRP 1245	BRP 1245BK
25" (Front Radius Rods)	BRP 1250	BRP 1250BK
25 1/2"	BRP 1255	BRP 1255BK
26"	BRP 1260	BRP 1260BK
26 1/2"	BRP 1265	BRP 1265BK
27"	BRP 1270	BRP 1270BK
27 1/2"	BRP 1275	BRP 1275BK
28"	BRP 1280	BRP 1280BK
28 1/2"	BRP 1285	BRP 1285BK
29"	BRP 1290	BRP 1290BK
29 1/2"	BRP 1295	BRP 1295BK



BRP 9362



BRP 9371

RADIUS RODS & TIE RODS



BRP RR18

6' and 8' Lengths of Material are also available to make your own radius rods. See page 16 for details.

1 1/4" O.D. Aluminum Radius Rod X 5/8" F threads

LENGTH	RED P/N	BLACK P/N
15"	BRP RR15	BRP RR15BK
17"	BRP RR17	BRP RR17BK
17 1/2"	BRP RR171/2	BRP RR171/2BK
18"	BRP RR18	BRP RR18BK
18 1/2"	BRP RR181/2	BRP RR181/2BK
19"	BRP RR19	BRP RR19BK
19 1/2"	BRP RR191/2	BRP RR191/2BK
20"	BRP RR20	BRP RR20BK
20 1/2"	BRP RR201/2	BRP RR201/2BK
21"	BRP RR21	BRP RR21BK
21 1/2"	BRP RR211/2	BRP RR211/2BK
22"	BRP RR22	BRP RR22BK
22 1/2"	BRP RR221/2	BRP RR221/2BK
24"	BRP RR24	BRP RR24BK
24 1/2"	BRP RR241/2	BRP RR241/2BK
25" (HD Front Radius Rods)	BRP RR25	BRP RR25BK
25 1/2"	BRP RR251/2	BRP RR251/2BK
26"	BRP RR26	BRP RR26BK
26 1/2"	BRP RR261/2	BRP RR261/2BK
27"	BRP RR27	BRP RR27BK
27 1/2" (Left Rear Radius Rod)	BRP RR271/2	BRP RR271/2BK
28"	BRP RR28	BRP RR28BK
28 1/2"	BRP RR281/2	BRP RR281/2BK
29"	BRP RR29	BRP RR29BK

LENGTH	PLAIN P/N
44"	BRP RR44
45"	BRP RR45
45 1/2"	BRP RR451/2
46"	BRP RR46
46 1/2"	BRP RR461/2
47"	BRP RR47
47 1/2" (Tie Rod - Bert Spindles)	BRP RR471/2
48"	BRP RR48
48 1/2" (Tie Rod - BRP spindles)	BRP RR481/2
50"	BRP RR50
62"	BRP RR62
63"	BRP RR63
64"	BRP RR64
64" Bent (drag link standard car)	BRP RR64B
65"	BRP RR65
66"	BRP RR66
66" Bent (drag link driver back)	BRP RR66B
67"	BRP RR67
67 Bent	BRP RR67B
68"	BRP RR68
68 Bent	BRP RR68B
68 1/2"	BRP RR681/2

Radius Rod Tools

DESCRIPTION	P/N
Radius Rod Wrench For 1 1/4" Rods	BRP 9371
Radius Rod Length Setter - Used to set center to center length of radius rods	BRP 9362



BRP 75220

Did You Know...
Economy Radius Rods are
not anodized and do not have tapers
or flats on them.

ECONOMY RADIUS RODS

**** (AVAILABLE IN PLAIN ONLY) ****

3/4" O.D. Aluminum X 1/2" F Threads

LENGTH	P/N
8"	BRP 75080
8 1/2"	BRP 75085
9"	BRP 75090
13"	BRP 75130
13 1/2"	BRP 75135
14"	BRP 75140
14 1/2"	BRP 75145
16"	BRP 75160
17"	BRP 75170
22"	BRP 75220
24"	BRP 75240
25 3/4"	BRP 75257
26 3/4"	BRP 75267

1" O.D. Aluminum X 5/8" F Threads

LENGTH	P/N
14 1/2"	BRP 1000-145
15"	BRP 1000-150
21"	BRP 1000-210
25"	BRP 1000-250

1 1/4" O.D. Aluminum X 5/8" F Threads

LENGTH	P/N
25"	BRP R250
27"	BRP R270
27 1/2"	BRP R275

7/8" O.D. Chrome Moly Steel Radius Rods 1/2" F Threads (used for rear end bridge)

LENGTH	P/N
10"	BRP 78100
10 1/2"	BRP 78105
11"	BRP 78110
12"	BRP 78120
18"	BRP 78180

Spring Rod Radius Rods



BRP 1385-18

DESCRIPTION	RED P/N	BLACK P/N
5/8" F Thread X 5 1/2" Long Radius Rod	BRP 1385-5.5	
5/8" F Thread X 8" Long Radius Rod	BRP 1385-8	
5/8" F Thread X 8 1/2" Long Radius Rod	BRP 1385-8.5	
5/8" F Thread X 9" Long Radius Rod	BRP 1385-9	
5/8" F Thread X 15 1/2" Long Radius Rod	BRP 1385-151/2	BRP 1385-151/2BK
5/8" F Thread X 16" Long Radius Rod	BRP 1385-16	BRP 1385-16BK
5/8" F Thread X 17" Long Radius Rod	BRP 1385-17	
5/8" F Thread X 17 1/2" Long Radius Rod	BRP 1385-171/2	BRP 1385-171/2BK
5/8" F Thread X 18" Long Radius Rod	BRP 1385-18	BRP 1385-18BK
5/8" F Thread X 18 1/2" Long Radius Rod	BRP 1385-181/2	BRP 1385-181/2BK
5/8" F Thread X 19" Long Radius Rod	BRP 1385-19	
3/4" F Thread X 18" Long Radius Rod	BRP 1386-18	


SEE PAGE 38 FOR SPRING RODS



BRP 13180

1" O.D. Aluminum Radius Rod 3/4" F threads

LENGTH	RED P/N	LENGTH	RED P/N
6"	BRP 13060	21"	BRP 13210
8"	BRP 13080	22"	BRP 13220
9"	BRP 13090	23"	BRP 13230
10"	BRP 13100	23 3/4"	BRP 13237
11"	BRP 13110	24"	BRP 13240
12"	BRP 13120	24 3/4"	BRP 13247
13"	BRP 13130	26 1/4"	BRP 13262
14"	BRP 13140	27"	BRP 13270
15"	BRP 13150	27 3/4"	BRP 13277
16"	BRP 13160	28"	BRP 13280
17"	BRP 13170	30"	BRP 13300
18"	BRP 13180	32"	BRP 13320
18 1/2"	BRP 13185	34"	BRP 13340
19"	BRP 13190	34 1/2"	BRP 13345
20"	BRP 13200	36"	BRP 13360



Made From 1 1/8" X .065 Chrome Moly
BRP RR25SC

4130 Chrome Moly Steel Ultra Light Radius Rods

LENGTH	BLACK P/N	CHROME P/N
22" 1" O.D. with 1/2" fine threads	BRP 1220S-1/2	
25" 1" O.D. with 1/2" Fine Threads	BRP 1250S-1/2	
15"		BRP 1150SC
21" (Front Panhard Bar)	BRP RR21S	BRP 1210SC
25" (Front Radius Rods)	BRP RR25S	BRP RR25SC
25 1/2"	BRP RR25 1/2S	
27"	BRP RR27S	
27 1/2" (Left Rear Radius Rod)	BRP RR271/2S	BRP RR271/2SC
28"	BRP RR28S	
46 1/2"	BRP RR46 1/2S	
47"	BRP RR 47S	
47 1/2" (Tie Rod for Bert Spindles)	BRP RR471/2S	
48 1/2" (Tie Rod for BRP Spindles)	BRP RR481/2S	BRP RR481/2SC
64" Bent (Drag Link - Standard Car)	BRP RR64BS	BRP RR64BSC
66" Bent (Drag Link - Driver Back Car)	BRP RR66BS	BRP RR66BSC
68" Bent	BRP RR68BS	

Hydraulic Spring Rod Radius Rods



BRP 9408-11.000

LENGTH	P/N
Hydraulic Spring Rod Radius Rod - 10 1/2"	BRP 9408-10.500
Hydraulic Spring Rod Radius Rod - 11"	BRP 9408-11.000
Hydraulic Spring Rod Radius Rod - 12 1/2"	BRP 9408-12.500
Hydraulic Spring Rod Radius Rod - 13"	BRP 9408-13.000
Hydraulic Spring Rod Radius Rod - 13 3/4"	BRP 9408-13.750

NOTE: only available in black anodize
SEE PAGE 37 FOR HYDRAULIC SPRING RODS

ALUMINUM TAP TUBING

Did You Know...

Tap tubing is ready to be tapped for all your custom projects. We also carry left and right handed taps. See below for more details.

DESCRIPTION	LENGTH	P/N
5/8" O.D. X .156" Wall 6061T6 - Taps 3/8"F	6 FT	BRP 4340-720
1" O.D. X .220" Wall 6061T6 - Taps 5/8"F	6 FT	BRP 1000
1" O.D. X .220" Wall 6061T6 - Taps 5/8"F	8 FT	BRP 1000-8
1 1/4" O.D. X .330" Wall 6061T6 - Taps 5/8"F	6 FT	BRP RR72
1 1/4" O.D. X .330" Wall 6061T6 - Taps 5/8"F	8 FT	BRP RR96

NOTE: We can only ship UPS up to 9 ft

TAPS



BRT TO720L

FINE THREAD	LEFT HAND P/N	RIGHT HAND P/N
1/4"-28 UNF	BRT TO428L	N/A
5/16"-24 UNF	BRT TO524L	BRT TO624R
3/8"-24 UNF	BRT TO624L	N/A
7/16"-20 UNF	BRT TO720L	N/A
1/2"-20 UNF	ALL 11065	ALL 11064
5/8"-18 UNF	ALL 11067	ALL 11066
3/4"-16 UNF	ALL 11069	ALL 11068

COURSE THREAD	LEFT HAND P/N	RIGHT HAND P/N
1/4"-20 UNC		ALL 11060
5/16"-18 UNC		
3/8"-16 UNC		ALL 11062
7/16"-14 UNC		
1/2"-13 UNC		
5/8"-11 UNC		
3/4"-10 UNC		

Did You Know...

Steel tubing up to 9 feet can be shipped by UPS. Cutting charges will be assessed on pieces less than 9 feet.



STEEL TUBING

TUBING SIZE	1020 DOM	4130 CHROMEMOLY	ERW
1" X .065" Wall	MAT 1.00X065DOM	MAT 1.00X065CM	MAT 1.00X065ERW
1" X .095" Wall	MAT 1.00X095DOM	MAT 1.00X095CM	MAT 1.00X095ERW
1 1/8" X .065" Wall		MAT 1.125X065CM	
1 1/8" X .095" Wall		MAT 1.125X095CM	
1 1/8" X .120" Wall	MAT 1.125X120DOM		
1 1/4" X .065" Wall	MAT 1.25X065DOM	MAT 1.25X065CM	
1 1/4" X .095" Wall	MAT 1.25X095DOM	MAT 1.25X095CM	MAT 1.25X095ERW
1 1/2" X .095" Wall	MAT 1.50X095DOM	MAT 1.50X095CM	MAT 1.50X095ERW
1 1/2" X .120" Wall	MAT 1.50X120DOM	MAT 1.50X120CM	MAT 1.50X120ERW

WELD IN RADIUS ROD TAPPED SLUGS

Tapped Radius Rod Chassis Slugs

DESCRIPTION	P/N
1/2"C X 3/4" O.D. Tapped Radius Rod Slug	
2 1/4" Long with machined taper (front radius rods)	BRP 1514
5/8"C X 7/8" O.D. Tapped Radius Rod Slug	
2 1/4" Long (Left Rear Bottom 2 X 4 Slug)	CHA 206
5/8"C X 7/8" O.D. Tapped Radius Rod Slug	
2 3/4" Long (Rear Radius Rod Slugs)	CHA 207
1/2"F X 3/4" O.D. X 1 3/4" Long Tapped Slug	CHA 31

NON TAPPED Radius Rod Chassis Slugs

DESCRIPTION	P/N
5/8" O.D. X 3/8" I.D. X 3/4" Long Weld Slug	CHA 20
1" O.D. X 1/2" I.D. X 1" Long Weld Slug	CHA 28
3/4" O.D. X 1/2" I.D. X 2 3/4" Long Weld Slug	CHA 49
3/4" O.D. X 1/2" I.D. X 2" Long Weld Slug	BRP 1607
7/8" O.D. X 5/8" I.D. X 3" Long Weld Slug	BRP 1609



THREAD	SLUG FITS INSIDE TUBING DIAMETER	P/N
1/2"-20F X RH	1" X .065" Wall	BRP 1496
1/2"-20F X LH	1" X .065" Wall	BRP 1497
1/2"-20F X RH	1" X .120" Wall	BRP 1488
1/2"-20F X LH	1" X .120" Wall	BRP 1489
5/8"-18F X RH	1 1/8" X .065" Wall	BRP 1486
5/8"-18F X LH	1 1/8" X .065" Wall	BRP 1487
5/8"-18F X RH	1 1/8" X .120" Wall	BRP 1490
5/8"-18F X LH	1 1/8" X .120" Wall	BRP 1491
3/4"-16F X RH	1 1/8" X .065" Wall	BRP 1494
3/4"-16F X LH	1 1/8" X .065" Wall	BRP 1495
3/4"-16F X RH	1 1/4" X .095" Wall	BRP 1492
3/4"-16F X LH	1 1/4" X .095" Wall	BRP 1493

Did You Know...

Steel reducer bushings allow you to adapt larger rod ends to smaller diameter bolts.




BRP 748

NOTE: May be zinc plated gold or black

STEEL REDUCER BUSHINGS

O.D.	I.D.	LENGTH	P/N
1/2"	3/8"	.625"	BRP 748
5/8"	1/2"	.500"	BRP 758
5/8"	1/2"	.750"	BRP 750
5/8"	1/2"	1.25"	BRP 754
5/8"	1/2"	1.625"	BRP 492
5/8"	1/2"	2.00"	BRP 484
5/8"	1/2"	2.50"	BRP 493
3/4"	1/2"	.750"	BRP 752
3/4"	5/8"	.750"	BRP 751

ALUMINUM REDUCER SPACERS



O.D.	I.D.	SPACER WIDTH	P/N
3/8"	5/16"	1/8"	BRP 4060
1/2"	3/8"	1/4"	BRP 4058



STEEL TAPERED SPACERS

LENGTH	7/8" O.D. 1/2" BORE	1" O.D. 1/2" BORE	1" O.D. 5/8" BORE	1" O.D. 7/8" BORE	1 1/8" O.D. 3/4" BORE
1/4"	BRP 718		BRP 724		BRP 733
1/2"	BRP 719		BRP 721		BRP 734
5/8"					
3/4"	BRP 720				
1 1/4"		BRP 720-1			
2 1/4"				BRP 735	



ALUMINUM TAPERED SPACERS

LENGTH	1" O.D.		1 1/4" O.D.			1 1/2" O.D. 5/8" BORE
	1/2" BORE	5/8" BORE	1/2" BORE	5/8" BORE	3/4" BORE	
1/2"	BRP 730	BRP 736			BRP 760	
5/8"	BRP 483	BRP 722				
3/4"	BRP 730-1	BRP 736-1			BRP 762	
1"	BRP 731	BRP 737	BRP 742	BRP 746	BRP 763	BRP 755
1 1/4"		BRP 739				
1 1/2"	BRP 732	BRP 738		BRP 747		
1 3/4"		BRP 436				
2 1/4"		BRP 437				

Did You Know...

BRP 755 spacer is used to space the tie rod and drag link away from steering arm

ALUMINUM SPACERS

Misc. Aluminum Spacers

LENGTH	I.D.	O.D.	P/N
.125"	.410"	.770"	BRP 433S
.050"	.377"	.800"	BRP 9072
.625"	.377"	.800"	BRP 9073
1.425"	.377"	.800"	BRP 9074
.380"	.380"	.625"	BRP 277S
.180"	.625"	.750"	BRP 950S
.1875"	.380"	.625"	BRP 275-2
.375"	.348"	.875"	BRP 4053
.375"	.4375"	.875"	BRP 4056
1.875"	.375"	.800"	BRP 9137
2.50"	.4375"	.850"	BRP 499P

3/8" I.D. Flat Aluminum Spacers

LENGTH	3/8" HOLE -- 13/16" O.D.		
	PLAIN	RED	BLACK
1/8"	BRP 705		
3/16"	BRP 706		
1/4"	BRP 707		
5/16"	BRP 708		
3/8"	BRP 709		
7/16"	BRP 711		
1/2"	BRP 710		
9/16"			
5/8"	BRP 497P	BRP 497	BRP 497BK
.700"			
3/4"	BRP 491P	BRP 491	BRP 491BK
.800"			
.845"			
1"			
1.16"			
1.195"			
1.25"	BRP 494P	BRP 494	
1.37"			
1 1/2"	BRP 4065		
1.62"	BRP 481P	BRP 481	
1.785"			
1 7/8"			
2"	BRP 480P	BRP 480	
2 1/8"			
2.20"			
2 1/4"			
2 1/2"	BRP 485		
3.30"			
3 1/2"			
4"			
4.885"			
4 7/8"			
5 1/4"			

1/2" I.D. Flat Aluminum Spacers

LENGTH	1/2" HOLE -- 1" O.D.		
	PLAIN	RED	BLACK
1/8"		BRP 712	
3/16"		BRP 713	
1/4"		BRP 714	BRP 714BK
5/16"		BRP 715	
3/8"		BRP 716	BRP 716BK
7/16"			
1/2"			
9/16"		BRP 4555	
5/8"		BRP 717-1	BRP 717-1BK
.700"			
3/4"		BRP 693-1	BRP 693-1BK
.800"		BRP 693-2	
.845"		BRP 693-3	
1"		BRP 726	BRP 726BK
1.16"			
1.195"		BRP 4556	
1.25"			
1.37"			
1 1/2"			
1.62"			
1.785"		BRP 4557	
1 7/8"		BRP 697	BRP 697BK
2"		BRP 482	BRP 482BK
2 1/8"		BRP 9013	
2.20"		BRP 4317	
2 1/4"		BRP 698	BRP 698BK
2 1/2"		BRP 9014	
3.30"		BRP 931	
3 1/2"		BRP 699	BRP 699BK
4"			
4.885"		BRP 934	
4 7/8"			
5 1/4"			



- 5/8" O.D. (all others have 13/16" O.D.)

STEEL SPACERS

LENGTH	I.D.	O.D.	P/N
2 1/2"	5/8"	1"	BRP 427-4
3"	5/8"	1"	BRP 9103

STREET STOCK BUMPERS

STREET STOCK FRONT BUMPERS



Monte Carlo Front Bumpers

DESCRIPTION	P/N
Monte Carlo 1 Piece Front Bumper - WHITE	PBI 211040
Monte Carlo 1 Piece Front Bumper - BLACK	PBI 212040

Camaro Front Bumpers

DESCRIPTION	P/N
Camaro Upper Front Bumper - BLACK	HOW B722
Camaro Lower Front Bumper - BLACK	HOW B824

STREET STOCK REAR BUMPERS



Monte Carlo Rear Bumpers

DESCRIPTION	P/N
Monte Carlo 1 Piece Rear Bumper - WHITE	PBI 211100
Monte Carlo 1 Piece Rear Bumper - BLACK	PBI 212100

RIVETS & DUCT TAPE




COLOR	P/N
Red	ISC RT3001
Blue	ISC RT3002
Yellow	ISC RT3003
Black	ISC RT3004
Silver	ISC RT3005
White	ISC RT3006

COLOR	P/N
Orange	ISC RT3008
Purple	ISC RT3010
Pipe Thread Tape	ISC 950990

SEE PAGES 173 - 175 FOR MORE FASTENERS

NOTE: ALL RIVETS COME IN BOXES OF 250

Rivets



BRB 1725

Did You Know...

"Ultimate" rivets are just like regular rivets, but they feature some of the latest technology to make them better! They don't require a backup washer, they are able to fill oversized holes, and have a large blind side foot print so the riveted materials stay tighter! Definitely a MUST in any racers toolbox!

1/8" SMALL HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
	BRB 1825				

3/16" SMALL HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1025	BRB 725	BRB 1925	BRB 825		BRB 925

3/16" SMALL HEAD "ULTIMATE" RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1025-URR	BRB 725-URR	BRB 1925-URR	BRB 825-URR	BRB 525-URR	BRB 925-URR

3/16" LARGE HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1225	BRB 1125	BRB 1525	BRB 1725	BRB 1425	BRB 1625

3/16" LARGE HEAD "ULTIMATE" RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1225-URR	BRB 1125-URR				

BACKUP WASHERS

DESCRIPTION	P/N
Package of 500 1/8" Backup Washers	ALL 18200
Package of 500 3/16" Backup Washers	ALL 18202
Package of 250 3/16" Backup Washers	BRB 900




SWIVEL STABILIZER EYES

DESCRIPTION	P/N
Aluminum Assembly- 7/8" Threads Swivel Eye	BRP 6185
Replacement Aluminum Eye	BRP 6186
Replacement Aluminum Shaft- 7/8" Threads	BRP 6187
Steel Assembly- 7/8" Threads	BRP 6188
Replacement Steel Eye	BRP 6189
Replacement Steel Shaft- 7/8" Threads	BRP 6190
7/8" weld nut	BRP 6191

DESCRIPTION	P/N
1/4" detent ball	BRP 509008
3/8" detent ball	BRP 509009
Solid Aluminum eye bolt - 7/8" Threads	BRP 6180
Solid Steel eye bolt- 7/8" Threads	PCR 100-2815
7/8" Jam Nut	BRP 6182

UPPER CONTROL ARMS


Port City Racing 4 Bolt Upper Control Arms



LENGTH	APPLICATION	STEEL P/N
7 1/2"	Metric Right Side - Small Ball Joint	PCR 06-0720RHS-1
8"	Camaro Upper Control Arm	PCR 05-0800S
8"	Metric Right Side - Small Ball Joint	PCR 06-0800RHS-1
8"	Metric Right Side - Big Ball Joint	PCR 06-0800RHS
8 1/2"	Camaro Upper Control Arm	PCR 05-0820S
8 1/2"	Metric Left Side - Small Ball Joint	PCR 06-0820LHS-1
8 1/2"	Metric Left Side - Big Ball Joint	PCR 06-0820LHS
9"	Camaro Upper Control Arm	PCR 05-0900S
9"	Metric Left Side - Small Ball Joint	PCR 06-0900LHS-1
9"	Metric Left Side - Big Ball Joint	PCR 06-0900LHS
9 1/2"	9 1/2" Camaro Upper Control Arm	PCR 05-0920S
9 1/2"	Metric Left Side - Big Ball Joint	PCR 06-0920LHS
10"	10" Camaro Upper Control Arm	PCR 05-1000S

DESCRIPTION	P/N
Steel Metric Cross Shaft Assembly (6-7/8" center)	PCR 100-01-0006S

ADJUSTABLE CROSS SHAFTS



DESCRIPTION	5/8" END	3/4" END
Steel Assembly	BRP 5200	BRP 5211
Aluminum Assembly	BRP 5200A	N/A
Steel Shaft Only	BRP 5201	BRP 5212
Aluminum Shaft Only	BRP 5201A	N/A

DESCRIPTION	5/8" END	3/4" END
Monoball Bearing	BRE COM10	BRE COM12
Bearing Retainer Housing	BRP 5202	BRP 5213
Steel Spacer	BRP 721	BRP 734
Snap Ring	BOL 1300-112	BOL 1300-137

Offset Camber Adjustable Bushings for 5200/5201/5211/5212 Cross Shaft



DEGREE OF OFFSET	ALUMINUM 1/2" HOLE	ALUMINUM 9/16" HOLE	STEEL
0	BRP 5204	BRP 5204-9/16	
1/16"	BRP 5205	BRP 5205-9/16	
1/8"	BRP 5206	BRP 5206-9/16	
3/16"	BRP 5207	BRP 5207-9/16	
1/4"	BRP 5208	BRP 5208-9/16	
5/16"	BRP 5209	BRP 5209-9/16	
3/8"	BRP 5210	BRP 5210-9/16	
No Hole			BRP 5220

Did You Know...


Offset camber bushings are available with 1/2" holes and 9/16" holes... be sure to order the correct size!

ALUMINUM CROSS SHAFTS



DESCRIPTION	P/N
11 1/4" Aluminum Cross shaft (holes 6" center to center)	BRP 5198
.875" I.D. Bushing for BRP 5198 (sold each)	BRP 5196
11 1/2" Aluminum Cross shaft (no holes)	BRP 2011
1" I.D. Bushing for BRP 2011 (sold each)	BRP 2012

CONTROL ARM MOUNTS



6" center to center


DESCRIPTION

3/8" Steel Upper Control Arm Mounting Plate

P/N

BRP 2015

Did You Know...
This Upper Control Arm Mount is made from 3/8" steel plate, has 6" hole centers and has 2 degrees of anti-dive.



BRP 5166

BALL JOINT ADAPTOR BUSHING

DESCRIPTION

Adaptor Bushing- used to adapt ALL 56206 ball joint to ALL 56216 taper and works with most dirt spindles.

P/N

BRP 5166

UPPER BALL JOINTS



AFC 20031



ALL 56220



AFC 20032-1



ALL 56210



AFC 20034

DESCRIPTION

Most popular ball joint. Fits Shaw, Howe, WRC, Rayburn, Harris, & upper taper of pinto spindle (K6024)

Full size 71-84 Impala spindles, 71-81 Camaro & 73-84 Chevelle. Does not fit AFco arm (K5208)

Used on IMCA cars to raise roll center. Fits AFco upper A-arms (K6136)

64-72 Chevelle lower arm and spindle. Most popular IMCA modified application (K5103)

Fits Troyer & Howe mods. Also fits upper & lower taper in pinto spindle (same taper as AFC 20031) (MP1004)

ALLSTAR P/N

ALL 56204

ALL 56220

ALL 56208

ALL 56210

ALL 56214

AFco P/N

AFC 20031

AFC 20032

AFC 20032-1

AFC 20033

AFC 20034

LOWER BALL JOINTS



PCR 100-3K719



ALL 56216



ALL 56206



ALL 56212



ALL 56218

DESCRIPTION

Fits Troyer Upper and lower

Most popular lower ball joint. Fits nearly all strut cars (K727)

Fits all Howe cars & wide type dirt cars. Also fits 71-76 Impala spindle (K6141)

Used on IMCA cars to raise roll centers. Fits Impala spindle and welds into stock lower control arm (K6117T)

S-10 joint used on some mini-stocks. Also fits 71-81 Camaro, 73-84 Chevelle, and 77-84 Impala (K6145T)

ALLSTAR P/N

ALL 56216

ALL 56206

ALL 56212

ALL 56218

AFco P/N

PCR 100-3K719

AFC 20036

AFC 56038

AFC 20038-1

AFC 20039

BALL JOINT SLEEVES




ALL 56251



BRP 5161




ALL 56250



BRP 5163



BRP 5164



UBM 40-3308

DESCRIPTION

Large threaded sleeve with flange. Fits AFC 20036 / ALL 56216 ball joint

Large threaded sleeve. Fits AFC 20036 / ALL 56216 ball joint

Small threaded sleeve. Fits AFC 20034 & PCR 100-3K719 ball joints

Smooth bore sleeve. Fits ALL 56218 ball joint

Smooth bore sleeve. Fits AFC 20038 / ALL 56206 ball joint

Smooth bore sleeve. Fits ALL 56212

P/N

ALL 56251

BRP 5161

ALL 56250

BRP 5163

BRP 5164

UBM 40-3308

CONTROL ARM BUSHINGS



LOWER

Steel Control Arm Bushings

DESCRIPTION	FRONT	REAR
'78 - '88 Monte Carlo / Malibu / Chevelle / Regal	BRP 5192	BRP 5189
'75 - '77 Monte Carlo / Malibu / Chevelle / Regal	BRP 5189	BRP 5190
'73 - '74 Monte Carlo / Malibu / Chevelle / Regal	BRP 5188	BRP 5190
'67 - '72 RB Monte Carlo / Malibu / Chevelle / Regal	BRP 5188	BRP 5189
'78 - '87 Cutlass / Grand Prix	BRP 5192	BRP 5189
'73 - '77 Cutlass / Grand Prix	BRP 5189	BRP 5190
'69 - '72 Cutlass / Grand Prix	BRP 5188	BRP 5188
'71 - '96 Caprice / Impala	BRP 5189	BRP 5190
'73 - '79 Camaro / Firebird / Trans-Am	BRP 5189	BRP 5190
'67 - '72 Camaro / Firebird / Trans-Am	BRP 5188	BRP 5189
'75 - '79 Nova	BRP 5189	BRP 5190
'68 - '74 Nova	BRP 5188	BRP 5189

UPPER

Steel Control Arm Bushings

DESCRIPTION	FRONT	REAR
'78 - '88 Monte Carlo / Malibu / Chevelle / Regal	BRP 5193	BRP 5193
'74 - '77 Monte Carlo / Malibu / Chevelle / Regal	BRP 5194	BRP 5195
'73 Monte Carlo / Malibu / Chevelle / Regal	BRP 5195	BRP 5195
'67 - '72 Monte Carlo / Malibu / Chevelle / Regal	BRP 5191	BRP 5191
'78 - '88 Cutlass / Grand Prix	BRP 5193	BRP 5193
'74 - '77 Cutlass / Grand Prix	BRP 5194	BRP 5195
'73 Cutlass / Grand Prix	BRP 5195	BRP 5195
'67 - '72 Cutlass / Grand Prix	BRP 5191	BRP 5191
'80 - '96 Caprice / Impala	BRP 5194	BRP 5194
'74 - '79 Caprice / Impala	BRP 5194	BRP 5195
'71 - '73 Caprice / Impala	BRP 5195	BRP 5195
'71 - '79 Camaro	BRP 5194	BRP 5195
'67 - '69 Camaro	BRP 5191	BRP 5191
'75 - '79 Firebird / Trans Am	BRP 5194	BRP 5195
'70 - '74 Firebird / Trans Am	BRP 5195	BRP 5195
'67 - '69 Firebird / Trans Am	BRP 5191	BRP 5191
'75 - '79 Nova	BRP 5194	BRP 5195
'68 - '74 Nova	BRP 5191	BRP 5191

TAPERED REAMERS



Did You Know...

Bicknell Racing Products also stocks many other tools! Check out the tool section of this catalog!

DESCRIPTION	APPLICATION	P/N
1 1/2" per foot Taper	Most Tie Rod, Shock eyes, and ball joint ALL 56204, ALL 56216 and PCR 100-3K719	ALL 11170
2" per foot Taper	Ball Joints ALL 56220, ALL 56218, ALL 56212 & ALL 56206	ALL 11172

Did You Know...
BRP axles are made from Chromemoly tubing. Don't be fooled by "imposter" front axles that may bend easily!

NORTHEAST MODIFIED FRONT AXLES



STYLE	LENGTH	BOLT ON AXLE BRACKETS WITH CAMBER
FORD .859" King Pin Diameter	50"	BRP EC50BOC
	52"	BRP EC52BOC
+4° LF CAMBER	52"	BRP EC52BOC-4
ASPHALT AXLE	52"	BRP EC52BOC-SYR

ALL AXLES AVAILABLE POWDER COATED BLACK ONLY. ADD -03 TO END OF PART NUMBER

Used on 2000 to present BRP chassis

DESCRIPTION

Front Axle bolt kit (comes with all necessary bolts to mount front end)

BRP 408-5



BRP 9432



BRP 7118

DESCRIPTION

Bicknell Ford 10 degree eye end

P/N

BRP 7118

Set screws for Front Axles (sold each)

BOL 0603756F

Front Axle Checking Tool (allows checking of axle in car)

BRP 9432

FRONT AXLE KITS



All kits start with BRP EC52BOC front axle

EXAMPLE: BRP FE1223

BRP LINE CODE

"FE" stands for front end, and is the same for all kits.

SPINDLE / HUB OPTION

P/N	POSITION 1
1	BRP 9200 Spindle / BRP 4570 Hub
2	BRP 4588 Spindle / WIN 3266F Hub
3	BRP 4588 Spindle / BRP 9382 Hub

Caliper / Pad Selection:
1- No Calipers / Pads
2- BRP 170-1526 with PFC Pads

ADD "BK" For Black Bolt On Parts

AXLE COLOUR
0 - NO PAINT
3- POWDER COATED BLACK

Assembled or Kit Form:
1- All Parts Boxed in Kit
2- Assembled and ready to Bolt In

All kits start with BRP EC52BOC front axle

KIT #1

QTY	PART #	DESCRIPTION
2	BRP 9200	Spindles w/ kingpins
2	BRP 4570	Hubs
2	BRP 65W	10 7/8" X 3/8" Rotors
2	BRP 835	Hub Seal
2	BRP 828	Inner Bearing
2	BRP 829	Outer Bearing
2	BRP 831L	Locking Nut Assembly
1	BRP 1623	Panhard Mount
2	BRP 1505	Axles Brackets
1	BRP 209	LF Steering Arm
1	BRP 211	RF Steering Arm
1	BRP RR481/2	Tie Rod
1	BRE 2101L	Tie Rod Heim End
1	BRE 2101R	Tie Rod Heim End
1	BRP 786	Jam Nut
1	BRP 787	Jam Nut
2	BRP 18-2375	Caliper Bracket
1	BRP 408-5	Front End Bolt Kit

KIT #2

QTY	PART #	DESCRIPTION
2	BRP 4588	Spindles w/ kingpins
2	WIN 3266F	Hubs
2	BRP 67	12 X 3/8" Rotors
2	BRP 6225	Hub Seal
4	BRP 6224	Bearings
2	BRP 6230	Locking Nut Assembly
1	BRP 1623	Panhard Mount
2	BRP 1505	Axles Brackets
1	BRP 209	LF Steering Arm
1	BRP 211	RF Steering Arm
1	BRP RR481/2	Tie Rod
1	BRE 2101L	Tie Rod Heim End
1	BRE 2101R	Tie Rod Heim End
1	BRP 786	Jam Nut
1	BRP 787	Jam Nut
2	BRP 19	Caliper Bracket
1	BRP 408-5	Front End Bolt Kit

KIT #3

QTY	PART #	DESCRIPTION
2	BRP 4588	Spindles w/ kingpins
2	BRP 9382	Large Bearing Hubs
2	BRP 65W	10 7/8" X 3/8" Rotors
2	WIN 7284V	Hub Seal
4	BRP 6224	Bearings
2	BRP 6230	Locking Nut Assembly
1	BRP 1623	Panhard Mount
2	BRP 1505	Axles Brackets
1	BRP 9087	LF Ackerman Steering Arm
1	BRP 9140	RF Ackerman Steering Arm
1	BRP RR471/2	Tie Rod
1	BRE 2101L	Tie Rod Heim End
1	BRE 2101R	Tie Rod Heim End
1	BRP 786	Jam Nut
1	BRP 787	Jam Nut
2	BRP 9390	Caliper Bracket
1	BRP 408-5	Front End Bolt Kit

FRONT AXLE BRACKETS



DESCRIPTION	RED P/N	BLACK P/N
Bicknell Downtube 4 Bar Bolt on bracket- 7 1/4" bolt spacing	BRP 1502RD	BRP 1502BK
Bicknell 2000 to present 4 Bar Bolt on bracket- 5 1/4" spacing	BRP 1505	BRP 1505BK
Bicknell 2000 to present 4 Bar Bolt on 2" drop bracket for Bilstein BGT Series Shocks (large nitrogen chamber)- 5 1/4" spacing	BRP 1501	BRP 1501BK

Did You Know...

BRP chassis use BRP 1505 axle brackets, and with Bilstein BGT series shocks you can also use BRP 1501 for added clearance.

NON BINDING FRONT AXLE BRACKETS



DESCRIPTION	P/N
Standard Non Binding Axle Bracket - 5 1/4" Bolt Spacing (replaces BRP 1505) - Anodized Black	BRP 9329BK
Drop Non Binding Axle Bracket - 5 1/4" Bolt Spacing (replaces BRP 1501) - Anodized Black	BRP 9330
Replacement Plastic Washer Only	BRP 9329D
Replacement Inner Bearing Only	BRP 9329C

Did You Know...

The non-binding axle bracket has a bearing in the bottom radius rod hole to make the right side radius rods "float". No more bound up rods!



FRONT PANHARD MOUNTS



DESCRIPTION	RED P/N	BLACK P/N
Front Panhard Mount kit- 3 holes	BRP 1503	BRP 1503BK
Heavy Duty Front Panhard Mount kit- 2 holes	BRP 1623	BRP 1623BK

Kits come with mounting hardware

Did You Know...

BRP chassis use BRP 1623 panhard mount, BRP 398 clamp, and takes a BRP 1210 panhard bar.

FRONT PANHARD MOUNT



Adjustable Front Panhard Mounts

DESCRIPTION	P/N
Front Adjustable Panhard Mount	BRP 9369
Replacement 1 3/4" Quick Change Pin (comes w/ washer and hitch pin)	BRP 9369C

Clamp On Front Panhard Mounts

DESCRIPTION	RED P/N	BLACK P/N
1 1/2" Front Panhard slider (for 2000-present cars)	BRP 398	BRP 398BK

FRONT PANHARD BAR & RADIUS RODS

Front Panhard Bars

DESCRIPTION	RED P/N	BLACK P/N
Lightweight Aluminum Front Panhard Bar - 1" OD	BRP 1210	BRP 1210BK
Heavy Duty Aluminum Front Panhard Bar - 1-1/4" OD	BRP RR21	BRP RR21BK
Steel Front Panhard Bar - 1-1/4" OD		BRP RR21S



Front Radius Rods - 4 Required

DESCRIPTION	RED P/N	BLACK P/N
Lightweight Aluminum Front Radius Rods - 1" OD	BRP 1250	BRP 1250BK
Heavy Duty Aluminum Front Radius Rods - 1-1/4" OD	BRP RR25	BRP RR25BK
Steel Front Radius Rods - 1-1/8" OD		BRP RR25S

See page 14-15 for more radius rods.


ALUMINUM STEERING ARMS

FIG	DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
1	Ford lower Steering Arm for right front BRP Spindle		BRP 211	BRP 211BK
1	Ford lower Steering Arm for right front BRP Spindle- no pocketing		BRP 211S	BRP 211SBK
1	Ford lower steering Arm for right front - front mount caliper		BRP 213	BRP 213BK
1	International lower steering arm right front		BRP 212	
2	Ford lower Steering Arm for left front BRP Spindle		BRP 209	BRP 209BK
2	Ford lower Steering Arm for left front BRP Spindle- no pocketing		BRP 209S	BRP 209SBK
2	Ford lower Steering Arm for left front- front mount caliper		BRP 210	BRP 210BK
4	Sprint Car Style Single Steering Arm	BRP 206		
6	Maxim Style Single Steering Arm	BRP 204		
3	Ford Left Front Combo Arm with Ackerman Adjustment (top mount caliper)		BRP 9087	BRP 9087BK
5	Ford Right Front Combo Arm with Increased Ackerman (top mount caliper)		BRP 9140	BRP 9140BK
3	Ford Left Front Combo Arm with Ackerman Adjustment (front mount caliper)			BRP 9254BK
5	Ford Right Front Combo Arm Wwth Increased Ackerman (front mount caliper)			BRP 9255BK



Did You Know...
Use BRP 755 Tie Rod spacer with aluminum steering arms.
Use RR 47 1/2" Tie Rod when using both BRP 9087 and BRP 9140. Use RR 48 when using BRP 9087 OR BRP 9140.

ALUMINUM PITMAN ARMS



DESCRIPTION	MOUNTING LOCATIONS	DRAG LINK HOLE DIA.	APPLICATION	RED P/N	BLACK P/N
6061 aluminum with pocketing	3 Holes @ 12", 13", & 14"	5/8" Holes	12:1 / 14:1 steering boxes	BRP 220	BRP 220BK
2024 aluminum with no pocketing	3 Holes @ 12", 13", & 14"	1/2" Holes	12:1 / 14:1 steering boxes		BRP 221BK
6061 aluminum with no pocketing	3 Holes @ 12", 13", & 14"	5/8" Holes	12:1 / 14:1 steering boxes	BRP 220-1	BRP 220-1BK
2024 aluminum with pocketing	2 Holes @ 9", & 10"	1/2" Holes	9:1 steering boxes		BRP 227BK
2024 aluminum with pocketing	2 Holes @ 9", & 10"	5/8" Holes	9:1 steering boxes		BRP 9509

TIE RODS AND DRAG LINKS



APPLICATION	LENGTH	1 1/4" ALUM. P/N	1 1/8" STEEL P/N
Tie Rod - Bert Winters spindles	47 1/2"	BRP RR471/2	BRP RR471/2S
Tie Rod - BRP 9087 / 9140 steering arms	47 1/2"	BRP RR471/2	BRP RR471/2S
Tie Rod - BRP 209 / 9140 steering arms	48"	BRP RR48	
Tie Rod - BRP 9087 / 211 steering arms	48"	BRP RR48	
Tie Rod - BRP 209 / 211 steering arms	48 1/2"	BRP RR481/2	BRP RR481/2S
Drag Link - Steering box in front location	64"	BRP RR64B	BRP RR64BS
Drag Link - Steering box in middle location	65"	BRP RR65B	
Drag Link - Steering box in rear location	66"	BRP RR66B	BRP RR66BS

Did You Know...
There are many options for tie rods and drag links. Call our tech line for assistance on selecting your length!

See page 14-15 for more tie rods and drag links.

CLAMP ON SLIDERS



DESCRIPTION	WIDTH	TUBE SIZE	BOLT SIZE	RED P/N	BLACK P/N
Heavy Duty Aluminum	2"	1 1/2"	3/4"	BRP 391	
Heavy Duty Aluminum	2"	1 3/4"	5/8"	BRP 392	
Heavy Duty Aluminum	2"	1 3/4"	3/4"	BRP 390	
Heavy Duty Aluminum	2"	1 1/2"	5/8"	BRP 393	
Lightweight Aluminum	1 1/2"	1 1/2"	5/8"	BRP 394	
Lightweight Aluminum	1"	1 1/4"	1/2"	BRP 395	
Lightweight Aluminum	1"	1 1/2"	1/2"	BRP 396	BRP 396BK
Lightweight Aluminum	1 1/2"	1 1/2"	1/2"	BRP 396-1	
Lightweight Aluminum	1 1/2"	1 1/2"	3/4"	BRP 396-2	BRP 396-2BK
Lightweight Aluminum	1 1/2"	1 3/4"	3/4"	BRP 397-2	BRP 397-2BK
Heavy Duty Steel - IMCA LEGAL	1 1/2"	1 3/4"	3/4"	BRP 399	

ADJUSTABLE CAMBER FRONT SPINDLES



6 Pin Style 10 Degree Spindle with .859" King Pin


DESCRIPTION	P/N
Adjustable Camber Spindle - 6 Pin Style (uses BRP 4570 Hub)	BRP 9214
Adjustable Camber Spindle - With Steel Snout and Titanium King Pin	BRP 9214T
Adjustable Camber Spindle - With Titanium Snout and King Pin	BRP 9214TT
Installation Wrench / King pin retainer wrench	BRP 4584
Replacement Steel Snout Only	BRP 9202
Replacement Inner Locking Snout Cap Only	BRP 4591
Replacement Steel Snout With Locking Cap Assembly	BRP 9203
Replacement Titanium Snout Only	BRP 9202T
Replacement Titanium Locking Cap Only	BRP 4591T
Replacement Titanium Snout With Locking Cap Assembly	BRP 9203T
Replacement King Pin	BRP 9208



Large Bearing 10 Degree Spindle with .859" King Pin

DESCRIPTION	P/N
Adjustable Camber Large Bearing Spindle With Steel King Pin	BRP 9215
Adjustable Camber Large Bearing Spindle With Titanium King Pin	BRP 9215T
Snout Retainer Installation Wrench / King pin retainer wrench	BRP 4584
Replacement Snout Only	BRP 4585
Replacement Inner Locking Snout Cap Only	BRP 4583
Center spindle plug (required for oil filled hubs)	BRP 9397
Replacement King Pin	BRP 9208

Adjustable spindles come with 0°, 1°, & 2° pills, king pin, and king pin washer.
Installation wrench (**BRP 4584**) is required to install king pin ball joint cap (BRP 9206) - **sold separately.**



Spindle Common Parts

DESCRIPTION	P/N
Replacement Ball Joint Cap (king pin retainer)	BRP 9206
Replacement Locking Tab for king pin retainer (bottom of sprindile)	BRP 9206A
Replacement com washer	BRP 9207
Replacement Steel King Pin	BRP 9208
Replacement Titanium King Pin	BRP 9208T
Replacement King Pin Washer	BRP 9208W
Replacement 0° Pill	BRP 9209-0
Replacement 1° Pill	BRP 9209-1
Replacement 2° Pill	BRP 9209-2

Note: Only Factory Repairable With Com Bearing.

BRP 10 DEGREE FORGED WIDE SPREAD BEARING SPINDLE

Did You Know...

BRP spindles are made from forged 7075 aluminum for ultimate strength. They weigh in at 4.60 # with kingpin.



Features include:

- Replaceable bronze bushings.
- Made from forged 7075 aluminum.
- Spindle snout is threaded into body for high strength while reverse thread locknut keeps snout tight under racing conditions.
- Works with BRP 4570 Hub.

Did You Know...

The Spindle snout is recessed into the aluminum spindle body for added strength!

10 Degree Spindle with .859" King Pin

DESCRIPTION	P/N
Aluminum spindle kit with hollow steel kingpin, steel snout & lock nut	BRP 9200
Aluminum spindle kit with hollow titanium kingpin, steel snout & lock nut	BRP 9200T
Aluminum spindle kit with hollow titanium kingpin, titanium snout & lock nut	BRP 9200TT
Replacement snout and lock cap	BRP 9203
Replacement snout only	BRP 9202
Replacement lock cap only	BRP 4591
Snout wrench	BRP 4584
Replacement king pin with 2 end caps	BRP 841
Replacement end caps for 841 (sold each)	BRP 841C
Optional titanium king pin with caps	BRP 841T
Replacement cap for BRP 841T king pin (sold each)	BRP 841TC
Replacement king pin bushing (sold each)	BRP 842
1/8" Aluminum spindle shim spacer - Ford kingpin	BRP 843
Steel Kingpin Shim for Ford Kingpin - .005" Thick	WIN 7514
Steel Kingpin Shim for Ford Kingpin - .031" Thick	WIN 7512
Kingpin Shim Kit (includes shims and bearings)	WIN 7511-01
Lock nut Assembly (includes locknut, tab washer, thrust washer & bolts)	BRP 831L
Wrench for BRP 831L lock nut	BRP 831W



KING PIN DRIFT PUNCH



DESCRIPTION	P/N
Aluminum .859" King pin drift punch	BRP 847

BRP WIDE 5 WIDE SPREAD HUB

Did You Know...

When mounting a BRP 4570 to a BRP9200 spindle, Use a BRP 65 or BRP 65W brake rotor, and a BRP 8-2250 brake bracket for a 2000 series caliper, or BRP 18-2375 brake bracket for a 1000 series caliper.

DESCRIPTION	RED P/N	BLACK P/N
Aluminum Wide 5 Hub (includes Cap)	BRP 4570	BRP 4570BK
Aluminum Wide 5 Hub (includes Cap, REM bearings & races)	BRP 4570BKREM	
Replacement Dust Cap		BRP 4571
Replacement Inner race	BRP 826	
Replacement Outer race	BRP 827	
Inner Bearing	BRP 828	
Inner Bearing - REM Finished	BRP 828REM	
Outer Bearing	BRP 829	
Outer Bearing - REM Finished	BRP829REM	
Aluminum locking spindle nut assembly	BRP 831L	
Inner hub seal	BRP 835	
Taper head rotor bolt (sold each 3 required) 1/2" F X 1"	BOL 081003F	
Taper head rotor bolt kit - package of 3 (1/2" F X 1")	BRP 53	
Replacement Wheel Stud	BRP 2060	
1/2" F Rotor Bolt Kit - package of 3 with external hex	BRP 9435	

Inner and outer bearings, seals, and wheel nuts sold separately.

Also has quick release front cap!



Includes dust cap, races and studs.
Does not include bearings, seal, or spindle nut.



BRP 9435



BRP 53

* 3 PACKS *

ORIGINAL BRP 9210 10 DEGREE SPINDLE

10 Degree Spindle with .859" King Pin

Did You Know...
BRP spindles are made from forged 7075 aluminum for ultimate strength. They weigh in at 4.60 # with kingpin.



Features include:
-Replaceable bronze bushings.
-Made from forged 7075 aluminum.
-Spindle snout is threaded into body for high strength while reverse thread locknut keeps snout tight under racing conditions.

DESCRIPTION	P/N
Aluminum spindle kit with hollow steel kingpin, steel snout & lock nut	BRP 9210
Aluminum spindle kit with hollow steel titanium, steel snout & lock nut	BRP 9210T
Replacement snout and lock cap	BRP 9213
Replacement snout only	BRP 9212
Replacement lock cap only	BRP 4591
Snout wrench	BRP 4584
Replacement king pin with 2 end caps	BRP 841
Replacement end caps (sold each)	BRP 841C
Optional titanium king pin	BRP 841T
Replacement cap for titanium king pin (sold each)	BRP 841TC
Replacement kingpin bushing (sold each)	BRP 842
1/8" Aluminum spindle shim spacer	BRP 843
Steel kingpin shim for Ford kingpin - .005" thick	WIN 7514
Steel kingpin shim for Ford kingpin - .031" thick	WIN 7512
Kingpin Shim Kit (includes bearing and shims)	WIN 7511-01
Lock nut assembly	BRP 831L
Wrench for BRP 831L lock nut	BRP 831W



KING PIN DRIFT PUNCH



DESCRIPTION	P/N
Aluminum .859" King pin drift punch	BRP 847

BRP ORIGINAL 821 WIDE 5 HUB

DESCRIPTION	RED P/N	BLACK P/N
Aluminum Wide 5 hub	BRP 821	BRP 821BK
Aluminum Wide 5 Hub with REM Finished Races		BRP 821BKREM
Replacement Inner Race		BRP 826
Replacement Outer Race		BRP 827
Inner Bearing		BRP 828
Inner Bearing - REM Finished		BRP 828REM
Outer Bearing		BRP 829
Outer Bearing - REM Finished		BRP 829REM
Aluminum Locking Spindle Nut Assembly		BRP 831L
Inner Hub Seal		BRP 835
Replacement Dust Cap		BRP 832
Taper Head Rotor Bolt (sold each, 3 required) 1/2"F X 1"		BOL 081003F
Taper head rotor bolt kit 1/2"F X 1"		BRP 53
Replacement Wheel Stud		BRP 2060
1/2"F Rotor Bolt Kit - package of 3 with external hex		BRP 9435

Inner and outer bearings, seals, and wheel nuts sold separately.

Did You Know...
This BRP 821 hub is designed to work with BRP 9210 spindle above. It weighs in at a slender 7# with studs and races.



Includes dust cap, races, studs and 3 rotor bolts.



BRP 9435



BRP 53

* 3 PACKS *

BRP 4588 LARGE BEARING MODIFIED FRONT SPINDLE


10 Degree Spindle with .859" King Pin

DESCRIPTION	P/N
Large Bearing aluminum spindle kit with hollow steel king pin	BRP 4588
Large Bearing Aluminum spindle kit with titanium king pin	BRP 4588T
Replacement steel king pin with 2 end caps	BRP 841
Replacement end caps for steel king pin (sold each)	BRP 841C
Replacement aluminum Snout Only	BRP 4585
Replacement titanium king pin with caps	BRP 841T
Replacement cap for titanium king pin (sold each)	BRP 841TC
Replacement king pin bushing (sold each)	BRP 842
1/8" Aluminum spindle shim spacer	BRP 843
Steel Kingpin Shim - .005" Thick	WIN 7514
Steel Kingpin Shim - .031" Thick	WIN 7512
Kingpin Shim Kit (includes bearing and shims)	WIN 7511-01
Lock nut assembly (has holes for locking bolt)	BRP 6230
Lock nut assembly (has slots for locking bolt)	BRP 9489
Wrench for BRP 6230 lock nut	BRP 6231
Replacement steel lock nut only (no hardware)	BRP 6229
Replacement outer washer and screw	BRP 6227
Replacement screw with washer - for BRP 6230 nut (package of 2)	BRP 6228
Steering arm mounting hardware kit (2 BOL 082C, 2 BOL 083507C)	BRP 4588B
Center spindle plug (required for oil filled hubs)	BRP 9397



Did You Know...
BRP 4588 Spindle is made with an aluminum snout- it weighs in at only 4.4 pounds with kingpin.

Features include:
-replaceable bronze bushings.
-made from forged 7075 aluminum.
-Spindle snout is threaded into body for high strength while reverse thread locknut keeps snout tight under racing conditions.
-Works with BRP 6203 or WIN 3266F or BER CTD-NYM-H01



KING PIN DRIFT PUNCH



DESCRIPTION	P/N
Aluminum .859" King pin drift punch	BRP 847

BRP 9382 LARGE BEARING FRONT HUB



Did You Know...
BRP 9382 hub uses a 3 bolt rotor adaptor. Use BRP 813, BRP 9384 or BRP 9067

DESCRIPTION	P/N
Aluminum Wide 5 large bearing hub (comes with dust cap)	BRP 9382
BRP 9382 large bearing hub assembly with REM bearings/races	BRP 9382REM
Replacement Dust Cap (comes with 1- NIA 045, 3 - BOL 10240502C)	BRP 6203C
Inner and outer race	BRP 6222
Inner and outer bearing	BRP 6224
Steel locking spindle nut assembly	BRP 6230
Steel locking spindle nut assembly *NEW DESIGN*	BRP 9489
Standard Inner hub seal	BRP 6225
Replacement seal snap ring	BRP 6223
Low drag inner hub seal (will not work for oil filled hubs)	BRP 6232
Replacement Wheel Stud (sold each)	BRP 2060

Did You Know...
This BRP 9382 hub is designed to work with BRP 4588 spindle above.

LARGE BEARING BILLET FRONT HUB



BRP 9382

Did You Know...

The BRP 9382 hub is the only large bearing hub to use a small (3 bolt) rotor!

DESCRIPTION	P/N
Billet Large Bearing Front Hub with 3 bolt rotor (comes with dust cap)	BRP 9382
Billet Large Bearing Front Hub w/ 3 bolt rotor REM FINISHED (includes REM finished races, bearings, front dust cap)	BRP 9382REM
3 bolt to 8 on 7" rotor adaptor (also accepts "T" nuts)	BRP 9384
Floating Rotor "T" Nut Bolt Kit	BRP 9386
Replacement Dust Cap	BRP 6203C
Inner and Outer Race	BRP 6222
Inner and Outer Bearing	BRP 6224
2-7/8" REM Finish Hub Bearing & Race Set	BRP 6224REM
Replacement Wheel Stud	BRP 2060
Steel locking spindle nut assembly	BRP 6230
Standard Inner hub seal	BRP 6225
Low drag inner hub seal (will not work with oil filled hubs)	BRP 6232
Replacement seal snap ring	BRP 6223
Replacement oil fill plug	WIN 7874
Rotor bolt kit - drilled for safety wire (package of 8)	BRP 50
Replacement taper head rotor adaptor bolts - allen head (Pack of 3)	BRP 53
Replacement rotor adaptor bolts with external hex (Package of 3)	BRP 9435

Inner and outer bearings, seals, and wheel nuts sold separately.

LARGE BEARING SPACER KITS



BRP 9392

BRP 9396

BRP 9397

DESCRIPTION	P/N
Front Bearing Spacer Kit (11 pieces)	BRP 9392
Setup Spindle - mounts on workbench for easy adjustment	BRP 9396
Center Spindle Plug for BRP 4588 Spindle (required when oil filling BRP 9382 hubs)	BRP 9397
Rear Bearing Spacer Kit (11 pieces)	BRP 9393

ASSEMBLY INSTRUCTIONS FOR BRP 9392 / BRP 9393 SPACER KIT

Pre-assemble hub and bearing assembly with no grease and seal

- STEP 1 - Install inner bearing, and common spacer (.550" spacer for front hub and 1.180" for rear hub) on spindle.
- STEP 2 - Install .590" spacer.
- STEP 3 - Slide hub on spindle with outer bearing tighten hub nut. Nut should be tightened like a normal nut not backed off.
- STEP 4 - Spin hub and feel for play by rocking hub.
- STEP 5 - If hub spins freely with play, disassemble and replace with narrower spacer.
- STEP 6 - If hub doesn't spin freely, disassemble and replace with wider spacer.
- STEP 7 - Repeat procedure changing spacers until hub spins freely with no play.
- STEP 8 - If needed, a fine adjustment can be made by switching the .550" spacer with the .552" spacer.


Note: for some applications, the narrower common spacers may be needed.

FRONT COMMON SPACER SIZES:
.550" .552" .515" .517"

REAR COMMON SPACER SIZES:
1.180" 1.182" 1.145" 1.147"

ADJUSTMENT SPACERS
(BOTH FRONT AND REAR)
.580" .585" .590" .595"
.600" .605" .610"

6 PIN ROTOR ADAPTOR



BRP 813

BRP 9386

BRP 9384

BRP 9066

BRP 9065

DESCRIPTION	RED P/N	BLACK P/N
3/8" thick 3 bolt to 8 on 7" rotor adaptor	BRP 813	
3/8" thick 3 bolt to 8 on 7" rotor adaptor (also can use tee nuts to float rotor)		BRP 9384
1/2" thick asphalt 3 bolt to 8 on 7" rotor adaptor (no provision for t nuts)	BRP 9067	
T Nut Kit (package of 8 pre-drilled bolts and t nuts)		BRP 9386
Steel asphalt front brake bracket (for 2800 series caliper, 11 3/4" dia.		
X .810 thick rotor, BRP 9067 adaptor & BRP 4570 hub and BRP 9200 spindle)		BRP 9066
Steel asphalt front brake bracket (for 2000 series caliper, 11 3/4" dia.		
X .810 thick rotor, BRP 6203 / BRP 9382 / WIN 3266F hub, and BRP 4588 spindle (when using 9382 hub, the BRP 9067 adaptor is required)		BRP 9065

NANOCERAMIC GREASE

DESCRIPTION	P/N
16 oz. Jar Nanoceramic Grease	DAT NCRG16J
16 oz. Tube Nanoceramic Grease	DAT NCRG16
1 oz. Syringe Nanoceramic Grease	DAT NCRG1

HIGH PRESSURE, HIGH TEMPERATURE. COATS BEARINGS AND OTHER PLACES WERE LESS FRICTION IS PERFERRERD. USE LESS GREASE AND GET MORE PROTECTION!



DAT NCRG1

FRONT SPINDLE LOCK NUT WRENCHES



DESCRIPTION	P/N
Spindle lock nut wrench for BRP 831L (BRP 9200/9210 spindles)	BRP 831W
Spindle lock nut wrench for BRP 6230 (ALL large bearing spindles)	BRP 6231

ALUMINUM 6 PIN FRONT HUBS

6 Pin Hubs



BRP 825LW SPRINT CAR HUB KIT
1 1/2" DEEP HUB FACE
BRP 825LW

DESCRIPTION	RED P/N	BLACK P/N
Solid 6 pin sprint front hub - no lightning holes	BRP 825	BRP 825BK
Standard sprint hub with studs and races (red rotor stands) * has lightning holes *	BRP 825LW	
Offset modified hub with studs and races (black rotor stands)	BRP 825-1	BRP 825-1BK

6 Pin Hub Replacement Parts



BRP 825-1 MODIFIED HUB KIT
1 1/2" DEEP HUB FACE
BRP 825-1

DESCRIPTION	P/N
Dust cap with O-ring	BRP 832
Replacement O-ring for BRP 832	BRP 832S
5/8" C wheel stud	BRP 833
5/8" C titanium wheel stud	BRP 833T
Jam nut for BRP 833 wheel stud	BRP 834
5/8" C flat ended aluminum wheel nut (red)	BRP 836
Rotor stand for BRP 825 hub (red) SOLD EACH	BRP 837
Long rotor stand kit for BRP 825-1 hub (black) SOLD EACH	BRP 838
Rotor bolt 1/2" F X 1" Flat head (sold each)	BOL 081003F
1/2" Rotor bolt kit - Hex Head Bolts - Package of 3	BRP 9435

DESCRIPTION	P/N
Replacement Inner race	BRP 826
Replacement Outer race	BRP 827
Inner bearing	BRP 828-1
Inner bearing & race set - REM finish	BRP 828REM
Outer bearing	BRP 829
Outer bearing & race set - REM finish	BRP 829REM
Steel locking spindle nut assembly	BRP 831L
Slotted washer only	BRP 831L2
Wrench for BRP 831L spindle nut	BRP 831W
Inner hub seal	BRP 835



BRP 825-1BK MODIFIED HUB KIT
1 1/2" DEEP HUB FACE
BRP 825-1BK



BRP 831L
BRP 9435

INTERNATIONAL .988" WIDE 5 STEEL SPINDLE




BRP 1664

DESCRIPTION	P/N
Spindle kit with <i>steel</i> lower spindle boss (includes king pin, shim & locking nut)	BRP 1663
Spindle kit with <i>aluminum</i> lower spindle boss (includes king pin, shim & locking nut)	BRP 1664
Hollow replacement kingpin (.988" O.D.)	BRP 1660
King pin cap (sold each)	BRP 1662
Lower bolt on spindle boss	BRP 1669
Lower bolt on spindle boss (recommended for asphalt cars)	
Made from High Strength Steel	BRP 1669S
Upper bolt on spindle boss	BRP 1670
Spindle plate assembly	BRP 1671
Spindle Bolts (4 required)	BRP 1672
Kingpin bushing (sold each)	BRP 1673
1/8" aluminum spindle shim spacer	BRP 844
Aluminum spindle lock nut kit	BRP 320
Replacement washers & screws for BRP 320 lock nut kit	BRP 320W

SWAY BAR COMPONENTS



BRP 245 Made from 3/4" Material



MFG CHA6

BRP 1571A

BRP 1570

BROACH	HOLES	END	OFFSET	RED P/N	BLACK P/N	DESCRIPTION	RED P/N	BLACK P/N
1"	12",13",14"	Bolt	0	BRP 245	BRP 245BK	1 1/8" I.D. 2 piece aluminum sway bar mount - SOLD EACH	BRP 1570	BRP 1570BK
1 1/8"	24" Long Blank	----	0	BRP 249-24	(plain aluminum)	1 1/8" I.D. aluminum locating/lock collar - SOLD EACH		BRP 1571A
1 1/8"	14.5",15.5",16.5"	Bolt	0	BRP 253	BRP 253BK	1/8" Steel weld on chassis tab for mounting BRP 1570 mount		
1 1/8"	14.5",15.5",16.5"	Bolt	1"	BRP 253B	BRP 253BBK	SOLD EACH		MFG CHA6
1 1/8"	16",17",18"	Bolt	0	BRP 254	BRP 254BK			
1 1/8"	16",17",18"	Bolt	5"	BRP 254B	BRP 254BBK			

ADJUSTABLE QUADLOCK BIRDCAGES

BRP 9310 Adjustable QuadLock Birdcage



QTY	DESCRIPTION	P/N
	Complete Universal Adjustable Quadlock Birdcage	BRP 9310
1	Outer Adjustable Birdcage Plate	BRP 9305
1	Inner Adjustable Birdcage Plate	BRP 9306
1	Universal Shock Mount (Includes mounting bolts and stud)	BRP 9307
1	Main Center Hub (Includes 2 X 7/16" F X 1 1/2" Allen bolts and nuts)	BRP 9308
1	36 Piece Pill Kit (see below)	BRP 9309
1	Torsion Bar Roller	BRP 9284
1	Replacement Radius Rod Spacer	BRP 724
3	3/8" C X 5" Grade 8 Bolt (bolts birdcage together)	BOL 065001C8
6	3/8" Flat washers	BOL 06FLAT
3	3/8" C Grade 8 Lock Nuts	BOL 062C8
1	1/2" C X 4 1/2" Bolt (roller)	BOL 084501C
1	1/2" C Narrow Nylock Nut (roller)	BOL 083C
1	5/8" C X 3" Bolt (radius rod)	BOL 103001C
1	5/8" C Nylock Nut (radius rod)	BOL 102C
1	OPTIONAL Left Rear Double Sheer Heavy Duty Shock Mount	BRP 9399L
1	OPTIONAL Right Rear Double Sheer Heavy Duty Shock Mount	BRP 9399R




DESCRIPTION	P/N
Wide Roller Kit for 1 - BRP 9310 Adjustable Birdcage (must be used for left side panhard or left side J-bar)	BRP 9583



ADJUSTABLE BIRDCAGE PILL KIT

DESCRIPTION	P/N
36 Piece Pill Kit - Kit comes with 6 of each of the following pills: 6 X 0°, 6 X 1°, 6 X 2°, 6 X 3°, 6 X 4°, 6 X 5°.	BRP 9309



These pills are actual size. Use them to verify the pills you are installing in your birdcages

ADJUSTABLE BIRDCAGE BRIDGE MOUNT

DESCRIPTION	P/N
Adjustable Birdcage Bridge Mount	BRP 9406



Did You Know...
Quadlock Birdcages offer the ultimate
in strength. They require Quadlock tubes to
work properly- see page 50 for tubes

LEFT REAR QUAD LOCK BIRDCAGES

BRP 9032 Left Rear QuadLock Birdcage -5° Timing To Rear End



BRP 9032

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Left Rear QuadLock Birdcage Kit	BRP 9032	BRP 9032BK
2	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
1	1/4" Steel Radius Rod Spacer		BRP 724
1	Outer Quadlock Birdcage Plate	BRP 9030L	BRP 9030LBK
1	Inner Quadlock Birdcage Plate	BRP 9031L	BRP 9031LBK
1	Shock Mount	BRP 4278L	BRP 4278LBK
1	OPTIONAL double shear HD shock mount	BRP 9079	BRP 9079BK
1	Torsion Roller Assembly		BRP 9284
2	Slotted washer for roller bolt (2 required)		BRP 4250W
2	1/2"C X 4 3/4" Bolt (bolts birdcage plates together)		BOL 084751C
1	1/2"C X 5" Bolt (roller)		BOL 085001C
2	1/2"C Nylock Nuts (used on 4 3/4" long bolts)		BOL 082C
1	5/8"C X 3" Bolt (bolts radius rod to outer plate)		BOL 103001C
1	5/8"C Nylock Nut (used on 3" long radius rod bolt)		BOL 102C
1	1/2"C Narrow Nylock Nut (used on 5" long roller bolt)		BOL 083C

please see page 72 for clamp on brake brackets to complete this birdcage

Did You Know...

The 9032 and 9465 are essentially the
same birdcage - the only difference
is the timing to the tube!

BRP 9465 Left Rear QuadLock Birdcage 0° Timing To Rear End



BRP 9465

QTY	DESCRIPTION	BLACK P/N
	Complete Left Rear QuadLock Birdcage Kit	BRP 9465
2	2 1/4" Aluminum Birdcage Spacer	BRP 698BK
1	1/4" Steel Radius Rod Spacer	BRP 724
1	Outer Quadlock Birdcage Plate	BRP 9465R
1	Inner Quadlock Birdcage Plate	BRP 9465L
1	Shock Mount	BRP 4278LBK
1	OPTIONAL double shear HD shock mount	BRP 9079BK
1	Torsion Roller Assembly	BRP 9284
2	1/2"C X 4 3/4" Bolt (bolts birdcage plates together)	BOL 084751C
1	1/2"C X 5" Bolt (roller)	BOL 085001C
2	1/2"C Nylock Nuts (used on 4 3/4" long bolts)	BOL 082C
1	5/8"C X 3" Bolt (bolts radius rod to outer plate)	BOL 103001C
1	5/8"C Nylock Nut (used on 3" long radius rod bolt)	BOL 102C
1	1/2"C Narrow Nylock Nut (used on 5" long roller bolt)	BOL 083C
2	Slotted Washer (for roller bolt)	BRP 4250W

please see page 72 for clamp on brake brackets to complete this birdcage

QuadLock Coil Over Trailing Arm Brackets



BRP 9469

QTY	DESCRIPTION	BLACK P/N
	Complete Rear QuadLock Trailing Arm Kit (Universal left or right)	BRP 9469
2	Replacement Pinch Bolt	BOL 071502FZ
1	Replacement Shock Stud	BRP 4288
1	Replacement Shock Spacer	BRP 718
	Optional Bolt On Shock Mount (bolts to BRP 9469) shortens radius rod 2 1/4", and moves shock mount down	BRP 9549

please see page 72 for clamp on brake brackets to complete this birdcage

RIGHT REAR QUAD LOCK BIRDCAGES

BRP 9033 Right Rear QuadLock Birdcage
-5° Timing To Rear End

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Right Rear QuadLock Birdcage Kit	BRP 9033	BRP 9033BK
2	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
1	1/4" Steel Radius Rod Spacer	BRP 724	
1	Outer Quadlock Birdcage Plate	BRP 9030R	BRP 9030RBK
1	Inner Quadlock Birdcage Plate	BRP 9031R	BRP 9031RBK
1	Shock Mount	BRP 4278R	BRP 4278RBK
1	OPTIONAL double shear HD shock mount	BRP 9080	BRP 9080BK
1	Torsion Roller Assembly	BRP 9284	
2	Slotted washer for roller bolt (2 required)	BRP 4250W	
2	1/2"C X 4 3/4" Bolt (bolts birdcage plates together)	BOL 084751C	
1	1/2"C X 5" Bolt (roller)	BOL 085001C	
2	1/2"C Nylock Nuts (used on 4 3/4" long bolts)	BOL 082C	
1	5/8"C X 3" Bolt (bolts radius rod to outer plate)	BOL 103001C	
1	5/8"C Nylock Nut (used on 3" long radius rod bolt)	BOL 102C	
1	1/2"C Narrow Nylock Nut (used on 5" long roller bolt)	BOL 083C	

please see page 72 for clamp on brake brackets to complete this birdcage

Did You Know...

Quadlock birdcages have flats on 4 sides- no need to drill the tube, they slide right into place!



BRP 9033

BRP 9466 Right Rear QuadLock Birdcage
-0° Timing To Rear End

QTY	DESCRIPTION	BLACK P/N
	Complete Left Rear QuadLock Birdcage Kit	BRP 9466
2	2 1/4" Aluminum Birdcage Spacer	BRP 698BK
1	1/4" Steel Radius Rod Spacer	BRP 724
1	Outer Quadlock Birdcage Plate	BRP 9466R
1	Inner Quadlock Birdcage Plate	BRP 9466L
1	Shock Mount	BRP 4278RBK
1	OPTIONAL double shear HD shock mount	BRP 9080BK
1	Torsion Roller Assembly	BRP 9284
2	1/2"C X 4 3/4" Bolt (bolts birdcage plates together)	BOL 084751C
1	1/2"C X 5" Bolt (roller)	BOL 085001C
2	1/2"C Nylock Nuts (used on 4 3/4" long bolts)	BOL 082C
1	5/8"C X 3" Bolt (bolts radius rod to outer plate)	BOL 103001C
1	5/8"C Nylock Nut (used on 3" long radius rod bolt)	BOL 102C
1	1/2"C Narrow Nylock Nut (used on 5" long roller bolt)	BOL 083C
2	Slotted Washer (for roller bolt)	BRP 4250W

please see page 72 for clamp on brake brackets to complete this birdcage

Did You Know...

The 9033 and 9466 are essentially the same birdcage - the only difference is the timing to the tube!



BRP 9466

Coil Over Conversions
(from standard birdcages)

DESCRIPTION	P/N
Lower Shock Mount - replaces roller in STD birdcages for coil conversion	BRP 9485
Adjustable Upper Coil Over Mount	BRP 9560

please see page 93 for other upper shock mount options



BRP 9560

Did You Know...

When changing your car over from torsions to coils, you can use this to cover the end of the torsion bearing



BRP 9485

BRP 9560

LEFT LARGE BEARING / 8 BOLT BIRDCAGES

Did You Know...

You can also use a clamp on brake bracket for added braking strength. See page 72 for applications.



BRP 4255

BRP 4255 Left Rear Large Bearing Birdcage

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Left Rear Large Bearing Clamp On Birdcage Kit	BRP 4255	BRP 4255BK
1	Brake Caliper Bracket	BRP 2	BRP 2BK
2	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
1	1/4" Steel Radius Rod Spacer	BRP 724	
2	1" Aluminum Birdcage Spacer	BRP 726	BRP 726BK
1	Outer Clamp On Birdcage Plate	BRP 4250L	BRP 4250LBK
1	Inner Clamp On Birdcage Plate	BRP 4252L	BRP 4252LBK
1	Shock Mount	BRP 4278L	BRP 4278LBK
1	OPTIONAL double shear HD shock mount	BRP 9079	BRP 9079BK
2	Locator Bolt - top of birdcage (2 required)	BRP 4251	
1	Torsion Roller Assembly	BRP 9284	
2	Slotted washer for roller bolt (2 required)	BRP 4250W	
2	1/2" X 6 1/2" Bolt (bolts birdcage plates together)	BOL 086501C	
1	1/2" X 5" Bolt (roller)	BOL 085001C	
2	1/2" Nylock Nuts (used on 6 1/2" long bolts)	BOL 082C	
1	5/8" X 3" Bolt (bolts radius rod to outer plate)	BOL 103001C	
1	5/8" Nylock Nut (used on 3" long radius rod bolt)	BOL 102C	
1	1/2" Narrow Nylock Nut (used on 5" long roller bolt)	BOL 083C	

Did You Know...

8 Bolt birdcages offer great strength. They will fit BRP chassis, Teo and Troyer chassis as well.



BRP 4292

BRP 4292 8 Bolt Left Rear Birdcage

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Left Rear 8 Bolt Birdcage Kit	BRP 4292	BRP 4292BK
1	Brake caliper bracket for 12.16" diameter rotor X .810" thick	BRP 1-2	BRP 1-2BK
2	1 7/8" Aluminum Birdcage Spacer	BRP 697	BRP 697BK
1	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
2	3/8" Thick Aluminum Spacer for Caliper Bracket	BRP 716	BRP 716BK
1	1/4" Steel Radius Rod Spacer	BRP 724	
1	Outer Birdcage Plate	BRP 4270L	BRP 4270LBK
1	Inner Birdcage Plate	BRP 4274	BRP 4274BK
1	Inner Birdcage Plate Strap	BRP 4276	BRP 4276BK
1	Shock Mount	BRP 4278L	BRP 4278LBK
1	OPTIONAL double shear HD shock mount	BRP 9079	BRP 9079BK
1	Torsion Roller Assembly	BRP 9284	
1	Slotted Washer for roller bolt (2 required)	BRP 4250W	
1	1 3/8" Deep 8 Bolt Cup	BRP 4308	BRP 4308BK
1	1/2" X 5 1/2" Bolt	BOL 085501C	
2	1/2" X 5" Bolt	BOL 085001C	
1	1/2" X 4 1/2" Bolt	BOL 084501C	
1	1/2" X 2 3/4" Bolt	BOL 082751C	
1	5/8" X 3" Bolt	BOL 103001C	
1	5/8" Nylock Nut	BOL 102C	
2	1/2" Nylock Nut	BOL 082C	
3	1/2" Narrow Nylock Nut	BOL 083C	

8 BOLT BIRDCAGE CUPS



DESCRIPTION	RED P/N	BLACK P/N
1 3/8" Deep 8 bolt birdcage cup - 8 holes, 22 1/2° angle	BRP 4308	BRP 4308BK
1 3/8" Deep birdcage cup - NO HOLES	BRP 4308B	
1 3/4" Deep zero degree birdcage cup	BRP 4312	
1 3/4" Deep birdcage cup - NO HOLES	BRP 4312B	
1 3/4" Deep birdcage cup - 16 holes - zero and 22 1/2° angle	BRP 4312-1	
1 3/4" Deep birdcage cup - 8 holes drilled, 22 1/2° angle	BRP 4313	

RIGHT LARGE BEARING / 8 BOLT BIRDCAGES

BRP 4257 Right Rear Large Bearing Birdcage

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Left Rear Large Bearing Clamp On Birdcage Kit	BRP 4257	BRP 4257BK
1	Brake Caliper Bracket	BRP 2	BRP 2BK
2	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
1	1/4" Steel Radius Rod Spacer	BRP 724	
2	1" Aluminum Birdcage Spacer	BRP 726	BRP 726BK
1	Outer Clamp On Birdcage Plate	BRP 4250R	BRP 4250RBK
1	Inner Clamp On Birdcage Plate	BRP 4252R	BRP 4252RBK
1	Shock Mount	BRP 4278R	BRP 4278RBK
1	OPTIONAL double shear HD shock mount	BRP 9080	BRP 9080BK
2	Locator Bolt - top of birdcage (2 required)	BRP 4251	
1	Torsion Roller Assembly	BRP 9284	
2	Slotted washer for roller bolt (2 required)	BRP 4250W	
2	1/2"C X 6 1/2" Bolt (bolts birdcage plates together)	BOL 086501C	
1	1/2"C X 5" Bolt (roller)	BOL 085001C	
2	1/2"C Nylock Nuts (used on 6 1/2" long bolts)	BOL 082C	
1	5/8"C X 3" Bolt (bolts radius rod to outer plate)	BOL 103001C	
1	5/8"C Nylock Nut (used on 3" long radius rod bolt)	BOL 102C	
1	1/2"C Narrow Nylock Nut (used on 5" long roller bolt)	BOL 083C	



BRP 4257

Did You Know...

BRP 4255/4257 birdcages need to be pinned to the rear end tube. Drill 7/16" into the tube and use the supplied pin.

BRP 4293 8 Bolt Right Rear Birdcage

QTY	DESCRIPTION	RED P/N	BLACK P/N
	Complete Left Rear 8 Bolt Birdcage Kit	BRP 4293	BRP 4293BK
1	Brake caliper bracket for 12.16" diameter rotor X .810" thick	BRP 1-2	BRP 1-2BK
2	1 7/8" Aluminum Birdcage Spacer	BRP 697	BRP 697BK
1	2 1/4" Aluminum Birdcage Spacer	BRP 698	BRP 698BK
2	3/8" Aluminum Caliper Bracket Spacer	BRP 716	BRP 716BK
1	1/4" Steel Radius Rod Spacer	BRP 724	
1	Outer Birdcage Plate	BRP 4270R	BRP 4270RBK
1	Inner Birdcage Plate	BRP 4272	BRP 4272BK
1	Inner Birdcage Plate Strap	BRP 4276	BRP 4276BK
1	Shock Mount	BRP 4278	BRP 4278BK
1	OPTIONAL double shear HD shock mount	BRP 9080	BRP 9080BK
1	1 3/8" Deep 8 Bolt Cup	BRP 4308	BRP 4308BK
1	Torsion Roller Assembly	BRP 9284	
2	Slotted Washer for roller bolt (2 required)	BRP 4250W	
2	1/2"C X 5 1/2" Bolt	BOL 085501C	
1	1/2"C X 5" Bolt	BOL 085001C	
1	1/2"C X 4 1/2" Bolt	BOL 084501C	
1	1/2"C X 2 3/4" Bolt	BOL 082751C	
1	5/8"C X 3" Bolt	BOL 103001C	
1	5/8"C Nylock Nut	BOL 102C	
2	1/2"C Nylock Nut	BOL 082C	
3	1/2"C Narrow Nylock Nut	BOL 083C	



BRP 4293

Did You Know...

Different brake brackets are available for 8 bolt birdcages- see page 71 for different options...

BIRDCAGE WIDENING KITS



BRP 9582

BRP 9583


DESCRIPTION	P/N
Wide Roller Only - allows increased side to side movement NOTE- must be used on left side panhard or left side J-Bar	BRP 9578
Wide Roller Kit - For Non Adjustable birdcages Will fit the following: BRP 9032, BRP 9033, BRP 9465, BRP 9466, BRP 4255, BRP 4257, BRP 4292, BRP 4293.	BRP 9582
Wide Roller Kit for Adjustable Birdcages - will fit BRP 9310 Only	BRP 9583

8 BOLT / LARGE BEARING COIL OVER BRACKETS



Trailing Arm Brackets

DESCRIPTION	RED P/N	BLACK P/N
8 Bolt Aluminum Trailing Arm Bracket Only (short for tire clearance)	BRP 529	BRP 529BK
8 Bolt Aluminum Trailing Arm Bracket Only (standard length)	BRP 540	BRP 540BK
Bolt On Trailing Arm Bracket for 3" Tube - 1/2" Radius Rod Holes	BRP 541	BRP 541BK
Bolt On Trailing Arm Bracket for 3" Tube - 5/8" Radius Rod Holes	BRP 542	BRP 542BK
Bolt On Trailing Arm Bracket for 3" Tube - 3/4" Radius Rod Holes	BRP 543	BRP 543BK
Quad Lock Trailing Arm Bracket - 5/8" Radius Rod Holes	BRP 9063	BRP 9063BK
Replacement Trailing Arm Stud (1/2" fine x 3")	BOL 083006F	



Accessories

DESCRIPTION	P/N
4 Hole steel weld on flange	BRP 1602
Lower control arm bracket	BRP 1565
Half moon spacer	BRP 1566
Lower shock mount	BRP 1567

QUAD LOCK COIL OVER BRACKETS



DESCRIPTION	P/N
QuadLock Trailing Arm Bracket (required for short link application)	BRP 9469
Standard Birdcage Conversion Bracket (bolts in place of roller to convert standard birdcage into coil over)	BRP 9485
Bolt On Radius Rod Shock Mount	BRP 9549

Note: See Page 37 For Radius Rod Adaptors

1 1/4" O.D. REAR RADIUS RODS

Did You Know...

You can add 3" to the length of any of the radius rods below to find your center to center measurement. Use this dimension to figure out the proper spring rod to use!



LEFT REAR RADIUS RODS

APPLICATION	BIRDCAGE	CHASSIS ADAPTOR	BIRDCAGE ADAPTOR	RED P/N	BLACK P/N
STD LR Radius Rod with -5° Birdcage Timing	9032 / 4255 / 4292	---	---	BRP RR27	BRP RR27BK
STD LR Radius Rod with 0° Birdcage Timing	9465 / 9469	---	---	BRP RR27 1/2	BRP RR27 1/2BK
2" Shorter LR Radius Rod with -5° Birdcage Timing	9032 / 4255 / 4292	BRP 9099L	---	BRP RR25	BRP RR25BK
2" Shorter LR Radius Rod with 0° Birdcage Timing	9465 / 9469	BRP 9099L	---	BRP RR25 1/2	BRP RR25 1/2BK
4" Shorter LR Radius Rod with -5° Birdcage Timing	9032 / 4255 / 4292	BRP 9099L-4	---	BRP RR23	BRP RR23BK
4" Shorter LR Radius Rod with 0° Birdcage Timing	9465 / 9469	BRP 9099L-4	---	BRP RR23 1/2	BRP RR23 1/2BK
7 1/2" Shorter LR Radius Rod with -5° Birdcage Timing	9032 / 4255 / 4292	BRP 9099L-1	---	BRP RR19 1/2	BRP RR19 1/2BK
7 1/2" Shorter LR Radius Rod with 0° Birdcage Timing	9465 / 9469	BRP 9099L-1	---	BRP RR20	BRP RR20BK
LEFT REAR SHORT LINK	BRP 9469	BRP 9099L-1	BRP 9549	BRP RR18	BRP RR18BK
STD LR Radius Rod With Birdcage Adaptor Only	BRP 9469	---	BRP 9549	BRP RR25 1/2	BRP RR25 1/2BK

RIGHT REAR RADIUS RODS - NO SPRING ROD

APPLICATION	BIRDCAGE	CHASSIS ADAPTOR	BIRDCAGE ADAPTOR	RED P/N	BLACK P/N
STD RR Radius Rod with -5° Birdcage Timing	9033 / 4257 / 4293	---	---	BRP RR27 1/2	BRP RR27BK
STD RR Radius Rod with 0° Birdcage Timing	9466 / 9469	---	---	BRP RR28	BRP RR27 1/2BK
2" Shorter RR Radius Rod with -5° Birdcage Timing	9033 / 4257 / 4293	BRP 9099L	---	BRP RR25 1/2	BRP RR25BK
2" Shorter RR Radius Rod with 0° Birdcage Timing	9466 / 9469	BRP 9099L	---	BRP RR26	BRP RR25 1/2BK
8" Shorter RR Radius Rod with -5° Birdcage Timing	9033 / 4257 / 4293	BRP 9099R-1	---	BRP RR19 1/2	BRP RR19 1/2BK
8" Shorter RR Radius Rod with 0° Birdcage Timing	9466 / 9469	BRP 9099R-1	---	BRP RR20	BRP RR20BK
RIGHT REAR SHORT LINK	BRP 9469	---	BRP 9549	BRP RR18	BRP RR18BK
STD RR Radius Rod With Birdcage Adaptor Only	BRP 9469	---	BRP 9549	BRP RR25 1/2	BRP RR25 1/2BK

Note: All radius dimensions are rod length only. Add 3" to rod length for the approximate center to center measurement.

SEE PAGE 14-15 FOR ADDITIONAL RADIUS ROD LENGTHS

REAR RADIUS ROD SHORTENING KITS



BRP 9099L



BRP 9099L-1

DESCRIPTION	P/N
Left Rear Radius Rod Shortening Kit (Uses 2" Shorter Radius Rod)	BRP 9099L
Right Rear Radius Rod Shortening Kit (Uses 2" Shorter Radius Rod)	BRP 9099R
Shortens Left Rear Radius Rod 7.5"	BRP 9099L-1
Shortens Left Rear Radius Rod 4"	BRP 9099L-4
Shortens Right Rear Radius Rod 8"	BRP 9099R-1
Support Bracket for BRP 9099R-1	BRP 9099R-1B

Comes with all necessary hardware - bolts to all 2000 and newer midrail chassis

PRECISION CONTROL LINK

Did You Know...

BRP 9407 Hydraulic Spring Rods are DIRT legal! They offer more control over a regular spring rod since there is a shock to control the spring. This results in better driver feel, and usually better lap times!



BRP 9407

BRP 9408-11.000

DESCRIPTION	P/N
Precision Control Link Complete With 650# Spring (radius rod and BRP 1399WBK spring rod wrench sold separately)	BRP 9407


Precision Control Link Radius Rods

DESCRIPTION	P/N
Precision Control Link Radius Rod - 10 1/2" LONG	BRP 9408-10.500
Precision Control Link Radius Rod - 11" LONG (2" Short Rod)	BRP 9408-11.000
Precision Control Link Radius Rod - 12 1/2" LONG	BRP 9408-12.500
Precision Control Link Radius Rod - 13" LONG (STD Cars)	BRP 9408-13.000
Precision Control Link Radius Rod - 13 3/4" LONG	BRP 9408-13.750

NOTE: ALWAYS TAKE AIR VALVE OUT OF SPRING ROD WHEN SERVICING TO ENSURE NO NITROGEN IS IN CHAMBER. FAILURE TO DO SO COULD RESULT IN SERIOUS INJURY.

TO REFILL BRP 9407 HYDRAULIC SPRING ROD, SET FLOATING PISTON TO 4" FROM TOP, AND FILL OIL WITH 5.25 OZ OR 155 ML. USE ONLY FOX SHOCK OIL - PT # FOX025-03-012

Replacement Parts



Note: Use Fox Shock Oil Only PT # FOX025-03-012

#	DESCRIPTION	P/N
1	5/8" Threaded Connector	BRP 9407E
2	Hydraulic Spring Rod Body	BRP 9407A
3	Floating Piston O - Ring	FOX 029-00-324
4	Floating Piston	FOX 223-00-020
5	Body Cap O - Ring	NIA 135
6	Rod Guide Snap Ring	BOL 91985A161
7	Shaft Seal	NIA 114
8	Rod Guide Bushing	BRP 9407C
9	External Rod Guide Seal O - Ring (2 Required)	NIA 209
10	Shaft Wiper	BOL ST-62
11	Hydraulic Spring Rod End Cap	BRP 9407B
12	Piston Shaft	BRP 9407D
13	Travel Indicator	NIA 208
14	Rod End Jam	BRP 786
15	Air Valve Body	PEN IU-02
16	Air Valve Core	PEN IU-04
17	Air Valve Cap	PEN IU-06

#	DESCRIPTION	P/N
18	Rock Guard	BRP 9409
18	Replacement Clamp	SFP HAS-36
19	650# Spring	BRP 9520
19	Optional 900# Spring	BRP 9521
20	1" Aluminum Spring Rod Washer	BRP 1387BK
21	5/8" Adjuster Nut	BRP 1389
22	5/8" Spring Rod End	BRP 1391
23	3/8" Expanding Lock Nut	BOL 94830A535
24	Torque Washer	FOX 050-01-000-C
25	Piston Reducer	FOX 050-00-018
26	Linear Piston	FOX 222-07-002-A
27	Teflon Wear Band	FOX 002-00-000-A
28	Constant (.800" X .015")	FOX 041-08-080-A
29	Valve Shim	FOX 041-XX-XXX
30	Valve Shim	FOX 041-XX-XXX
32	Valve Shim	FOX 041-XX-XXX
33	Valve Shim	FOX 041-XX-XXX
	Complete Valve Assembly (includes piston)	BRP 9407F

SEE PAGE 38 FOR STANDARD STYLE SPRING RODS

SPRING ROD WRENCHES



BRP 1398W

DESCRIPTION	RED P/N	BLACK P/N
3/4" Spring Rod Wrench	BRP 1398W	
5/8" Spring Rod Wrench	BRP 1399W	BRP 1399WBK

BRP SPRING RODS

Spring Rods - Comes with Spring (no radius rod)



BRP 1399-900BK



BRP 1399WBK

DESCRIPTION	RED P/N	BLACK P/N
3/4" Rod End assembly with 650 pound spring	BRP 1398-650	
3/4" Rod End assembly with 900 pound spring	BRP 1398-900	
3/4" Rod End assembly - no spring	BRP 1398	
5/8" Rod End assembly with 650 pound spring	BRP 1399-650	BRP 1399-650BK
5/8" Rod End assembly with 900 pound spring	BRP 1399-900	BRP 1399-900BK
5/8" Rod End assembly - no spring	BRP 1399	BRP 1399BK

NOTE - all 5/8" spring rods come with BRP 1399W (red) or 1399WBK (black) wrench
& all 3/4" spring rods come with BRP 1398W (red)

Complete Spring Rod with Radius Rod (includes Rod End)



BRP 1399-900-171/2BK

DESCRIPTION	RED P/N	BLACK P/N
Complete 650# Spring Rod with 17 1/2" Radius Rod	BRP 1399-650-171/2	
Complete 900# Spring Rod with 17 1/2" Radius Rod	BRP 1399-900-171/2	BRP 1399-900-171/2BK
Complete 900# Spring Rod with 18" Radius Rod		BRP 1399-900-18BK

Spring Rod Replacement Parts

DESCRIPTION	3/4" RED	3/4" BLACK	5/8" RED	5/8" BLACK
Body	BRP 1397		BRP 1396	BRP 1396BK
Slider Housing	BRP 1395	BRP 1395BK	BRP 1395	BRP 1395BK
Slider Rod	BRP 1394		BRP 1393	BRP 1393BK
Rod End	BRP 1392	BRP 1392	BRP 1391	BRP 1391
Steel Adjuster Nut	BRP 1390	BRP 1390	BRP 1389	BRP 1389
Slider Washer	BRP 1388	BRP 1388BK	BRP 1388	BRP 1388BK
Adjuster Washer	BRP 1388	BRP 1388BK	BRP 1387	BRP 1387BK
Travel Indicator	NIA 210	NIA 210	NIA 210	NIA 210
Replacement 90° Grease Fitting	BRP 4801	BRP 4801	BRP 4801	BRP 4801
5/8"F Radius Rod Connecting Stud	-NA-	-NA-	BRP 1396S	BRP 1396S

Replacement 4 1/2" Mini Springs - 1 1/8" I.D. X 1 7/8" O.D.

DESCRIPTION	P/N
4 1/2" X 650#	BRP 9520
4 1/2" X 900#	BRP 9521



BRP 9520



BRP 9521

SPRING ROD RADIUS RODS

Did You Know...

These Radius Rods are tapered where they thread on the spring rod, so there is less flex- making it stronger!



BRP 1385-18

DESCRIPTION	APROX. C/C LENGTH	RED P/N	BLACK P/N
5/8"F Thread X 5 1/2" Long Radius Rod	18" - 19"	BRP 1385-5.5	BRP 1385-5.5BK
5/8"F Thread X 8" Long Radius Rod	20 1/2" - 21 1/2"	BRP 1385-8	
5/8"F Thread X 8 1/2" Long Radius Rod	21" - 22"	BRP 1385-8.5	
5/8"F Thread X 9" Long Radius Rod	21 1/2" - 22 1/2"	BRP 1385-9	
5/8"F Thread X 15 1/2" Long Radius Rod	28" - 29"	BRP 1385-151/2	BRP 1385-151/2BK
5/8"F Thread X 16" Long Radius Rod	28 1/2" - 29 1/2"	BRP 1385-16	BRP 1385-16BK
5/8"F Thread X 17" Long Radius Rod	29 1/2" - 30 1/2"	BRP 1385-17	BRP 1385-17BK
5/8"F Thread X 17 1/2" Long Radius Rod	30" - 31"	BRP 1385-171/2	BRP 1385-171/2BK
5/8"F Thread X 18" Long Radius Rod	30 1/2" - 31 1/2"	BRP 1385-18	BRP 1385-18BK
5/8"F Thread X 18 1/2" Long Radius Rod	31" - 32"	BRP 1385-181/2	BRP 1385-181/2BK
5/8"F Thread X 19" Long Radius Rod	31 1/2" - 32 1/2"	BRP 1385-19	BRP 1385-19BK
3/4"F Thread X 18" Long Radius Rod	30 1/2" - 31 1/2"	BRP 1386-18	

NOTE - Aprox. C/C Length is the center to center length from heim end to heim end of the rod once the rod is installed

DRIVESHAFT COVERS



BRP 9020



BRP 1645

DESCRIPTION	P/N
Driveshaft Cover for BER MOZ/ WIN 60150 Transmissions	BRP 1645
Driveshaft Cover BER 1200 Transmission (2nd Generation)	BRP 9020
Optional Drive Shaft Slot Cover for BRP 9020 (conventional style shifter)	BRP 9020-3
Optional Drive Shaft Slot Cover for BRP 9020 (remote cable shifter)	BRP 9020-4
Driveshaft Cover For BER MOZ/WIN 60150 with 2" Engine Back	BRP 1643

REAR INNER PANHARD MOUNTS



BRP 1624

BRP 1626

BRP 1625

BRP 9369C

DESCRIPTION	P/N
Aluminum Inner Panhard mount (includes bolts and spacers) - uses BRP 442 bolt kit (sold separately)	BRP 1624
Right Side Steel Inner Panhard mount - uses BRP 443 bolt kit (sold separately)	BRP 1626
Left Side HD Steel Inner Panhard mount - Use BRP 443 when mounting left only, use BRP 9563 when mounting left and right inner mounts	BRP 1626L
Inner Support for BRP 1624 panhard mount (bolts to 1/2" through bolt of mount to pinion seal cover plate) RECOMMENDED FOR BRP 1624	BRP 1625
1 7/8" Long Quick Pin For BRP 1624 (replaces bolt)	BRP 9370
1 3/4" Long Quick Pin For BRP 1626 (replaces bolt)	BRP 9369C
Bolt Kit for BRP 1624 Aluminum Panhard Mount	BRP 442
Bolt Kit for BRP 1626 or 1626L Steel Panhard Mount	BRP 443
Bolt kit for Dual Mounting BRP 1626 and BRP 1626L	BRP 9563

BRP 442

3 - 7/16" F X 6 1/2" Bolt
3 - 7/16" F Nylock Nut
2 - 7/16" C X 2 1/2" Stud
2 - 7/16" C Nylock Nuts

BRP 443

1 - 7/16" C X 3" Stud 3 - 7/16" F Nylock Nuts
1 - 7/16" C X 2 1/2" Stud 2 - 7/16" C Nylock Nuts
1 - 7/16" F X 6 1/2" Bolt 2 - 3/8" C X 1 3/4" Bolt
2 - 7/16" F X 7" Bolt

RIGHT SIDE REAR PANHARD BARS



BRP 1145

Did You Know...

The angle of the panhard bar has a large effect on the race car. Generally, the lower the outboard side is, the tighter the car will be. The higher the outboard side, the looser the car will be.



BRP 9120

Did You Know...

One of the benefits of the rubber panhard bars is that it allows the rear end to be cushioned, thus giving the tires more time to hook up in slick conditions. It also allows the rear to move underneath the car, reducing the RR wheel offset and decreasing diagonal percentage and increasing side bite. Once the car straightens back out, it increases the diagonal percentage and gives the car better forward drive!

Solid Panhard Bar

DESCRIPTION	RED P/N	BLACK P/N
Standard Rear Panhard Bar	BRP 1150	BRP 1150BK
Use When Offsetting Rear End to Right	BRP 1145	BRP 1145BK

SEE PAGE 14 FOR ADDITIONAL PANHARD BAR LENGTHS
AND PAGE 41 FOR LEFT SIDE PANHARD AND J - BARS

Rubber Panhard Bar

DESCRIPTION	RED P/N	BLACK P/N
Rubber Rear Panhard Mount (complete with radius rod and rod end)	BRP 9120	BRP 9120BK

Rubber Panhard Bar Replacement Parts

DESCRIPTION	RED P/N	BLACK P/N
Complete Main Body (includes bearing, snap ring and bronze bushing)	BRP 9121	BRP 9121BK
Incomplete Main Body Bare (no bearing, no snap ring or bronze bushing)	BRP 9121i	BRP 9121iBK
Replacement Radius Rod	BRP 1065	BRP 1065BK
Aluminum Cup Washer	BRP 9124	BRP 9124BK
Steel Washer		BRP 9122
Rubber Slider Bar		BRP 9123
1" I.D. Steel Washer		BRP 9126
1" I.D. Steel Cup Washer		BRP 9127
Bronze Bushing		BRP 9128
Replacement Snap Ring		BOL 1300-100
Replacement Com Bearing		BRE COM8
Replacement Rubber Bushing		BRP 427-1

Also uses BRE 5081L rod end, BRP 786 and BRP 787 jam nuts

NON ADJUSTABLE RIGHT OUTER PANHARD MOUNTS

Standard Right Side Panhard Mount

DESCRIPTION	RED P/N	BLACK P/N
Rear Panhard Mount Assembly (includes all hardware)	BRP 4551	BRP 4551BK
Rear aluminum panhard plate only (no numbers)	BRP 4550	BRP 4550BK
Front aluminum panhard plate only (with laser etched numbers)	BRP 4550A	BRP 4550ABK
2000-present X chassis bolt kit	BRP 4550B	BRP 4550BBK

DESCRIPTION	P/N
Outer panhard support brace - supports panhard bracket to chassis	BRP 4552
3 1/8" Quickpin - for non-adjustable outer panhard mounts (allows for quick adjustment of outer panhard mount without any tools)	BRP 9458

BRP 4550B

4- BRP 482
1- BRP 719
1- BRP 720
1- 1/2" F X 2 1/4" Bolt
2- 1/2" C X 1 1/4" Bolt
4- 1/2" C X 4 1/2" Bolt
2- 1/2" C X 5 1/2" Bolt
1- 1/2" F X 1 1/4" Flat Head
1- 1/2" F Nylock Nut
4- 1/2" C Nylock Nut
4- 1/2" C Narrow Nylock
1- 1/2" Lockwasher

BRP 4551
Non Adjustable

BRP 4552

BRP 9458

1" Shorter Right Side Panhard Mount

DESCRIPTION	RED P/N	BLACK P/N
Rear Panhard Mount Assembly (includes all hardware)	BRP 9076	BRP 9076BK
Rear aluminum panhard plate only (no numbers)	BRP 9076A	BRP 9076ABK
Front aluminum panhard plate only (with laser etched numbers)	BRP 9076B	BRP 9076BBK
2000-present X chassis bolt kit	BRP 4550B	BRP 4550BBK



BRP 9076BK

Non Adjustable
*** FOR AUSTRALIAN CARS
WITH BIG TIRES***

ADJUSTABLE RIGHT OUTER PANHARD MOUNTS

Adjustable Right Side Panhard Mount

DESCRIPTION	RED P/N	BLACK P/N
Cockpit Adjustable Rear Outer Panhard Mount Assembly	BRP 4549	BRP 4549BK
Non Cockpit Adjustable Rear Outer Panhard Mount Assembly	BRP 4548	BRP 4548BK
Front aluminum plate with laser etched numbers	BRP 4540	BRP 4540BK
Rear aluminum plate	BRP 4541	BRP 4541BK
Upper threaded center spacer block	BRP 4542	BRP 4542BK
Lower Solid center spacer block	BRP 4543	BRP 4543BK
Rod End slider block	BRP 4544	BRP 4544BK
7/8" C threaded adjuster rod	BRP 4545	BRP 4545
90° Swivel gear drive (BRP 4549 only)	BRP 4546	BRP 4546
Cockpit adjuster shaft knob (BRP 4549 only)		BRP STE8
Cockpit adjuster shaft (BRP 4549 only)	BRP 4547	
3/8" detent ball	BRP 509009	
Bolt Kit for BRP 4548/4549	BRP 4549B	BRP 4549BBK
3" X 1/2" Shoulder bolt for rod end slider block	BOL 083005C	
Taper head bolt for Panhard support	BOL 081253F	

BRP 4549B

2- 1/2" C X 1 1/4" Bolt
2- 1/2" C X 5 1/2" Bolt
4- 1/2" C Narrow Nylock
2- BRP 482
1- 1/2" F X 2 1/4" Bolt
1- 1/2" Lockwasher
1- 1/2" C Nylock Nut
1- 1/2" C X 3 1/2" Bolt

BRP 4549
Cockpit AdjustableBRP 4548
Non Cockpit
Adjustable

BRP 4552

DESCRIPTION	P/N
Outer Panhard support brace - supports panhard bracket to chassis	BRP 4552

NON ADJUSTABLE LEFT OUTER PANHARD MOUNTS



BRP 9594
Non Adjustable

NEW PRODUCT

Left Side Panhard or J-Bar Mount

DESCRIPTION	P/N
Left Side Non Adjustable Outer Panhard Mount (dual purpose to work with left side panhard bar or left side J-bar)	BRP 9594

Left Side Panhard Chassis Tabs

DESCRIPTION	P/N
Weld on Upper Slug (2 required)	BRP 1511
Lower Weld On Mount for BRP 9588 / BRP 9594 - For chassis with left rear drop rail only	CHA 527
Lower Weld On Mount for BRP 9588 / BRP 9594 - For chassis with no left rear drop rail only	CHA 521
Left Rear Low Rack Drop Rail Connector (goes from back 2X4 to torsion rack)	CHA 142LL-DROP
Optional 2X4 slug for Left Rear Short Link Tap Slug (required only when using BRP 9099L-1 only)	CHA 207

BRP 9594B

2- BRP 526
2- BRP 718
2- 1/2" C X 2 1/2" Bolt
2- 1/2" C X 4 1/2" Bolt
2- 1/2" C Narrow Nylock Nuts
2- 1/2" C Nylock Nuts

Did You Know...

This mount works for both J-Bar and Left panhard bars. The top 4 holes on this mount are designed for the left J-bar, while the bottom 4 holes are designed for left side panhard bar.

ADJUSTABLE LEFT OUTER PANHARD MOUNTS



BRP 9588
Cockpit Adjustable

NEW PRODUCT

Left Side Panhard Mount

DESCRIPTION	P/N
Left side Cockpit Adjustable Outer Panhard Mount (comes with 90° swivel gear drive and adjuster shaft with knob) *DESIGNED FOR LEFT PANHARD ONLY*	BRP 9588

Did You Know...

This cockpit adjustable mount is designed for left side panhard mounts only. The J-Bar works on a different arc, so the adjuster path is different!

LEFT SIDE PANHARD BAR & J-BAR



BRP 9594

BRP 1120BK

NEW PRODUCT

DESCRIPTION	P/N
Left Side J-Bar - Hooks to right side of rear end (BRP 1626) and mounts to left side of chassis with BRP 9594 (also requires 2 X 1/2" hole X 5/8" F rod ends and jam nuts - sold separately) Approximate center to center is 24 1/4"	BRP 9594
12" Long Left side Panhard Bar Only (also requires 2 X 1/2" hole X 5/8" F rod ends and jam nuts - sold separately)	BRP 1120BK

Did You Know...

When using the left side J-Bar or left side panhard bar, wider torsion rollers must be used. See page 31 for widening kits. Another option is to convert your car to rear coil overs!

LEFT REAR DROOP LIMITER



BRP 9540

NEW PRODUCT

DESCRIPTION	P/N
Left Rear Adjustable Droop Limiter - Comes with 3" Rear End Tube Clamp, 1 1/2" Upper Saddle Clamp, and shrink waf for chain	BRP 9540

Did You Know...

This rubber cushioned chain limiter is adjustable, so you can have stock droop, 1/2" or 1" less. Also comes with a quick pin so you can quickly disconnect it!

RUBBER FLOOR TORQUE ARM SLIDERS AND HARDWARE



DESCRIPTION	P/N
Steel Torque Arm Slider For Rubber Floor Cars - 6 1/4" center to center	BRP 417S
Replacement Inner Aluminum Sleeve with O-Rings (2 required)	BRP 417-2
Replacement Inner Sleeve End Cap - 4 required	BRP 417-3
Inner Aluminum Cup - PLAIN (sold in pairs with snap ring)	BRP 417-7
3/4" Steel Slider Rod (has 4 flats - 12 1/4" long) - 2 required	BRP 9115
3/4" Aluminum Lock Collar - 4 required	BRP 181-1A
Rubber Biscuit Assembly (complete with bolt, black rubbers, & rod end)	BRP 424
Rubber Biscuit Assembly (complete with bolt, blue rubbers, & rod end)	BRP 424BL
Rod End Only (2 1/4" from center of heim to end of threads)	BRP 425
Rubber Bushing Kit (comes with 2 washers, 2 black rubbers, and 1 sleeve)	BRP 427
Black Rubber Bushing Only (70 durometer) - 1 3/8" high	BRP 427-1
Blue Rubber Bushing Only (60 durometer) - 1 3/8" high	BRP 427-5
Red Rubber Bushing Only (50 durometer) - 1 3/8" high	BRP 427-2
Shortened Blue Rubber Bushing Only (60 Durometer) - 1 1/8" high	BRP 427-6
Shortened Red Rubber Bushing Only (50 Durometer) - 1 1/8" high	BRP 9596
Steel Washer Only	BRP 427-3
Steel Inner Sleeve (2 1/2" long)	BRP 427-4
Replacement Inner Bolt (bolt goes through center of slider - 5/8" F X 4")	BOL 104001F
5/8" Front Slider Shaft (includes BRP 181A locking collar)	BRP 419



NOTE: BRP 417S can be used in either VERSION 2 and VERSION 3 rubber floors.
They can also be used in standard floors with 6 1/4" slider rod spacing.

VER 2 RUBBER FLOOR COMPONENTS



Did You Know...
The Ver. 2 rubber floor takes 2 BRP 9115 slider rods, and uses the BRP 417S slider. You can use either the BRP 424 or the BRP 9425 biscuit!

DESCRIPTION	P/N
Complete Generation II Rubber Floor Assembly (comes with front and rear cross assemblies and rubber bushings)	CHA185
Generation II Front Cross Brace (comes with rubber bushings)	CHA185-1
Replacement Rubber Bushing For Floor - 4 required per cross brace	BRP 2208G
Replacement Solid Bushings to Replace Rubber Bushings - 4 required per cross brace	CHA221
Replacement Generation II Cross Link - requires 2 heim ends	BRP 727
Replacement Left Hand Heim End - 1 required	BRE 1081L
Replacement Right Hand Heim End - 1 required	BRE 1081R
Replacement Jam Nut for BRP 727 - 1 required	BRP 784
Left Side Foot Pad For Ver 2 Rubber Floor	BRB 2937L
Right Side Foot Pad For Ver 2 Rubber Floor	BRB 2937R
Replacement Rubber Floor Shouldered Mounting Bolt (4 required)	BOL 082505C

Note: See Page 193 For Slider Floor Chassis Components

VER 3 RUBBER FLOOR COMPONENTS




DESCRIPTION	P/N
Ver 3 Rubber Floor Assembly	CHA99HV3
Replacement Rubber Bushing For Floor (4 required)	BRP 2208G
Replacement Solid Bushing For Floor - 4 required (sold each)	CHA221
Foot Plate For Version 3 Rubber Floor - fits left and right	BRB 15-37

Note: See Page 193 For Slider Floor Chassis Components

Did You Know...
The Ver. 3 rubber floor takes 2 BRP 9115 slider rods, and uses the BRP 417S slider. You can use either the BRP 424 or the BRP 9425 biscuit!

STANDARD FLOOR TORQUE ARM SLIDERS AND HARDWARE



DESCRIPTION

DESCRIPTION	P/N
3/4" STD FLOOR Steel Slider Rod (has 1 flat - 11 7/8" long) - 2 Required	BRP 421
3/4" Aluminum Lock Collar - 2 required	BRP 181-1A
Rubber Biscuit Assembly (complete with bolt, black rubbers & rod end)	BRP 424
Rubber Biscuit Assembly (complete with bolt, blue rubbers, & rod end)	BRP 424BL
Rod End Only (2 1/4" from center of heim to end of threads)	BRP 425
Rubber Bushing Kit (comes with 2 washers, 2 black rubbers and 1 sleeve)	BRP 427
Black Rubber Bushing Only - 70 Durometer (sold each) 1 3/8" high	BRP 427-1
Blue Rubber Bushing Only - 60 Durometer (sold each) 1 3/8" high	BRP 427-5
Red Rubber Bushing Only - 50 Durometer (sold each) 1 3/8" high	BRP 427-2
Shortened Blue Rubber Bushing Only - 60 Durometer (sold each) 1 1/8" high	BRP 427-6
Shortened Blue Rubber Bushing Only - 60 Durometer (sold each) 3/4" high	BRP 427-7
Shortened Blue Rubber Bushing Only - 60 Durometer (sold each) 1/2" high	BRP 427-8
Shortened Red Rubber Bushing Only - 50 Durometer (sold each) 1 1/8" high	BRP 9596
Steel Washers Only	BRP 427-3
Steel Inner Sleeve (2.50" long)	BRP 427-4
Stainless Steel Front Slider Shaft (includes BRP 181A locking collar)	BRP 419
Midrail Aluminum Slider Plate - 4 1/4" center to center	BRP 418
Replacement Center Bolt (5/8" F X 4" Bolt)	BOL 104001F8

Note: See Page 193 For Slider Floor Chassis Components



Did You Know...

Red rubber bushings give better forward bite - but they should be checked after every race for wear!

STANDARD FLOOR SLIDER ASSEMBLY



DESCRIPTION

DESCRIPTION	P/N
Complete Welded Standard Floor Assembly	CHA99H

Note: See Page 193 For Slider Floor Chassis Components

Did You Know...

The red rubber bushing should be checked after every race!



TRIPLE BISCUIT PICKUP

DESCRIPTION

DESCRIPTION	P/N
Complete Triple Biscuit Pickup Assembly	BRP 9425
Replacement Bottom Biscuit - Blue (1 required)	BRP 427-5
Replacement Steel Washer (2 required)	BRP 427-3
Replacement Top Middle Biscuit (1 required)	BRP 427-7
Replacement Top Biscuit (1 required)	BRP 427-8
Replacement Aluminum Cup Washers (3 required)	BRP 9101
Replacement Inner Sleeve (3-1/8" Long 1 required)	BRP 9103
Replacement Rod End (1 required) 1 7/8" long	BRP 9104
Replacement Center Bolt (1 required) 5/8" F X 4 1/2" long	BOL 104501F8

DRIVESHAFT SAFETY HOOPS





DESCRIPTION

DESCRIPTION	P/N
Front Hoop for BRP 426, 432, 433, & 439 Torque Arms (Silver)	BRP 1646
Rear Hoop for BRP 426, 432, 433, & 439 Torque Arms (Silver)	BRP 1647
Front Hoop for BRP 430 Torque Arms (Red)	BRP 1648
Rear Hoop for BRP 430 Torque Arms (Red)	BRP 1649
Front Hoop for BRP 9018 Adjustable Torque Arms (Yellow)	BRP 9009
Rear Hoop for BRP 9018 Adjustable Torque Arms (Yellow)	BRP 9010
Replacement Bolt for BRP 1646 or BRP 9009 (2 required) 5/8" X 1/2 shoulder	BOL 1005005C
Replacement Bolt for BRP 1647 or BRP 9010 (2 required) 3/8" X 1/2 shoulder	BOL 0605005C

ADJUSTABLE TORQUE ARM KITS

Did You Know...

These torque arm kits come with all the hardware and safety loops- rear end through bolts are also required.



Complete Adjustable Kits

DESCRIPTION	P/N
Adjustable Torque Arm Kit for 10" Rear Ends (fits Winters, DMI, Tiger)	BRP 9018
Adjustable Torque Arm Kit for V8 Rear Ends	BRP 9019


Replacement Parts

DESCRIPTION	P/N
Rear Common Plate for Standard 10" Rear Ends (used in BRP 9018)	BRP 9006
Rear Common Plate for V8 Rear Ends (used in BRP 9019)	BRP 9015
Rear Common Plate for Non Quick Change Rear End (used in BRP 9090)	BRP 9085
Right Front Adjuster Plate (used on BRP 9018 / 9019 / 9090)	BRP 9007
Left Front Adjuster Plate (used on BRP 9018 / 9019 / 9090)	BRP 9008
Front Driveshaft Loop for (BRP 9018 / BRP 9019 ONLY)	BRP 9009
Rear Driveshaft Loop (BRP 9018 / BRP 9019 ONLY)	BRP 9010
Tie Rod adjuster Link - 3/4" aluminum hex with 1/2" F tapped ends	BRP 9011
Special machined 1/2" Shoulder Bolt (2 per side top and bottom)	BRP 9012
Rear Tie Rod Spacer (short spacer) 1 required per side (red aluminum)	BRP 9013
Front Tie Rod Spacer (long spacer) 1 required per side (red aluminum)	BRP 9014
5/8" Front Cross Shaft (comes with spacers, collars and nuts)	BRP 9017
Cross Shaft Lock Collars - 1 spacer required per side	BRP 181A
Cross Shaft Locating Collars (locates shaft in counterbore) - 1 required per side	BRP 765
1/2" F Male Left Hand Rod End for Tie Rod	BRE 1081L
1/2" F Male Right Hand Rod End for Tie Rod	BRP 1081R
Replacement Front Spacer Bolt - 1/2" C X 7" long hex bolt	BOL 087001C
Replacement Rear Spacer Bolt - 1/2" C X 6 1/2" long hex bolt	BOL 086501C
Replacement Pivot Shoulder Bolt - 5/8" C X 3/4"	BOL 1007505C

TORQUE ARM PLATES

Did You Know...

BRP 432 are the most common torque arms. They have a -3 degree pinion angle. Use BRP 426 for 0 degree torque arms.



APPLICATION	DESCRIPTION	LENGTH	# OF FRONT HOLES	PINION ANGLE	P/N
Mid Rail	Standard Quick Change Rear	26 1/2" - 32 1/2"	5 Holes	0°	BRP 426
Downtube	Standard Quick Change Rear	26 1/2" - 28"	2 Holes	0°	BRP 428
Mid Rail	Non Quick Change Rear	26 1/2" - 32 1/2"	5 Holes	0°	BRP 430
Mid Rail	Standard Quick Change Rear	28" - 32 1/2"	4 Holes	-3°	BRP 432
Mid Rail	Engine Back Quick Change Rear	28" - 31"	3 Holes	-3°	BRP 9295
Mid Rail	V-8 Quick Change Rear	26 1/2" - 32"	5 Holes	0°	BRP 433
Mid Rail	V-8 Quick Change Rear	26 1/2" - 32"	5 Holes	-3°	BRP 439

Did You Know...

BRP 430 torque arms are used for non-quick change rear ends only. They have a 0 degree pinion angle.

Torque Arm Bolt Kits

DESCRIPTION	P/N
Torque Arm Bolt Kit for BRP 1624 Aluminum Panhard Mount * requires 1-BRP 694 and 1-BRP 1625	BRP 442
Torque Arm Bolt Kit for BRP 1626 or 1626L Steel Panhard Mount	BRP 443
Torque Arm Support Spacer (Use Bolt # BOL 087001CZ)	BRP 694
Torque Arm Bolt Kit for BRP 1626 and BRP 1626L Dual Steel Mounts	BRP 9563

BRP 442 and BRP 443 include all hardware to mount torque arms to rear end. SEE PAGE 39 for bolt kits.

TORSION STOPS FOR 1 1/8" BARS

Did You Know...

The BRP 263 / 263BK torsion stops have a steel insert to prevent galling of adjuster threads. The result is the durability of steel, with the light weight properties of aluminum giving you the best of both worlds!



DESCRIPTION	P/N
Aluminum Straight Torsion Stop	BRP 261
Aluminum Curved Torsion Stop - Red Anodized	BRP 263
Aluminum Curved Torsion Stop - Black Anodized	BRP 263BK
Steel Straight Torsion Stop	BRP 260
Steel Curved Torsion Stop	BRP 262
Replacement Adjuster Bolt for BRP 261,263,260 & 262 (7/16" X 2 1/2" Long)	BRP 259
Lightweight Sprint Car Torsion Stop	BRP 4508
Replacement Adjuster Bolt For BRP 4508 (7/16" X 2" Long)	BRP 259-2
RR Easy Adjust Torsion Stop	BRP 9525

Did You Know...

A fresh new design that allows easy access to the adjuster bolt for the right rear torsion bar of the car. This unique design has the bolt pointing down to the ground away from the fuel cell allowing hassle free weight adjustment

TORSION BEARINGS & BUSHINGS



DESCRIPTION	P/N
Nylon 1 1/8" I.D. for 1 1/2" X .120 wall (1.260" bore)	BRP 264
Brass 1 1/8" I.D. for 1 1/2" X .120 wall (1.260" bore)	BRP 264B
Nylon 1 1/8" I.D. for 1 1/2" X .095" wall (1.310" bore)	BRP 265
Nylon 1" I.D. for 1 3/8" X .095 wall (1.185" bore)	BRP 278
Torsion Roller Bearing 1 1/8" I.D.	BRP 1533
Torsion Bearing Snap Ring	BRP 1534
Torsion Bearing Spacer	BRP 1535
Spherical Non-Binding Torsion Bearing	BRP 9297
Rubber Torsion Bearing Boot Protector	BRP 9327
Torsion Bar Cover	BRP 9566

Did You Know...

The BRP 9327 rubber torsion bearing boot is a rubber cover that goes over top of the torsion cup (where the bearing sits in the torsion rack). It protects the bearing from water, and keeps the grease in the bearing. It also makes disassembly easier!

TORSION BAR ROLLER TOOLS



DESCRIPTION	P/N
Torsion Roller Change Tool	BRP 4399
Torsion Roller Unloader Tool	BRP 9428

Did You Know...

The BRP 9428 roller unloader attaches to the torsion arm via a quick disconnect pin. You can then jack on the bottom of the tool which unloads the torsion arm roller. You can easily move or replace the roller safely!

TORSION BARS AND TORSION RACKS

Did You Know...

The first cars to utilize a torsion bar suspension were designed by a Czechoslovakian Professor by the name of Hans Ledwinka in the Mid 1930's.



SCHROEDER TORSION BARS



BRP 269B-8



BRP 9566

Did You Know...

When changing your car over from torsions to coils, you can use this to cover the end of the torsion bearing

SIZE	29" BERT BARS	29" SCHROEDER	29" WINTERS	29" STRANGE
0.875"	BER 162-S	SHR 29SD875		
0.900"	BER 163-S	SHR 29SD900	WIN 6362-900	STG 29-900
0.925"	BER 164-S	SHR 29SD925	WIN 6362-925	STG 29-925
0.950"	BER 165-S	SHR 29SD950	WIN 6362-950	STG 29-950
0.962"		SHR 29SD962		
0.975"	BER 166-S	SHR 29SD975	WIN 6362-975	STG 29-975
1.000"	BER 167-S	SHR 29SD1000	WIN 6362-1000	
1.025"			WIN 6362-1025	
1.050"			WIN 6362-1050	

Torsion Racks

DESCRIPTION	P/N
Standard Torsion Rack - 40 1/8" Wide With 2" Spread Between Tube Centers	BRP 269B-6
Split 2 Bearing Rack - 40 1/8" Wide With 3" Spread Between Tube Centers	BRP 269B-7
Split 4 Bearing Rack - 40 1/8" Wide With 3" Spread Between Tube Centers	BRP 269B-8

TORSION BAR CHECKER



BRP 9242

DESCRIPTION

Torsion Bar Checker Tool

P/N

BRP 9242

** NOTE- Does not include scale pad **

TORSION ARMS




BRP 231-24



BRP 4400-1



BRP 4400-2



BRP 4402



BRP 9078



BRP 4403

BRP 9360
No Roller Plate Needed

DESCRIPTION	RED P/N	BLACK P/N
1" X 2" Blank Arm 24" Long (Plain Aluminum Only)	BRP 231-24	
Left Rear Roller Torsion Arm - 20" Long	BRP 4400	BRP 4400BK
Right Rear Roller Torsion Arm - 19" Long	BRP 4402	BRP 4402BK
Right Rear Roller Torsion Arm - 19" Long with 1" Offset	BRP 4400-1	BRP 4400-1BK
Right Rear Roller Torsion Arm - 19" Long with 2" Offset	BRP 4400-2	
Left Rear Roller Torsion Arm - 20" Long with 1" Offset	BRP 4400-1R	
Left Rear Roller Torsion Arm - 20" Long with 2" Offset	BRP 4400-2R	

Replacement Torsion Arm Parts

DESCRIPTION	P/N
Replacement Convex Roller Plate (includes tapered bolts)	BRP 9078
Replacement Tapered Bolts for Roller Plate	BOL 040753C
Safety Bolt (Keeps torsion arm in place in case of radius rod breakage)	BRP 4403

Ultra Heavy Duty Torsion Arms

DESCRIPTION	P/N
Ultra HD Left Rear Torsion Arm - Machined from special aircraft material	BRP 9360
Ultra HD Right Rear Torsion Arm - Machined from special aircraft material	BRP 9361

REAR END BRIDGE COMPONENTS

Birdcage Bridge Mounts

DESCRIPTION	RED P/N	BLACK P/N
Outer 2 Piece Rear Tube Clamp For 8 Bolt Rear End Tubes	BRP 9036	BRP 9036BK
Outer 1 Piece Rear Birdcage Clamp for Adjustable Quad Lock Rear End Birdcages		BRP 9406
Outer 1 Piece Rear Birdcage Clamp for Non Adjustable Quad Lock Rear End Birdcages	BRP 9037	BRP 9037BK
Outer 1 Piece Rear Tube Clamp for 3" Large Bearing Rear End Tubes	BRP 9039	BRP 9039BK

Did You Know...

The BRP 9037 has been redesigned to work with the both BRP 9032 / 9033 birdcages as well as the BRP 9465 / 9466 birdcages!

Rear End Bridge Mounts

DESCRIPTION	RED P/N	BLACK P/N
Steel Rear Bridge Mount For Quick Change Rear End - Fits Winters, DMI, & Tiger	BRP 9040	
Steel Front Bridge Mount For Quick Change Rear - Fits Winters, DMI, & Tiger	BRP 9041	
Aluminum Top Bridge Mount For Quick Change Rear End - Fits Winters, DMI & Tiger	BRP 9059	BRP 9059BK

Radius Rods For Bridge Mounts

DESCRIPTION	P/N
10 1/2" Radius Rod For Left Rear Top Bridge Mount (fits 8 bolt, large bearing and quad lock tubes)	BRP 78105
18" Radius Rod for Right Rear Top Bridge Mount (fits 8 bolt, large bearing and quad lock tubes)	BRP 78180
1/2" F Left Hand Aluminum Rod End For Bridge Radius Rods (2 required)	BRE 6081L
1/2" F Right Hand Aluminum Rod End For Bridge Radius Rods (2 required)	BRE 6081R
Left Hand Jam Nut For Bridge (2 required)	BRP 784
Right Hand Jam Nut For Bridge (2 required)	BRP 785



REAR END MEASUREMENT TOOL

Did You Know...

The BRP 9338 is used to measure the rear end from the keystick on the chassis. It has laser etched markings so reading it is a breeze!



BRP 9338



BRP 9526

DESCRIPTION	P/N
Rear End Measurement Tool	BRP 9338
Rear End Alignment Tool	BRP 9526

QUICK CHANGE ACCESSORIES



BRP 5110

BRP 9152

ALL 14350

DESCRIPTION	P/N
Aluminum Gear Drain Pan	BRP 5110
Plastic Gear Tote Box - White	ALL 14350
Plastic Gear Tote Box - Black	ALL 14351
Aluminum Rear End Filler (AN 10 Outlet)	BRP 9152
Mounts to deck of Late Model or Modified / Sportsman	

DMI RRC-1390

DMI CT-1 QUICK CHANGE REAR ENDS

DMI STOCKING OPTION LIST

OPTION 1 - THERMAL COATING

1A	black thermal coating - 6 rib
1B	black thermal coating - 8 rib
1E	black thermal coat - center only

OPTION 5 - SIDE BELLS

5A	8 rib side bells - both sides
----	-------------------------------

OPTION 9 - SPOOL

9A	Ultralight aluminum spool
9B	locker differential

OPTION 2 - RING & PINION

2A	EDM ring gear
2B	REM ring & pinion
2C	REM & EDM Ring & Pinion
2D	9" REM & EDM ring & pinion
2F	Super G ring & pinion

OPTION 6 - LOW DRAG & BEARINGS

6A	low drag seals / severe duty bearings
6B	low drag seals / severe duty bearings with seal plate seal
6H	low drag seals / REM SD bearings
6M	low drag seals / PROglide SD bearings

OPTION 3 - LOWER SHAFT

3C	aluminum end yoke
3D	heavy duty lower shaft
3E	gun drilled lower shaft

OPTION 7 - THRU BOLTS

7B	Dirt mod thru bolts w/ 4B seal plate
7C	Dirt late model thru bolts
7D	Dirt mod thru bolt for torque arm & long side bell for LS panhard

OPTION 4 - SEAL PLATE

4A	front seal plate - standard
4B	front seal plate w/o 2 counterbores
4C	front seal plate w/o counterbores

OPTION 8 - TUBES

8E	BRP Quadlock tubes - specify length
8F	BRP Quad tube option
8G	Steel Wide 5 tubes - specify length

More options are available from DMI!
Ask your sales person for more details.



DMI CT1-486-SG

All DMI Rears Include Standard Features:

- O-Ringed Aluminum Gear Cover
- 100% Magnesium Castings
- Breather Assembly
- Bell to tube thru bolts
- Magnetic drain plug
- Correct length Thru Bolts for your application
- AN 10 Port for fill can
- Timken® Pinion Bearings
- Heat Treated Lower Shaft
- Three side bell studs per side allow for easy removal without complete disassembly

BARE CENTER SECTIONS - NO TUBES

DESCRIPTION	OPTIONS	RATIO	P/N
DMI 4.86 Quick Change Rear - base rear no thermal coating	Options 3D, 4B, 5A, 7B	4.86	DMI CT1-486-SG
DMI 4.12 Quick Change Rear - base rear no thermal coating	Options 3D, 4B, 5A, 7B	4.12	DMI CT1-412-SG



DMI CT1-486LW-QL

QUAD LOCK TUBE & BELL

DESCRIPTION	P/N
8 Rib Left Bell w/ 4000-05 QL Tube Installed Thermal Black w/ Race & Spool Seal	DMI RRC-1107-01+TUBE
8 Rib Right Bell w/ 4000-05 QL Tube Installed Thermal Black w/ Race & Spool Seal	DMI RRC-1108-01+TUBE

REAR ENDS WITH QUAD LOCK TUBES INSTALLED

DESCRIPTION	OPTIONS	LR TUBE	RR TUBE	RATIO	P/N
DMI 4.86 Quick Change Rear - base rear no thermal coating	Options 3D, 4B, 5A, 7B	20 1/16"	28 1/16"	4.86	DMI CT1-486-QL
DMI 4.12 REM Rear with thermal coating	Options 1B, 2B, 3D, 4B, 5A, 6B, 7B	20 1/16"	28 1/16"	4.12	DMI CT1-412-REM-QL
DMI 4.86 Lightweight Low Drag Rear with thermal coating	Options 1B, 2C, 3D, 4B, 5A, 6B, 7B	20 1/16"	28 1/16"	4.86	DMI CT1-486-LW-QL
DMI 4.86 REM Rear with thermal coating	Options 1B, 2B, 3D, 4B, 5A, 6B, 7B	20 1/16"	28 1/16"	4.86	DMI CT1-486-REM-QL
DMI 4.12 Super G R/P Finish with black thermal coating	Options 1B, 2F, 3D, 4B, 5A, 6B, 7B	20 1/16"	28 1/16"	4.12	DMI CT1-412-SG-QL
DMI 4.86 Super G R/P Finish with black thermal coating	Options 1B, 2F, 3D, 4B, 5A, 6B, 7B	20 1/16"	28 1/16"	4.86	DMI CT1-486-SG-QL

NOTE: DMI rear ends have BRP 4000-05 and BRP 4000-60 tubes installed

DMI SS-1 QUICK CHANGE REAR WITH TUBES



DMI SS1-412

Did You Know...

The DMI SS1-4.12 is the shortest, quickest, and strongest full size appearing rear on the market! It features an ultralight 8" ring gear and mini pinion and is a full 1 1/2" shorter than the CT-1. This rear is perfect for low horsepower / crate cars!

DESCRIPTION	LR TUBE	RR TUBE	P/N
DMI 4.12 SS-1 Quick Change Rear with quadlock tubes installed	20 1/16"	28 1/16"	DMI SS1-412-QL

COMES WITH OPTIONS 1B, 2C, 3E, 4B, 5A, 6M, 7B

NOTE: DMI rear ends have BRP 4000-05 and BRP 4000-60 tubes installed



DMI CT-1 / SS-1 ACCESSORIES



DMI BULLDOG1

DMI RRC-1373

DESCRIPTION

DESCRIPTION	P/N
DMI 75W90 'BULLDOG BLOOD' Synthetic Gear oil - 1 gallon jug	DMI BULLDOG1
DMI 75W90 'BULLDOG BLOOD' Synthetic Gear oil - 5 gallon pail	DMI BULLDOG5
DMI Vault Lock Rear Cover - 1/4" Quick install / removal cover	DMI RRC-1373


DMI CT1 REPLACEMENT PARTS

INDEX #	DESCRIPTION	PART #	QUANTITY	INDEX #	DESCRIPTION	PART #	QUANTITY
1*	CT-1 MAGNESIUM CENTER SECTION	RRC-1000	1	36	LOCKNUT FOR CT-1 SIDE BELL TO TUBE	RRC-1113	12
2*	CT-1 RIGHT SIDE BELL - 8 RIB - SEE NOTE FOR OPTIONS	RRC-1108	1	37	HARDENED WASHER FOR CT-1 SIDE BELL TO TUBE	RRC-1114	12
3*	CT-1 LEFT SIDE BELL - 8 RIB - SEE NOTE FOR OPTIONS	RRC-1107	1	38	BELLEVEILLE WASHER FOR INSIDE CT-1 TUBE	RRC-1115	12
4*	CT-1 ALUMINUM SPOOL	PEM QCCFSA31	1	39*	BOLT FOR CT-1 SIDE BELL TO TUBE	RRC-1112	12
5	BILLET ALUMINUM REAR COVER W/ BEARINGS - BLACK	RRC-1386B	1	40*	CT-1 SIDE BELL AXLE SEAL	RRC-1104	2
6*	FRONT SEAL PLATE FOR CT-1	RRC-1001	1	41	SIDE BELL O-RING	RRC-1105	2
7	BOLT FOR CT-1 SEAL PLATE TO CENTER	RRC-1011	6	42	CT-1 SIDE BELL RACE	RRC-1170	2
8	WASHER FOR CT-1 SEAL PLATE TO CENTER	RRC-1012	6	43*	CT-1 SIDE BELL BEARING FOR ALUMINUM SPOOL	RRC-1171	2
9	CT-1 FRONT YOKE BOLT	RRC-1482	1	44	CT-1 SPOOL SHIM KIT 3EA - .010,.012,.015,.020	RRC-1276	1
10*	CT-1 FRONT YOKE WASHER	RRC-1481	1	45	FILL LEVEL PLUG	RRC-1016	1
11	CT-1 FRONT YOKE	RRC-1479	1	46	LARGE INSPECTION PLUG	RRC-1010	1
12	ALUMINUM SPACER FOR UNDER CT-1 FRONT YOKE	RRC-1485	1	47	90° BREATHER PUSH - LOCK	RRC-1040	1
13	O-RING FOR CT-1 SEAL PLATE SEAL	RRC-1003	1	48	BREATHER TUBING - PER INCH	RRC-1036	1
14*	FRONT SEAL FOR CT-1 SEAL PLATE	RRC-1002	1	49	REAR COVER STUD	RRC-1355	6
15	O-RING FOR CT-1 SEAL PLATE FLANGE	RRC-1004	1	50	REAR COVER BEARING	RRC-1350	2
16	SPIRALOCK FOR SEAL PLATE	RRC-1007	1	51	LARGE INSPECTION PLUG O-RING	RRC-1015	1
17*	CT-1 LOWER SHAFT BEARING	RRC-1411	2	52	BOLTS FOR GEAR COVER BEARING RETAINER	RRC-1391	2
19*	CT-1 STEEL LOWER SHAFT	RRC-1427	1	53	GEAR COVER BEARING RETAINER	RRC-1390	1
20	LOWER SHAFT SNAP RING	RRC-1620	1	54	SILICONE SEALING RING FOR GEAR COVER	RRC-1345	1
21*	4.12 PINION	RRC-1300	1	55	REAR COVER HIGH NUT - BLUE	RRC-1361B	6
22*	4.12 RING	RRC-1300	1	58*	PINION RETAINER BOLT	RRC-1335	6
23	CT-1 5.5" CENTER / SIDE BELL THRU BOLT	RRC-1125	1	59	2 BOLT LOCKING TAB	RRC-1330	3
24	SIDE BELL WASHER	RRC-1130	8	60	PINION RETAINER FLANGE	RRC-1320	1
25	CT-1 SIDE BELL FLANGE NUT	RRC-1127	16	61	PINION BEARING SPACER	RRC-1315	1
26	PORT -8 TO -10 UNION	RRC-1032	1	62	POSI-LOCK RETAINER	RRC-1366	1
27	CT-1 SIDE BELL FLANGE NUT	RRC-1127	1	63	POSI-LOCK O-RING	RRC-1367	1
28	SIDE BELL WASHER	RRC-1130	6	64	POSI-LOCK NUT - RH	RRC-1369	1
29*	SIDE BELL STUD	RRC-1110	6	65	PINION WASHER	RRC-1368	1
30*	RING BOLT WASHER	RRC-1302	6	66	BIG PINION BEARING - TIMKEN	RRC-1311	2
31	RING GEAR BOLT	RRC-1301	12	67	BIG PINION BEARING RACE	RRC-1312	1
32	RING GEAR BACK STOP	RRC-1135	12	68	SMALL PINION BEARING	RRC-1310	1
33	BACK STOP SET SCREW	RRC-1140	1	69	FILL LEVEL PLUG O-RING	RRC-1017	1
34	BACK STOP WASHER	RRC-1146	1	70	3/4" NPT MAGNETIC DRAIN PLUG	RRC-1031	1
35	BACK STOP ALUMINUM NUT	RRC-1150	1				

* Part Numbers may vary due to options

**CAN ALSO USE PEM QCCFSA31

NOTE: Add DMI to beginning of part #



SIDE BELL OPTIONS

MAGNESIUM 6 RIB LEFT BELL - NO COATING	DMI RRC-1102
MAGNESIUM 8 RIB RIGHT BELL - NO COATING	DMI RRC-1103
MAGNESIUM 8 RIB LEFT BELL - NO COATING	DMI RRC-1107
MAGNESIUM 8 RIB LEFT BELL - BLACK COATED	DMI RRC-1107-01
MAGNESIUM 8 RIB RIGHT BELL - NO COATING	DMI RRC-1108
MAGNESIUM 8 RIB RIGHT BELL - BLACK COATED	DMI RRC-1108-01



WINTERS QUICK CHANGE REAR ENDS

Bare Center Rear Ends

DESCRIPTION	RING & PINION	SPOOL	P/N
Winters 10" Quick Change - no tubes	10" standard 4.86 ratio	Standard Aluminum	WIN K5270S
Winters 8" Ultra Lightweight Quick Change - no tubes	8" standard 4.12 ratio	Ultra Light Aluminum	WIN K5280-LW

Winters 10" Quick Change - No Tubes



WIN K5270S comes with the following options:

4.86 RATIO

8133 - Sprint Center
8155P - HD 8 Rib Bells
8168 - HD Gear Cover
8115 - Aluminum Spool
8104 - Pinion Posi-Lock Assembly
8143 - Pinion Nose Support

10" Rear ends with no tubes are available with the following options:

DESCRIPTION	P/N
EDM ring and pinion	WIN 8202-RP
Black thermal dissipant coating	WIN 8208
10" REM ring gear	WIN 8218-486

Winters 8" Ultra Light Quick Change - No Tubes



WIN K5280-LW comes with the following options:

4.12 RATIO

8111-8S - 4.12 R/P shortened
8133-8S - Short Sprint Center
8104 - Posi Lock Assembly
8115 - Aluminum Spool
8155P - HD 8 Rib Bells
9139 - Pinion Nose Support

8" Rear ends with no tubes are available with the following options:

DESCRIPTION	P/N
REM ring and pinion	WIN 8218-RP
Black thermal dissipant coating	WIN 8208
8" EDM ring gear	WIN 8202-V8

Replacement Winters Quick Change Parts

DESCRIPTION	P/N
Bare Center Section	WIN K5840
8 Rib Magnesium Right Bell	WIN K5016-03
8 Rib Magnesium Left Bell	WIN K5016-02
6 Rib Magnesium Right Bell	WIN K1663-01B
6 Rib Magnesium Left Bell	WIN K1663-02
Ultra Light Aluminum Spool	PEM QCCFSA31L
Standard Weight Aluminum Spool	PEM QCCFSA31
10" - 4.12 Ring & Pinion	WIN 5715
10" - 4.86 Ring & Pinion	WIN 5401
Threaded Ring Gear Bolts	WIN 7868
Non Threaded Ring Gear Bolts	WIN 7165
Shim Kit for Aluminum Spool	WIN 5295
Spool Seals	WIN 7205
8 Rib Bell O-Ring	WIN 7403
Pinion Retaining Ring	WIN 5020
Pinion Jam Nut - Non Posi - Lock	WIN 5032R
Retaining Washer - Drive Yoke	WIN 5037

DESCRIPTION	P/N
Posi-Lock Nut	WIN 6498R
8 Rib Adjuster Bolt	WIN 5157
6 Rib Adjuster Bolt	WIN 6236
Front Seal Plate	WIN 5018
.375" Thick Replacement Front Seal	WIN 7204
.750" Thick Replacement Front Seal	WIN 7204T
Front Yoke (1 1/4" - 10 spline)	WIN 3533
Aluminum Front Yoke (1 1/4" - 10 spline)	WIN 5038AS
Rear Cover	WIN K6508
HD Rear Cover Gasket	WIN 6729HD
Rear Cover Bearing for WIN K6508	WIN 7332
Rear Lower Bearing	WIN 7339
Front Bearing	WIN 7390
Aluminum Spool Bearing	WIN 7340
Bell Race	WIN 7310
Heat Treated Lower Shaft	WIN 5003
Aluminum Rear Cover Nuts	WIN 7794A
Short Aluminum Rear Cover Nuts	WIN 7794SBK
Rear Cover Studs	WIN 7802



WIN K6508



WIN 7794A



WIN 7802



WIN 7398



WIN 5401



PEM QCCFSA31L



WIN K5016-02



WIN K5840

BICKNELL QUAD LOCK TUBES

THE ORIGINAL

DON'T ACCEPT IMITATIONS!
Note: Do not mix other mfg's parts
with BRP quadlock parts




Black Anodized

BRP 4000-60


Did You Know...

Whats the difference between the 4000 and 4050 series tubes?
The 4050 series has a steel sleeve that the seal rides on, where the 4000 series does not. They are the same overall length, but take different seals. The bearings, hubs, and birdcages are interchangeable but the SEALS ARE NOT INTERCHANGABLE.

Tube differences



QUAD LOCK TUBE DIMENSIONS



Part #	A	B	C	BRP 4050-01 SEAL RING	SEAL #
4000-05	20-1/16"	8-3/4"	6-1/2"	NOT REQ'D	BRP 6225
4000-10	22-1/16"	8-3/4"	8-1/2"	NOT REQ'D	BRP 6226
4000-30	24-1/16"	8-3/4"	10-1/2"	NOT REQ'D	BRP 6227
4000-60	28-1/16"	16-3/4"	6-1/2"	NOT REQ'D	BRP 6228
4000-61	28-1/16"	13-3/4"	9-1/2"	NOT REQ'D	BRP 6229
4000-85	33"	14-1/4"	14"	NOT REQ'D	BRP 6230
Part #	A	B	C	BRP 4050-01 SEAL RING	SEAL #
4050-05	20-1/16"	8-3/4"	6-1/2"	REQUIRED	WIN 7289V
4050-09	21-1/16"	7-3/4"	9-1/4"	REQUIRED	WIN 7289V
4050-10	22-1/16"	8-3/4"	8-1/2"	REQUIRED	WIN 7289V
4050-60	28-1/16"	16-3/4"	6-1/2"	REQUIRED	WIN 7289V
4050-78	29-1/16"	17-3/4"	7-1/4"	REQUIRED	WIN 7289V
4050-78MF	29-1/16"	16-3/4"	8-1/4"	REQUIRED	WIN 7289V
4050-80	30-1/16"	18-3/4"	7-1/4"	REQUIRED	WIN 7289V
4050-81	30-1/16"	16-3/4"	9-1/4"	REQUIRED	WIN 7289V

ALL RED NUMBERS ARE STANDARD TUBES FOR BRP CARS

A DIMENSION IS OVERALL LENGTH
B DIMENSION IS LENGTH BEFORE FLATS
C DIMENSION IS LENGTH OF FLATS

Accessories

DESCRIPTION	P/N
Locking spindle nut assembly	BRP 6230
Locking spindle nut assembly w/slotted washers	BRP 9489
Steel ring seal for 4050 series tubes	BRP 4050-01
Replacement O-Ring for BRP 4050-01	NIA 150
Inner hub seal for 4050 series tubes	WIN 7289V
Inner low drag seal for 4050 series tubes	SUP 7289VLD

Accessories

DESCRIPTION	P/N
STD Inner hub seal (*)	BRP 6225
Inner Low Drag hub seal (*)	BRP 6232
Inner Hub Seal for Oil Filled Hubs (*)	WIN 7284V
2-1/2" Outer Tube Seal for Oil Filled Hubs	BRP 9398
2-7/8" Low Friction Hub Seal with O-Ring (*)	BER CTD-005-NS

(*) - FOR 4000 SERIES TUBES

LARGE BEARING REAR END TUBES

Did You Know...

BRP tubes have a thicker wall for added strength!



BRP 3800-60

.281" Wall Heavy Duty Aluminum Tubes

DESCRIPTION	TUBE LENGTH	AXLE LENGTH	PLAIN P/N	BLACK P/N
Standard LR tube	20 1/16"	25 5/8"		BRP 3800-05BK
1" longer LR tube	21 11/16"	27"	BRP 3800-09	
2" longer LR tube	22 1/16"	27 3/4"	BRP 3800-10	
Standard RR tube	28 1/16"	33 3/8"		BRP 3800-60BK

1/4" Wall Steel Tube

DESCRIPTION	TUBE LENGTH	AXLE LENGTH	P/N
Steel Tube- Cut to Desired Length	28 1/16"	33 3/8"	BRP 3900-60

8 BOLT REAR END TUBES

Aluminum 8 Bolt Rear End Tubes

DESCRIPTION	TUBE LENGTH	AXLE LENGTH	PLAIN P/N	BLACK P/N
LR Standard Tube	15"	28"		BRP 3520BK
LR Coil Over Tube	16 1/2"	29 3/4"		BRP 3530BK
RR Standard Tube	22 5/8"	36 1/8"		BRP 3576BK
RR Coil Over Tube	24 3/4"	38 1/4"		BRP 3580BK
Unanodized Tube	25 1/4"	39"		BRP 3581BK



BRP 3576

8 BOLT STEEL SPINDLES



BRP 486

DESCRIPTION	P/N
8 Bolt Steel Spindle	BRP 486
Course Thread Spindle Bolts (BRP Aluminum and Steel Tubes)	BRP 472C
Fine Thread Spindle Bolts (Winters Steel Tubes)	BRP 472
Aluminum Locking Spindle Nut Assembly	BRP 320

ONE PIECE WIDE 5 TUBES



BRP 3880



BRP 3781



BRP 320

Did You Know...
Aluminum Tubes are machined from special aircraft quality material and have a 1/4" wall thickness with radiused corners. They can also be cut to any length!

DESCRIPTION	TUBE LENGTH	AXLE LENGTH	P/N
Steel Wide 5 Tube	28 1/2"	34 1/8"	BRP 3870
Steel Wide 5 Tube	30 1/2"	36 1/8"	BRP 3876
Steel Wide 5 Tube	32 1/8"	38 1/4"	BRP 3880
Aluminum Wide 5 Tube	32 1/2"	39"	BRP 3781

DESCRIPTION	P/N
Aluminum Locking Spindle Nut Assembly	BRP 320

G.N. 5 X 5 TUBE

DESCRIPTION	P/N
Right Hand Thread Steel Tube 29 1/8" Long	BRP 3280
Left Hand Thread Steel Tube 29 1/8" Long	BRP 3280L
Right Hand Lock Nut	BRP 804-5
Left Hand Lock Nut	BRP 804-6
Locking Tab Washer	BRP 804-4
GN 5x5 Inner Hub Seal	BRP 804-2
GN Hub Bearing	BRP 804-1
GN Snout Seal	BRP 804-3



3" O.D. X .188 Wall Chrome Moly Steel Tube
CAN BE CUT SHORTER IF NEED BE

WELD ON SPINDLE SNOOTS

DESCRIPTION	P/N
Rear 5 X 5 Spindle Snout for .188" wall Tube (right hand thread)	BRP 801-1
Rear 5 X 5 Spindle Snout for .188" wall Tube (left hand thread)	BRP 802-1
Wide 5 Rear Spindle Snout for .188" wall Tube	BRP 800-1
Mini 3/4 Ton Snout for .188" Wall Tube	BRP 799-1
5 X 5 Snout (Howe Style Hub) for .188" Wall Tube	BRP 791
Wide 5 Late Model Front Spindle	BRP 796
Wide 5 Late Model Spindle Snout (like BRP 796 but 1/2" longer on back end)	BRP 9577



BRP 800-1



BRP 801-1



BRP 799-1



BRP 791




BRP 796



BRP 9577

DOUBLE SPLINED REAR AXLES

Did You Know...
Quad Lock & Large Bearing Axles:
Left Rear- 25 5/8"; Right Rear- 33 3/8"
8 Bolt Axles:
Left Rear- 28"; Right Rear- 36 1/8"



Solid Wide 5

-31 x 24 Spline

AXLE LENGTH	BRP P/N	AXLE WEIGHT	PEM P/N
25 5/8"	BRP 3005	7.80#	
27"		9.65#	PEM W52731
28"	BRP 3020	10.16#	PEM W52831
29"	BRP 3025	10.40#	PEM W52931
30 1/2"		10.98#	PEM W30531
31"		9.30#	PEM W53131
32"		11.58#	PEM W53231
32 1/2"	BRP 3050	11.74#	PEM W53531
33 1/2"	BRP 3060	10.20#	
34"		12.28#	PEM W53431
35"		12.66#	PEM W53531
36"		13.04#	PEM W53631
37"	BRP 3078	13.32#	
38 1/4"	BRP 3080	13.00#	

Gun Drilled Wide 5

-31 x 24 Spline

AXLE LENGTH	BRP P/N	AXLE WEIGHT	PEM or WIN P/N
25 5/8"	BRP 3205G	6.60#	WIN 5067G-25-1/2
26 1/2"	BRP 3108	7.30#	PEM GDW526531
28"		7.74#	PEM GDW52831
29 3/4"	BRP 3130	8.22#	PEM GDW53031
31"	BRP 3140	8.54#	PEM GDW53131 A
31 1/2"	BRP 3142	8.70#	
32"	BRP 3145	8.82#	PEM GDW53231 B
33 1/2"	BRP 3260G	8.80#	WIN 5067G-33-1/2
34"		9.46#	PEM GDW53431 B
35"		9.68#	PEM GDW53531 B
36"		9.96#	PEM GDW53631 B
37"		10.15#	PEM GDW53731
38"	BRP 3180	10.00#	PEM GDW53831

Ultra Light Gun Drilled Wide 5

-31 x 24 Spline

AXLE LENGTH	P/N	AXLE WEIGHT
16"	BRP 3100L	4.00#
25 5/8"	BRP 3105L	5.60#
26"	BRP 3108L	7.40#
27"	BRP 3109L	6.60#
27 1/2"	BRP 3110L	6.90#
29 3/4"	BRP 3130L	7.04#
30 1/2"	BRP 3138L	7.22#
31"	BRP 3140L	7.48#

Extra Heavy Duty Solid

Recommended for Big Block Modifieds

-31 x 24 Spline

AXLE LENGTH	P/N	AXLE WEIGHT
25 5/8"	BRP 3005B	8.80#
33 1/2"	BRP 3060B	11.30#

DWARF / MOD LITE AXLES



BRP 8504 SHOWN

23 Spline Toyota Taper - Bert Hub


AXLE LENGTH	P/N
17 1/8"	BRP 8051
28 3/8"	BRP 8053

31 X 24 Spline

AXLE LENGTH	P/N
16"	BRP 3100L
29 3/4"	BRP 3130L

31 X 17 Spline

AXLE LENGTH	P/N
16"	BRP 8054
29 1/4"	BRP 8055



6 SPLINE MIDGET QUICK CHANGE GEARS

6 SPLINE - SAE 8620 MATERIAL - 1" WIDE


SET #	4.11 RATIO		4.33 RATIO		# OF TEETH	STD GEARS 1" WIDE
	LOW	HIGH	LOW	HIGH		
01	4.11	4.11	4.33	4.33	24/24	WIN 4401
02	3.94	4.29	4.15	4.52	23/24	WIN 4402
03	3.78	4.47	3.98	4.71	23/25	WIN 4403
03B	3.68	4.59	3.87	4.84	17/19	WIN 4403B
03A	3.62	4.67	3.81	4.92	22/25	WIN 4403A
04	3.48	4.86	3.66	5.12	22/26	WIN 4404
05	3.32	5.09	3.50	5.36	21/26	WIN 4405
05A	3.25	5.19	3.43	5.47	19/24	WIN 4405A
06	3.20	5.28	3.37	5.57	21/27	WIN 4406
24	3.15	5.36	3.32	5.65	23/30	WIN 4424
25	3.08	5.48	3.25	5.77	18/24	WIN 4425
07	3.04	5.55	3.21	5.85	20/27	WIN 4407
23	2.99	5.65	3.15	5.95	16/22	WIN 4423
08	2.94	5.75	3.09	6.06	20/28	WIN 4408
22	2.89	5.84	3.05	6.15	19/27	WIN 4422
09	2.86	5.91	3.01	6.22	16/23	WIN 4409
10	2.80	6.03	2.95	6.35	15/22	WIN 4410
11	2.74	6.17	2.89	6.50	18/27	WIN 4411

SET #	4.11 RATIO		4.33 RATIO		# OF TEETH	STD GEARS 1" WIDE
	LOW	HIGH	LOW	HIGH		
12	2.69	6.27	2.84	6.61	19/29	WIN 4412
13	2.68	6.30	2.82	6.64	15/23	WIN 4413
14	2.62	6.46	2.76	6.80	14/22	WIN 4414
15	2.57	6.58	2.71	6.93	15/24	WIN 4415
16	2.53	6.68	2.66	7.04	16/26	WIN 4416
17	2.47	6.85	2.60	7.22	18/30	WIN 4417
18	2.43	6.96	2.56	7.33	13/22	WIN 4418
18A	2.35	7.19	2.47	7.58	16/28	WIN 4418A
19	2.30	7.34	2.42	7.73	14/25	WIN 4419
20	2.28	7.40	2.41	7.79	15/27	WIN 4420
27	2.23	7.59	2.35	7.99	13/24	WIN 4427
21	2.18	7.74	2.30	8.15	17/32	WIN 4421
28	2.17	7.79	2.29	8.20	19/36	WIN 4428
29	2.14	7.88	2.26	8.30	12/23	WIN 4429
26	2.13	7.95	2.24	8.37	15/29	WIN 4426
30	2.06	8.22	2.17	8.66	20/40	WIN 4430
31	2.00	8.43	2.11	8.88	20/41	WIN 4431
32	1.95	8.65	2.06	9.12	19/40	WIN 4432

GEAR TOTES



ALL 14350 ALL 14351
SEE PAGE 54 FOR MORE ACCESSORIES



7" QUICK CHANGE GEARS

SET #	4.57 RATIO		5.13 RATIO		# OF TEETH	WINTERS P/N
	LOW	HIGH	LOW	HIGH		
01	4.57	4.57	5.13	5.13	25/25	WIN 3801
02	4.39	4.80	4.92	5.39	23/22	WIN 3802
03	4.20	4.94	4.72	5.54	26/24	WIN 3803
04	4.11	5.07	4.62	5.69	21/19	WIN 3804
05	4.02	5.21	4.51	5.85	24/21	WIN 3805
06	3.88	5.35	4.36	6.00	27/23	WIN 3806
07	3.79	5.48	4.26	6.16	30/25	WIN 3807
08	3.75	5.58	4.21	6.26	22/18	WIN 3808
09	3.66	5.71	4.10	6.41	25/20	WIN 3809
10	3.61	5.80	4.05	6.52	28/22	WIN 3810
11	3.52	5.90	3.95	6.62	31/24	WIN 3811
12	3.38	6.17	3.80	6.93	23/17	WIN 3812

SET #	4.57 RATIO		5.13 RATIO		# OF TEETH	WINTERS P/N
	LOW	HIGH	LOW	HIGH		
13	3.34	6.26	3.74	7.03	26/19	WIN 3813
14	3.29	6.31	3.69	7.08	29/21	WIN 3814
14A	3.26	6.40	3.66	7.18	21/15	WIN 3814A
14B	3.22	6.49	3.61	7.29	27/19	WIN 3814B
14C	3.18	6.57	3.57	7.37	23/16	WIN 3814C
14D	3.12	6.70	3.50	7.52	22/15	WIN 3814D
15	3.06	6.86	3.44	7.70	30/20	WIN 3815
15B	2.92	7.15	3.28	8.03	36/23	WIN 3815B
15A	2.89	7.22	3.25	8.10	30/19	WIN 3815A
15C	2.84	7.35	3.19	8.25	37/23	WIN 3815C
15D	2.72	7.69	3.05	8.63	37/22	WIN 3815D

10 SPLINE QUICK CHANGE GEARS

SET #	4.11 RATIO		4.86 RATIO		# OF TEETH	WINTERS P/N STD GEARS LOW COST	COLEMAN P/N LW GEARS MID COST
	LOW	HIGH	LOW	HIGH			
01	4.12	4.12	4.86	4.86	21/21	WIN 8501	COL 207-1
02	3.97	4.27	4.69	5.04	27/28	WIN 8502	COL 207-2
05	3.96	4.29	4.67	5.06	24/25	WIN 8505	COL 207-5
15A	3.93	4.32	4.64	5.09	21/22	WIN 8515A	
15	3.91	4.34	4.62	5.11	19/20	WIN 8515	COL 207-15
26	3.84	4.43	4.53	5.22	27/29	WIN 8526	COL 207-26
06	3.79	4.48	4.47	5.28	23/25	WIN 8506	COL 206-6
25	3.75	4.53	4.42	5.34	20/22	WIN 8525	COL 207-25
12	3.69	4.60	4.36	5.42	26/29	WIN 8512	COL 207-12
07	3.65	4.66	4.30	5.49	23/26	WIN 8507	COL 207-7
07A	3.61	4.71	4.25	5.55	21/24	WIN 8507A	COL 207-7C
17	3.57	4.75	4.21	5.60	26/30	WIN 8517	COL 207-17
17A	3.53	4.81	4.17	5.67	24/28	WIN 8517A	
08A	3.51	4.84	4.14	5.70	23/27	WIN 8508A	COL 207-8C
08	3.49	4.87	4.11	5.74	22/26	WIN 8508	COL 207-8
19	3.46	4.91	4.08	5.78	21/25	WIN 8519	COL 207-19
09A	3.43	4.94	4.05	5.83	20/24	WIN 8519A	COL 207-9C
09	3.40	4.99	4.02	5.88	19/23	WIN 8509	COL 207-9
11	3.36	5.06	3.96	5.96	22/27	WIN 8511	COL 207-11
03	3.32	5.11	3.92	6.02	25/31	WIN 8503	COL 207-3
13	3.30	5.15	3.89	6.07	20/25	WIN 8513	COL 207-13
18	3.27	5.20	3.85	6.12	23/29	WIN 8518	COL 207-18
18A	3.24	5.24	3.82	6.18	22/28	WIN 8518A	COL 207-18C
04A	3.22	5.26	3.80	6.21	18/23	WIN 8504A	COL 207-4C
20A	3.20	5.30	3.78	6.25	21/27	WIN 8520A	COL 207-20C
04	3.19	5.32	3.76	6.27	24/31	WIN 8504	COL 207-4
20	3.17	5.36	3.74	6.31	20/26	WIN 8420	COL 207-20
22	3.13	5.42	3.69	6.39	19/25	WIN 8522	COL 207-22
16	3.09	5.49	3.65	6.48	18/24	WIN 8516	COL 207-16
10	3.05	5.57	3.59	6.57	17/23	WIN 8510	COL 207-10
10A	3.02	5.62	3.56	6.62	22/30	WIN 8510A	COL 207-10C
34A	3.00	5.67	3.54	6.68	16/22	WIN 8534A	
34	2.97	5.69	3.52	6.71	21/29	WIN 8534	COL 207-34
14	2.96	5.73	3.49	6.76	23/32	WIN 8514	COL 207-14
14A	2.94	5.77	3.47	6.80	20/28	WIN 8514A	COL 207-14C
35	2.92	5.82	3.44	6.86	17/24	WIN 8535	COL 207-35
32	2.90	5.86	3.42	6.90	19/27	WIN 8532	COL 207-32
32A	2.87	5.91	3.39	6.97	23/33	WIN 8532A	COL 207-32C
24	2.84	5.97	3.35	7.04	20/29	WIN 8524	COL 207-24
36	2.80	6.06	3.31	7.14	17/25	WIN 8536	COL 207-36
37	2.79	6.08	3.29	7.17	21/31	WIN 8537	COL 207-37
23	2.75	6.18	3.24	7.29	22/33	WIN 8523	COL 207-23
21	2.70	6.29	3.18	7.41	19/29	WIN 8521	COL 207-21
21A	2.69	6.32	3.17	7.45	15/23	WIN 8521A	COL 207-21C
27	2.67	6.37	3.15	7.51	22/34	WIN 8527	COL 207-27
43	2.64	6.44	3.11	7.59	16/25	WIN 8543	COL 207-43
28	2.61	6.51	3.08	7.67	19/30	WIN 8528	COL 207-28
28A	2.59	6.54	3.06	7.71	17/27	WIN 8528A	COL 207-28A
29	2.58	6.59	3.04	7.77	15/24	WIN 8529	COL 207-29
39	2.56	6.64	3.02	7.83	18/29	WIN 8539	
30	2.54	6.70	2.99	7.89	16/26	WIN 8530	
40	2.53	6.72	2.98	7.93	19/31	WIN 8540	
41	2.50	6.81	2.95	8.00	17/28	WIN 8541	
31	2.47	6.87	2.92	8.10	21/35	WIN 8531	
33A	2.44	6.95	2.88	8.20	16/27	WIN 8533A	



SET #	4.11 RATIO		4.86 RATIO		# OF TEETH	PEM 61 SERIES STD GEARS LOW COST	PEM 65 SERIES LW GEARS PREMIUM
	LOW	HIGH	LOW	HIGH			
01	4.11	4.11	4.86	4.86	21/21	PEM 61001	PEM 65001
02	3.96	4.26	4.68	5.04	27/28	PEM 61002	PEM 65002
15	3.91	4.33	4.63	5.10	19/20	PEM 61015	PEM 65015
15Q	3.85	4.38	4.56	5.18	15/16	PEM 61015Q	
26	3.83	4.41	4.52	5.22	27/29	PEM 61026	PEM 65026
06	3.78	4.47	4.47	5.28	23/25	PEM 61006	PEM 65006
25	3.74	4.52	4.42	5.34	20/22	PEM 61025	PEM 65025
12	3.68	4.58	4.36	5.42	26/29	PEM 61012	PEM 65012
07	3.63	4.65	4.30	5.49	23/26	PEM 61007	PEM 65007
07Q	3.60	4.70	4.25	5.55	21/24	PEM 61007Q	PEM 65007A
17	3.54	4.77	4.19	5.63	19/22	PEM 61017	PEM 65017
08	3.48	4.86	4.11	5.74	22/26	PEM 61008	PEM 65008
19	3.45	4.89	4.08	5.78	21/25	PEM 61019	PEM 65019
09Q	3.42	4.93	4.05	5.83	25/30	PEM 61009Q	PEM 65009A
09	3.39	4.98	4.01	5.88	19/23	PEM 61009	PEM 65009
11	3.35	5.04	3.96	5.96	22/27	PEM 61011	PEM 65011
03	3.31	5.10	3.92	6.02	25/31	PEM 61003	PEM 65003
13	3.29	5.14	3.89	6.07	20/25	PEM 61013	PEM 65013
18	3.26	5.18	3.85	6.12	19/24	PEM 61018	PEM 65018
18Q	3.23	5.23	3.82	6.18	22/28	PEM 61018Q	PEM 65018A
04Q	3.22	5.25	3.80	6.21	18/23	PEM 61004Q	PEM 65004A
04	3.18	5.31	3.76	6.27	24/31	PEM 61004	PEM 65004
20	3.16	5.34	3.74	6.31	20/26	PEM 61020	PEM 65020
22	3.12	5.41	3.69	6.39	19/25	PEM 61022	PEM 65022
10	3.08	5.48	3.64	6.48	24/32	PEM 61016	PEM 65016
34	3.04	5.56	3.59	6.57	20/27	PEM 61010	PEM 65010
14	2.99	5.65	3.53	6.68	16/22	PEM 61034	PEM 65034
34	2.95	5.72	3.49	6.76	23/32	PEM 61014	PEM 65014
35	2.91	5.80	3.44	6.86	17/24	PEM 61035	PEM 65035
32	2.89	5.84	3.42	6.90	19/27	PEM 61032	PEM 65032
32Q	2.86	5.90	3.39	6.97	23/33	PEM 61032Q	PEM 65032A
24	2.83	5.96	3.35	7.04	20/29	PEM 61024	PEM 65024
36	2.79	6.05	3.30	7.14	17/25	PEM 61036	PEM 65036
23	2.74	6.16	3.24	7.29	18/27	PEM 61023	PEM 65023
21	2.69	6.28	3.18	7.43	17/26	PEM 61021	PEM 65021
27	2.66	6.35	3.15	7.51	22/34	PEM 61027	PEM 65027
43	2.63	6.42	3.11	7.59	16/25	PEM 61043	PEM 65043
28	2.60	6.49	3.08	7.67	19/30	PEM 61028	PEM 65028
29	2.57	6.58	3.04	7.77	15/24	PEM 61029	PEM 65029
30	2.53	6.68	2.99	7.91	16/26	PEM 61030	PEM 65030
41	2.50	6.77	2.95	8.00	17/28	PEM 61041	PEM 65041
31	2.47	6.85	2.92	8.10	21/35	PEM 61031	PEM 65031
33Q	2.44	6.94	2.88	8.20	16/27	PEM 61033Q	PEM 65033A
31Q	2.39	7.05	2.83	8.33	14/24	PEM 61031Q	PEM 65031A
50	2.35	7.19	2.77	8.50	20/35	PEM 61050	PEM 65050


NOTE: Other ratios may be available. Contact your salesman for more details!

QUICK CHANGE ACCESSORIES



DESCRIPTION	P/N
Aluminum Gear Drain Pan	BRP 5110
Plastic Gear Tote Box - clear	ALL 14350
Plastic Gear Tote Box - black	ALL 14351
Aluminum Rear End Filler (AN 10 Outlet)	BRP 9152

QUICK CHANGE REAR END VENT ASSEMBLY



DESCRIPTION	P/N
3/8"NPT Rear End Vent Assembly	BRP 910
DMI Rear End Breather Assembly	DMI RRC-1034
Winters 8" Ring Gear Breather Assembly	WIN 2966-02
Winters Top Mount Breather	WIN 2966T

REAR END INSPECTION PLUGS



DESCRIPTION	P/N
AN12 O-Ring Inspection Plug (found in right bell)	BRP 909
Replacement O-Ring for BRP 909	NIA 222
AN 10 O-Ring inspection Plug (found in center section)	BRP 908
Replacement O-Ring for BRP 908	NIA 212

DRIVESHAFT U-BOLTS



DESCRIPTION	P/N
U-Bolts (sold per pair - each comes with 2 lockwashers and 2 nuts)	BRP 513
Billet Aluminum U-Joint Caps (SOLD IN PAIRS)	BRP 9246

FORD 9" REAR END PARTS

Mini Spools & Pins



DESCRIPTION	APPLICATION	P/N
28 Spline	Ford 9" Mini Spool	ALL 68121
31 Spline (FORD)	1964 - 1980 Ford 9" Mini Spool	ALL 68122
Cross Pin (FORD)	Ford 9"	ALL 68120
28 Spline (Chevy)	8 1/2" 10 Bolt Mini Spool	ALL 68160
26 Spline (Chevy)	7 1/2" Ring Gear, 10 Bolt Mini Spool	ALL 68166
26 Spline (GM)	7 1/2" Ring Gear, 10 Bolt Mini Spool	COL 801-250


Ford 9" Axle Tube Seals



COLOR	TUBE DIA.	WALL THICKNESS	REPLACEMENT O-RING ASSEMBLY	SEAL P/N
Plain	3"	3/16" (.188")	BRP 6111	BRP 6110
Black	3"	7/32" (.219")	BRP 6113	BRP 6112


DESCRIPTION	P/N
Replacement Inner Seal	AFC 60325

Rear End Gaskets



DESCRIPTION	P/N
Reusable Ford 9" Gasket (sold each)	FEL 2302
Reusable Quick Change Gasket (sold each)	FEL 2303
Sprint HD Quick Change Gasket (sold each)	WIN 6729HD
10 Bolt Paper Gasket (sold each)	WIN 1764-FQC
10 Bolt Midget Gasket (sold each)	WIN 6703
Midget HD Gasket (sold each)	WIN 6703HD
7" Rear End Cover Gasket	WIN 3343

Ford 9" Pot Studs



DESCRIPTION	P/N
Ford 9" Pot Studs (sold each)	BRP 112

FORD 9" SPOOLS



DESCRIPTION	P/N
9" Ford Steel Spool - 31 Spline	ALL 68064
9" Ford Aluminum Spool - 31 Spline	ALL 68111

FORD 9" REAR ENDS



Did You Know...

Ford 9" Rear Ends have 4 spindle options:
Wide 5, Mini 3/4 Ton, Grand National
and Howe Style.

SPECIFY TUBE LENGTH AND OFFSET WHEN ORDERING

All BRP Ford 9" rear end housings are jig welded and feature the following standard options:

- Winters 9" Housing
- 3/16" Lightweight Chrome Moly Tubes
- 1/2" NPT Female Drain with Plug
- 1/2" NPT Female Vent
- Any Offset Available
- Any Length Tube
- Choice of 4 spindle options.



WIN 2465 Bare Housing

DESCRIPTION	P/N
Ford 9" Housing with tubes and mini 3/4 Ton Spindles (typical weight approx. 46 pounds) SPECIFY TUBE LENGTH AND OFFSET	BRP 102
Ford 9" Housing with tubes and Wide 5 Spindles (typical weight approx. 46 pounds) SPECIFY TUBE LENGTH AND OFFSET	BRP 102-5
Ford 9" Housing with tubes and Grand National Spindles (typical weight approx. 46 pounds) SPECIFY TUBE LENGTH AND OFFSET	BRP 102-GN
3" O.D. X 24 1/2" Long Steel Tube with Mini 3/4 Ton Spindle	BRP 103
Bare 9" Ford Housing	WIN 2465
Replacement Pot Studs (sold each)	BRP 112

MINI 3/4 TON FLOATER ASSEMBLY

Did You Know...

Our Most Popular Rear End is Approved
for NASCAR Canada Competition.



DESCRIPTION	P/N
Complete Rear End Assembly (Includes all parts listed below) SPECIFY TUBE LENGTH AND OFFSET	BRP 100
Housing with Tubes and Mini 3/4 Ton Spindles SPECIFY TUBE LENGTH AND OFFSET	BRP 102
Wide 5 Inner Hub Seals	BRP 114
Wide 5 Inner Wheel Bearing	BRP 117
Wide 5 Outer Hub bearing	BRP 118
Spindle Lock Nut	BRP 320
31 X 24 Splined Axles (Length Dependant on Tube Length)	BRP 30xx
Bolt Kit	BRP 55
Light Weight Steel Drive Flange (2 pounds each)	BRP 121
Steel 5 X 5 hub - 5/8" C Quick start studs (7.9 pounds each)	BRP 108C
Aluminum Rotor Adaptor	BRP 109
Lightweight Drive Flange Locator Cap for BRP 121 Drive Flange	BRP 123

Optional At No Charge:

- 1- Aluminum Hubs (6.25 pounds each) BRP 108AC
- 2- BRP 805 Aluminum Drive Flanges

Optional at extra charge:

- Gundrilled Axles
- BRP 124 Quick Locator Cap for BRP 121
- BRP 805-1 Locator Cap for BRP 805

Did You Know...

It is recommended to use an inboard axle seal
such as BRP 6110 to ensure the gear oil
stays where it should- in the rear end!

Replacement Parts

DESCRIPTION	P/N
Replacement 5/8" C Stud (sold each)	BRP 2072
Replacement Inner Race (both steel and aluminum hub)	BRP 115
Replacement Outer Race (both steel and aluminum hub)	BRP 116

QUICK CHANGE THIRD LINK MOUNT



DESCRIPTION	P/N
Red Anodized Billet Aluminum Quick Change Third Link Mount (sold in pair's)	BRP 438

ALUMINUM LOWERING BLOCKS



DESCRIPTION	P/N
Adjustable 2 1/2" Aluminum Lowering Block	BRP 6162
Adjustable 1 1/2" Aluminum Lowering Block	BRP 6160

Did You Know...

Adjustable Lowering Blocks allow front to rear adjustment so you can lead or trail the rear tire giving you greater set-up flexibility!

ADJUSTABLE LATE MODEL PANHARD SLIDER



Adjustable Panhard Slider and Replacement Parts

DESCRIPTION	P/N
Adjustable Late Model Panhard Slider Assembly	BRP 509000
Aluminum Slider Block	BRP 509001
1 1/8" Threaded Sleeve	BRP 5150
Aluminum Threaded Adjuster Rod	BRP 509005
1/4" Detent Ball	BRP 509008
Steel Side Plate (2) required	BRP 509007
Steel End Plate	BRP 509003

Serrated Weld On Panhard Mount

DESCRIPTION	P/N
Lower Offset Roll Center Mount	BRP 5094
Same as BRP 5094, but Weld Tab is centered	BRP 5095
Serrated Front Mount	BRP 5099
5/8" Thick Lightweight Serrated Mount	BRP 5093

TORQUE TUBE ASSEMBLIES



DESCRIPTION	P/N
Aluminum Torque Tube Collar Only	BRP 500
26 3/4" Tube and Collar Assembly	BRP 519-1
24 3/16" Tube and Collar Assembly	BRP 518
27 3/16" Tube and Collar Assembly	BRP 519
2 5/8" Billet Aluminum Hard Coated Torque Ball	WIN 6654
Torque Tube Spacer for Crate Engine	BRP 9340

LIVE AXLE HUB SPACERS



Flat Hub Spacers

WIDTH	SMOOTH P/N	SPLINED P/N
.200"	BRP 914	
.250"	BRP 915	BRP 915S
.300"	BRP 916	
.350"	BRP 917	BRP 917S
.500"	BRP 917-1	BRP 917-1S
.625"	BRP 917-2	BRP 917-2S
.750"	BRP 917-3	BRP 917-3S
.880"	BRP 918	
1.00"	BRP 917-4	BRP 917-4S
1.06"	BRP 919	
2.00"	BRP 917-8	BRP 917-8S

Tapered Hub Spacers

WIDTH	SMOOTH P/N	SPLINED P/N
.250"	BRP 923	
.500"	BRP 924	BRP 924S
.750"	BRP 925	BRP 925S
1.00"	BRP 926	BRP 926S
1.25"	BRP 927	BRP 927S
1.50"	BRP 928	BRP 928S

Note- Flat spacers are used for spacing hub/bearing inside the hub, while tapered spacers are used for spacing outside the hub.

DESCRIPTION	P/N
LH Sprint Live Axle Nut - Ultralight	WIN 6121L-UL
RH Sprint Live Axle Nut - Ultralight	WIN 6121R-UL

LIVE AXLE HUBS



DESCRIPTION	P/N
Standard Spline Billet Aluminum Dirt Hub	BRP 4306
Tight Spline Billet Aluminum Asphalt Hub (common in Super Modified applications)	BRP 4307

NOTE: BRP 4306 fits loose and slides on splined axles, where the BRP 4307 fits tight and needs to be warmed for installation. BRP 4307 is made for high load, high torque high stress applications where spline tightness is key.

WILWOOD STARLIGHT 55 HUBS

Rear 5 Bolt Wide 5 Aluminum Hub

DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs)	WIL 270-6513C
2 Replacement Inner Race	BRP 115
3 Inner Bearing	BRP 117
4 Replacement Outer Race	BRP 116
5 Outer Bearing	BRP 118
6 Standard Inner Seal	BRP 114
6 Low Drag Inner Seal	ALL 72122
7 Replacement Wheel stud	BRP 2059
8 Locking Nut Assembly	BRP 320
9 Black BRP Aluminum Drive Flange (includes bolts)	BRP 348BK
10 5 Bolt Drive Flange Bolt Kit	BRP 348B
10 7/16" Drive Flange Stud Kit (includes 5 studs, 5 washers, 5 nuts)	BRP 337-5
11 Replacement O Ring for BRP Drive Flange	BRP 348S
12 Replacement Cap for BRP Drive Flange	BRP 349

Front Wide 5 Aluminum Hub

DESCRIPTION	P/N
1 Front Hub Assembly (includes races, studs, & dust cap)	WIL 270-6735C
2 Replacement Inner Race	BRP 115
3 Inner Bearing	BRP 117
4 Replacement Outer Race	BRP 116
5 Outer Bearing	BRP 118
6 Standard Inner Seal	BRP 114
6 Low Drag Inner Seal	ALL 72122
7 Replacement Wheel stud	BRP 2059
8 Locking Nut Assembly	BRP 320
9 Replacement Hub Dust Cap	WIL 270-6913

Rear Winters Wide 5 Aluminum Hub

DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs)	WIN 6690
2 Replacement Inner Race	BRP 115
3 Inner Bearing	BRP 117
4 Replacement Outer Race	BRP 116
5 Outer Bearing	BRP 118
6 Standard Inner Seal	BRP 114
6 Low Drag Inner Seal	ALL 72122
7 Replacement Wheel stud	BRP 2059
8 Locking Nut Assembly	BRP 320
9 Black BRP Aluminum Drive Flange	BRP 343BK
10 Replacement Drive Flange Cap with O-ring	BRP 122
11 Replacement Drive Flange Bolt (sold each)	BOL 10240502CZ
12 Drive Flange Bolt Kit (includes bolts and lock washers)	BRP 339
12 Optional Drive Flange Stud - 8 required (comes with stud and nut)	BRP 337
12 Set of 5 Studs and Nuts	BRP 337-5

WIDE 5 DRIVE FLANGES



DESCRIPTION

BLACK P/N

Aluminum LW WIDE 5 Drive Flange - 8 BOLT

BRP 343BK

Aluminum LW WIDE 5 Drive Flange - 5 BOLT

BRP 348BK

BRAKE ROTOR ADAPTER



DESCRIPTION

P/N

Dynamic Brake Rotor Adapter

WIL 300-8431

Dynamic Rotor to Plate T-Nuts (set of 8)


WIL 230-8454

REAR LARGE BEARING HUBS




Winters Large Bearing Rear Hub

DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs)	WIN 3266
3 Inner or Outer Bearing with Race - WINTERS ONLY	WIN 8658
4 Replacement Wheel stud	BRP 2059
5 Standard Inner Seal - NO STEEL SLEEVE ON TUBE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON TUBE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON TUBE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
7 Optional Lock Nut Assembly with Slotted Washer	BRP9489
8 BRP Aluminum Drive Flange (includes bolts) - Black Anodized	BRP 345BK
9 Replacement Center Cap For BRP 345BK	BRP 122



Bert Large Bearing Rear Hub

DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs) - PLAIN FINISH	BER CTD-001
1 Rear Hub Assembly (includes races & studs) - BLACK FINISH	BER CTD-001-BK
2 Replacement Inner or Outer Race	BRP 6222
3 Inner or Outer Bearing	BRP 6224
3 Inner or Outer Bearing - REM FINISHED (Bearing & Race)	BRP 6224REM
4 Replacement Wheel stud	BRP 2059
5 Standard Inner Seal - NO STEEL SLEEVE ON TUBE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON TUBE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON TUBE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
7 Optional Lock Nut Assembly with Slotted Washer	BRP 9489
8 BRP Aluminum Drive Flange (includes bolts) - Black Anodized	BRP 345BK
9 Replacement Center Cap For BRP 345BK	BRP 122



REAR LARGE BEARING DRIVE FLANGES




COLOR	DESCRIPTION	P/N
Black	BRP 5 Bolt Large Bearing Drive Flange with Bolts and Cap	BRP 345BK
Black	BRP 5 Bolt Flank Drive Flange for BRP 6202 Hub with Bolts and Cap	BRP 6202D
	Replacement Bolt Kit for 345BK Drive Flanges (pack of 5)	BRP 346
Black	Replacement Cap for BRP 345BK	BRP 122
Black	Replacement Cap for BRP 6202D	BRP 349
	Optional Studs With Locknut - 7/16" (sold each)	BRP 337
	Optional Studs With Locknuts (5 pack)	BRP 337-5
Black	BRP 3 Bolt Drive Flange with Cap (fits 9380 / 9383 hubs)	BRP 9381
	Replacement Cap for BRP 9381	BRP 122
	Replacement 5/16" Stud Kit for BRP 9381 (comes w/ studs, washers, nuts)	BRP 9388


HUBS & DRIVE FLANGES

REAR LARGE BEARING BILLET HUBS

BRP Billet Large Bearing **3 BOLT** Rear Hub




DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs)	BRP 9380
2 Replacement Inner or Outer Race	BRP 6222
3 Inner or Outer Bearing	BRP 6224
Inner or Outer Bearing - REM Finished	BRP 6224REM
4 Replacement Wheel stud	BRP 2060
5 Standard Inner Seal - NO STEEL SLEEVE ON TUBE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON TUBE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON TUBE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Sleeve	BRP 9380A
7 Locking Nut Assembly (comes with lock nut and 1 steel lock ring)	BRP 6230
7 Optional Slotted Lock Washer Assembly (2 slotted washers only)	BRP 9486
7 Optional Slotted Lock Washer Assembly with Lock Nut (comes with 2 slotted washers and locking nut)	BRP 9489
8 Drive Flange Assembly (with cap and bolts)	BRP 9381
9 Replacement Center Cap for BRP 9381	BRP 122
10 3 Bolt Rotor Adaptor To Adapt To 8 on 7" Rotor	BRP 9384
11 Optional Tee Nuts For BRP 9384 - to make rotors floating	BRP 9386
12 Drive Flange Stud Kit (comes with 3 studs, 3 nuts and 3 washers)	BRP 9388



BRP Billet Large Bearing **5 BOLT** Rear Hub


DESCRIPTION	P/N
1 Rear Hub Assembly (includes races & studs)	BRP 9383
1 Optional Hub with REM Finished Races and Bearings	BRP 9383REM
2 Replacement Inner or Outer Race	BRP 6222
3 Inner or Outer Bearing	BRP 6224
Inner or Outer Bearing - REM Finished - Bearing & Cup	BRP 6224REM
4 Replacement Wheel stud	BRP 2060
5 Standard Inner Seal - NO STEEL SLEEVE ON TUBE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON TUBE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON TUBE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
7 Optional Slotted Lock Washer Assembly (2 slotted washers only)	BRP 9486
7 Optional Slotted Lock Washer Assembly with Lock Nut (comes with 2 slotted washers and locking nut)	BRP 9489
8 Drive Flange Assembly	BRP 9381
9 Replacement Center Cap for BRP 9381	BRP 122
10 5 Bolt Rotor Adaptor To Adapt To 8 on 7" Rotor	BRP 9385
11 Optional Tee Nuts For BRP 9384 - to make rotors floating	BRP 9386
12 Drive Flange Stud Kit (comes with 3 studs, 3 nuts and 3 washers)	BRP 9388

BILLET HUB ROTOR ADAPTORS



DESCRIPTION	P/N
3 Bolt Taper Head Rotor Adaptor to 8 on 7" Rotor (used on BRP 9380/9382)	BRP 9384
5 Bolt Taper Head Rotor Adaptor to 8 on 7" Rotor (used on BRP 9383/9401)	BRP 9385
Tee Nuts to make rotors float (package of 8 pre-drilled bolts and tee nuts)	BRP 9386

NANOCERAMIC GREASE



DESCRIPTION	P/N
16 oz. Jar Nanoceramic Grease	DAT NCRG16J
16 oz. Tube Nanoceramic Grease	DAT NCRG16
1 oz. Syringe Nanoceramic Grease	DAT NCRG1

HUB PRELOAD KITS



DESCRIPTION	P/N
Front Large Bearing Hub Preload Kit - (will work with any front 2 7/8" large bearing hub)	BRP 9392
Rear Large Bearing Hub Preload Kit - (will work for any rear 2 7/8" large bearing hub)	BRP 9393
Bearing Preload Setup Spindle	BRP 9396


NOTE: SEE PAGE 29 FOR INSTRUCTIONS

Did You Know...

Each kit has enough spacers to do 1 hub only! So order 2 kits if you plan on doing both hubs. Or order 4 kits if you plan on doing all 4 hubs and making your car roll with very little resistance!

LARGE BEARING FRONT HUBS

Winters Large Bearing Front Hub




DESCRIPTION	P/N
1 Front Hub Assembly (includes studs and races)	WIN 3266F
2 Inner and Outer Bearing with Race (not sold separate)	WIN 8658
3 Inner and Outer Bearing with Race (not sold separate)	WIN 8658
4 Replacement Wheel stud	BRP 2059
5 Standard Inner Seal - NO STEEL SLEEVE ON SPINDLE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON SPINDLE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON SPINDLE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE ON SPINDLE	WIN 7289V
6 Low Drag Hub Seal	SUP 7289LVD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
7 Optional Slotted Lock Washer Assembly with Lock Nut (comes with 2 slotted washers and locking nut)	BRP 9489
8 BRP Aluminum Dust Cap (includes bolts) - Red Anodized	BRP 6226
8 BRP Aluminum Dust Cap (includes bolts) - Black Anodized	BRP 6226BK
8 Winters Dust Cap - Black Anodized	WIN 3289

NOTE: DO NOT MIX WINTERS / BRP BEARINGS AS THEY ARE DIFFERENT

NEW PRODUCT

TO GET EVERYTHING SHOWN IN DIAGRAM 1, ORDER PART # WIN 3750F. INCLUDES WIN 3278 GASKET, WIN 3289 DUST CAP, WIN 7289V SEAL, 2 WIN 8658 BEARING and WIN 4301 Lock Nut




Bert Large Bearing Front Hub

DESCRIPTION	P/N
1 Front Hub Assembly (includes studs and races) - PLAIN FINISH	BER CTD-001
1 Front Hub Assembly (includes studs and races) - BLACK FINISH	BER CTD-001-BK
2 Inner and Outer Race	BRP 6222
3 Inner and Outer Bearing	BRP 6224
3 Inner and Outer Bearing - REM FINISHED - Bearing & Cup	BRP 6224REM
4 Replacement Wheel stud	BRP 2059
5 Standard Inner Seal - NO STEEL SLEEVE ON SPINDLE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON SPINDLE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON SPINDLE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE ON SPINDLE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
7 Optional Slotted Lock Washer Assembly with Lock Nut (comes with 2 slotted washers and locking nut)	BRP 9489
8 BRP Aluminum Dust Cap (includes bolts) - Red Anodized	BRP 6226
8 BRP Aluminum Dust Cap (includes bolts) - Black Anodized	BRP 6226BK

FRONT LARGE BEARING BILLET HUBS


BRP Billet Large Bearing 3 BOLT Front Hub



BRP 9381 DRIVE FLANGE O-RING
PART NUMBER: NIA 042

DESCRIPTION	P/N
1 Front Hub Assembly (includes races, studs and dust cap)	BRP 9382
1 Front Hub Assembly (includes races, studs and dust cap) WITH REM FINISHED BEARINGS AND RACES	BRP 9382REM
2 Replacement Inner and Outer Race	BRP 6222
3 Inner and Outer Bearing	BRP 6224
3 Inner and Outer Bearing - REM FINISHED BEARING AND RACE	BRP 6224REM
4 Replacement Wheel stud	BRP 2060
5 Standard Inner Seal - NO STEEL SLEEVE ON TUBE	BRP 6225
5 Low Drag Seal (not for oil use) - NO STEEL SLEEVE ON TUBE	BRP 6232
5 Inner Seal For Oil Filled Hubs - NO STEEL SLEEVE ON TUBE	WIN 7284V
5 Inner Seal For Oil and Grease - WITH STEEL SLEEVE	WIN 7289V
5 Low Drag Hub Seal	SUP 7289VLD
6 Inner Seal Snap Ring	BRP 6223
7 Locking Nut Assembly	BRP 6230
8 BRP Aluminum Dust Cap (Includes Bolts) Black Anodized	BRP 6203C
9 3 Bolt Rotor Adaptor To Adapt To 8 on 7" Rotor	BRP 9384
10 Optional Tee Nuts For BRP 9382 (package of 8 bolts and tee nuts)	BRP 9386
7 Optional Slotted Lock Washer Assembly (2 slotted washers only)	BRP 9486
7 Optional Slotted Lock Washer Assembly with Lock Nut (comes with 2 slotted washers and locking nut)	BRP 9489

BRP WIDE 5 MODIFIED FRONT HUB



BRP Wide 5 Front Hub

DESCRIPTION	P/N
1 Front Hub Assembly (includes races, studs, rotor bolts & dust cap) Red Anodized	BRP 4570
1 Front Hub Assembly (includes races, studs, rotor bolts & dust cap) Black Anodized	BRP 4570BK
2 Replacement Inner Race	BRP 826
3 Inner Bearing	BRP 828
Inner Bearing - REM FINISHED - Bearing and Cup	BRP 828REM
4 Replacement Outer Race	BRP 827
5 Outer Bearing	BRP 829
Outer Bearing - REM FINISHED - Bearing and Cup	BRP 829REM
6 Inner Seal	BRP 835
7 Locknut Assembly	BRP 831L
8 Replacement Stud	BRP 2060
9 Replacement Dust Cap	BRP 4571

SEE PAGE 25 & 26 FOR SPINDLE APPLICATIONS

Shorty Spindle BRP Wide 5 Front Hub



Inner and outer bearings, grease seal, wheel nuts sold separately

DESCRIPTION	P/N
Front Hub with Cap and Races - Red Anodized	BRP 821
Front Hub with Cap and Races - Black Anodized	BRP 821BK
Front Hub with Cap and REM FINISHED Races and Bearings	BRP 821BKREM
Inner Race	BRP 826
Outer Race	BRP 827
Inner Bearing	BRP 828
Outer Bearing	BRP 829
Aluminum Locking Spindle Nut Assembly	BRP 831L
Inner Hub Seal	BRP 835
Dust Cap	BRP 832
Rotor Bolt	BOL 081003FZ

When mounting a BRP 821 hub and 11" rotor to a BRP 4590 spindle, use a BRP 8-2250 brake bracket for a Dynalite II caliper and a BRP 18-2375 brake bracket for a Dynalite single caliper.

2 7/8" BEARING / QUADLOCK BEARINGS



DESCRIPTION	P/N
Inner race - BRP / Bert Hubs	BRP 6222
Outer race - BRP / Bert Hubs	BRP 6222
Inner bearing - BRP / Bert Hubs	BRP 6224
Outer bearing - BRP / Bert Hubs	BRP 6224
Inner and Outer Bearing - REM FINISHED - Bearing and Race	BRP 6224REM
Steel locking spindle nut assembly (comes w/ locking nut and 1 washer) - all hubs	BRP 6230
Steel Lock Washer Assembly (comes w/ 2 slotted washers only) - all hubs	BRP 9486
Steel locking spindle nut assembly (comes w/ locking nut and 2 slotted washers) - all hubs	BRP 9489
STD Inner hub seal NO SLEEVE ON TUBE/SPINDLE	BRP 6225
Low drag inner hub seal (will not work for oil filled hubs) NO SLEEVE ON TUBE/SPINDLE	BRP 6232
Oil Filled inner hub seal NO SLEEVE ON TUBE/SPINDLE	WIN 7284V
Inner hub seal for oil or grease WITH STEEL SLEEVE ON TUBE/SPINDLE	WIN 7289V
Low drag hub seal	SUP 7289VLD
Low drag inner hub seal for oil or grease WITH STEEL SLEEVE ON TUBE/SPINDLE	WIN 7289VLD
Inner / Outer Bearing with Race - WINTERS HUBS ONLY	WIN 8658

WIDE 5 BEARINGS & SEALS



DESCRIPTION	P/N
Wide 5 Bearing Assembly (includes seal, inner & outer bearing, and BRP 320 Lock Nut)	BRP 113
Wide 5 Inner Seal	BRP 114
Low Drag Wide 5 Inner Seal	ALL 72122
Optional Extra Low Friction Forever Seal	BER CTD-005-NS
Wide 5 Inner Race	BRP 115
Wide 5 Outer Race	BRP 116
Wide 5 Inner Bearing	BRP 117
Wide 5 Outer Bearing	BRP 118
REM Finish Wide 5 Inner Race and Bearing	WIN 7322REM
REM Finish Wide 5 Inner Bearing and Race	WIN 7324REM
Wide 5 Hub Center Tube Seal (keeps cast hubs from filling with oil)	SIC HS-2001
Wide 5 Adjustable Bearing Spacer	ALL 72320

WIDE 5 SPINDLE NUTS



DESCRIPTION	P/N
Wide 5 Aluminum Locking Spindle Nut Assembly (includes aluminum nut, 2 washers, and bolts)	BRP 320
2 Replacement Lock Washers and Bolts Only	BRP 320W
Replacement Inner Solid Washer Only	BRP 320W-1
Replacement Outer Slotted Washer Only	BRP 320W-2
Narrow Aluminum Spindle Nut Only	BRP 319

GN BEARINGS & SEALS



DESCRIPTION	P/N
Axle Tube Spindle Inner Seal	BRP 804-3
Hub Seal	BRP 804-2
Inner and Outer Race	BRP 804
Inner and Outer Bearing	BRP 804-1
LH Spindle Nut	BRP 804-6
RH Spindle Nut	BRP 804-5
Locking Tab Washer	BRP 804-4


SPINDLE NUT WRENCHES



DESCRIPTION	P/N
Large Bearing Locking Nut Adjuster Wrench	BRP 6231
Wide 5 Locking Nut Adjuster Wrench	BRP 317A
Grand National Locking Nut Adjuster Wrench	COL 850-002

HUBS & DRIVE FLANGES

5 on 5" / 5 on 4 3/4" HUBS



DESCRIPTION	5 on 5"	5 on 4 3/4"
1 5 on 5" Coarse Hub Assembly (includes studs & races)	WIN 2255C	WIN 2566C
2 Replacement Retaining Ring	WIN 7644	WIN 7644
3 Replacement Inner and Outer Race	BRP 804	BRP 804
4 Inner or Outer Bearing	BRP 804-1	BRP 804-1
5 Inner Hub Seal	BRP 804-2	BRP 804-2
6 Spindle Seal	BRP 804-3	BRP 804-3
7 Tab Washer	BRP 804-4	BRP 804-4
8 Left Hand Thread Spindle Nut	BRP 804-6	BRP 804-6
8 Right Hand Thread Spindle Nut	BRP 804-5	BRP 804-5
9 Drive Flange (includes cap and bolts)	WIN 1680	WIN 1680-475

DRIVE FLANGES



FIG	DESCRIPTION	P/N	REPLACEMENT CAP ONLY P/N
1	Steel 3/4 Ton Drive Flange - Lightweight 5 on 5	BRP 121	<-----> BRP 122
2	Aluminum LW WIDE 5 Drive Flange - 8 BOLT	BRP 343BK	<-----> BRP 122
3	Aluminum Large Bearing WIDE 5 Drive Flange - 5 BOLT	BRP 345BK	<-----> BRP 122
4	Aluminum Mod Lite Drive Flange - 4 on 4 1/4" or 4 1/2"	BRP 347	<-----> BRP 122
5	Aluminum LW WIDE 5 Drive Flange - 5 BOLT	BRP 348BK	<-----> BRP 349
6	Aluminum Drive Flange For BRP 9380/9383 Hub	BRP 9381	<-----> BRP 122
7	Aluminum Drive Flange For BRP 6202 Hub	BRP 6202D	<-----> BRP 349
8	Aluminum GN Drive Flange	BRP 805	<-----> BRP 805-4
10	Aluminum 5 on 5" Drive Flange	WIN 1680	
11	Aluminum 5 on 4 3/4" Drive Flange	WIN 1680-475	
--	7/16" C Drive Flange Stud With Locknut (each)	BRP 337	
--	7/16" C Drive Flange Stud 5 Pack with locknuts	BRP 337-5	
--	Drive Flange Stud Kit For BRP 9381	BRP 9388	

LATE MODEL IMPALA STEEL HUBS

'70-'72 Impala and Howe Spindles




DESCRIPTION	P/N
Impala Hub Assembly (includes 8 on 7" rotor adaptor, races, & 5/8" C studs)	BRP 861C
Impala Hub Assembly (includes 8 on 7" rotor adaptor, races, & 5/8" F studs)	BRP 861
Inner Hub Seal	BRP 853
Outer Wheel Bearing Reducer Bushing	BRP 854
Inner Wheel Bearing	BRP 828-1
Outer Wheel Bearing	BRP 829
Dust Cap	BRP 814
Optional Bullet Style Dust Cap	BRP 814B
Replacement Coarse Thread Wheel Stud (sold each)	BRP 2075
Replacement Fine Thread Wheel Stud (sold each)	BRP 2061
Replacement Inner Race	BRP 826
Replacement Outer Race	BRP 827

MINI 3/4 TON HUBS



DESCRIPTION	P/N
Mini 3/4 Ton Steel Hub (includes 5/8" C studs, & races)	BRP 108C
Mini 3/4 Ton Aluminum Hub (includes 5/8" C studs, & races)	BRP 108AC
Steel Drive Flange (will fit both steel and aluminum hub)	BRP 121
Aluminum Drive Flange (will fit both steel and aluminum hub)	BRP 805
Aluminum Rotor adaptor - 8 on 7" (required for steel and aluminum hubs)	BRP 109
Inner Bearing	BRP 117
Outer Bearing	BRP 118
Hub Seal	BRP 114
Spindle Lock Nut Assembly	BRP 320
Replacement Outer Race	BRP 116
Replacement Inner Race	BRP 117
Standard Locator Cap for BRP 805 Drive Flange (Lightweight)	BRP 805-1
Quick Start Locator Cap for BRP 121 Drive Flange	BRP 124
Lightweight Quick Start Drive Flange Locator Cap for BRP 121	BRP 123
Replacement 5/8" C Stud	BRP 2075

WHEEL STUDS



Wheel Stud & Nut Kits

DESCRIPTION	P/N
5/8" C wheel stud and lug nut kit (includes 20- BRP 2051, & 20- BRP 2072)	BRP 2072KIT

A - THREAD	B - LENGTH	C - LENGTH	D - SPLINE	E - SPLINE LENGTH	DRILL SIZE	DESCRIPTION	P/N
7/16" F	2 7/8"	2 7/8"	.480"	.450"	29/64"	Rear Chevy	BRP 2063
7/16" F	2 7/8"	2 7/8"	.560"	.300"	35/64"	Front Chevy	BRP 2064
1/2" F	3"	3"	.685"	.400"	43/64"		BRP 2066
1/2" F	3"	3"	.615"	.400"	19/32"	(5 to a package)	MOR 46180
1/2" F	1 3/4"	1 5/8"	.615"	.400"	19/32"	T.Q. Hubs	BRP 2932
5/8" F	2 3/4"	2 1/8"	.685"	.400"	43/64"		BRP 2073
5/8" F	2 3/4"	2 1/8"	.685"	.800"	43/64"		BRP 2074
5/8" F	3"	2 11/16"	.685"	.450"	43/64"	Front G.N. hubs & BRP 108	BRP 2062
5/8" F	3"	2.550"	.672"	.800"	17MM	Wide 5 Hubs	BRP 2061
5/8" C	2 1/4"	1 3/4"	.685"	.400"	43/64"	Wheel Adaptor plates	BRP 2060
5/8" C	2"	1 3/8"	1/2" FINE	---	---	Threaded for 6 Pin Hubs	BRP 833
5/8" C	1 7/8"	---	.685"	.800"	43/64"	1" Wheel Spacer	BRP 2058
5/8" C	2 3/4"	2 1/8"	.685"	.800"	43/64"	Wide 5 Hubs	BRP 2059
5/8" C	2 3/4"	2 1/8"	.685"	.400"	43/64"	3/8" and 1/2" Wheel Adaptors	BRP 2072
5/8" C	3 3/4"	3 1/8"	.685"	.800"	43/64"	Stud For BRP 861C	BRP 2075
5/8" C	3"	2 1/2"	.685"	.450"	43/64"	Oval Head	BRP 2078
5/8" C	3"	2 1/2"	.685"	.400"	43/64"	Machined Short Spline	BRP 2077
12mm X 1.5mm	1 1/2"	1 1/2"	.545"	.425"	17/32"	Metric	BRP 2057
5/8" C	1.950"	1.40"	.685"	.400"	43/64"	5/8" C Short Wheel Stud	BRP 2080

Drill Bits



DESCRIPTION	P/N
43/64" Drill Bit (sold each)	ALL 11045

WHEEL NUTS



THREAD SIZE	STEEL		ALUMINUM	
	SINGLE SIDED	DOUBLE SIDED	SINGLE SIDED	DOUBLE SIDED
7/16" F	BRP 2054			
1/2" F	BRP 2055			
5/8" F	BRP 2050		BRP 2050A	
5/8" C	BRP 2051	BRP 2051D	BRP 2051A	BRP 2051AD
12mm X 1.5	BRP 2056			
1/2" F Serrated	BRP 4150			
6 Pin Nut			BRP 836	

DESCRIPTION	P/N
Spring Loaded Steel Lug Nuts (sold in packs of 5)	ALL 44108
Replacement spring and Screw (sold in packs of 5)	ALL 44109

PIT SOCKETS



DESCRIPTION	P/N
.900" Deep Hard Coated Pit Socket with Spring	BRP 2044
Replacement Spring for BRP 2044	BRP 2046
12" Pit Socket with 1 piece extension (ORANGE)	ALL 10240
11" Pit Socket with 1 piece extension with Super Socket (RED)	ALL 10241
3 1/4" Long Steel Wheel Socket	ALL 10232



Did You Know...

All BRP Calipers are machined from billet aluminum, the housings are low profile, but strong, allowing less flex and better brake feel. They have internal crossovers to prevent leakage!

BRP BILLET 1000 SERIES CALIPERS



PISTON SIZE	ROTOR WIDTH	MOUNT CENTER	RED P/N	BLACK P/N
1.75"	3/8"	3.25"	BRC 170-1516	BRC 170-1516BK
1.75"	3/8"	3.75"	BRC 170-1526	BRC 170-1526BK

Replacement Parts

DESCRIPTION	P/N
Replacement Piston (sold each)	BRC 230-7528
Replacement Piston O-Ring (sold in packs of 4)	BRC 225-2655
Crossover O-Ring (sold in packs of 4)	BRC 225-2583
Bleeder Screw Assembly (sold in packs of 4)	BRC 220-0064
Brake Pad Retainer Pin (each)	BRC 180-3862-1
Brake Pad Retainer Pin (sold in packs of 4)	BRC 180-3862
Brake Pad Wear Plate (sold each)	BRC 300-5875
Replacement Caliper Bolt (sold each)	BOL 061752HZ

BRP BILLET 2000 SERIES CALIPERS



PISTON SIZE	ROTOR WIDTH	MOUNT CENTER	RED P/N	BLACK P/N
1.75"	3/8"	5.25"	BRC 170-4993	BRC 170-4993BK
1.75"	.810"	5.25"	BRC 170-4997	BRC 170-4997BK
1.75"	1.25"	5.25"	BRC 170-4998	BRC 170-4998BK

Replacement Parts

DESCRIPTION	P/N
Replacement Piston (sold each)	BRC 230-7528
Replacement Piston O-Ring (sold in packs of 4)	BRC 225-2655
Crossover O-Ring (sold in packs of 4)	BRC 225-2583
Replacement Cotter Pins (sold in packs of 4)	BRC 180-0056
Bleeder Screw Assembly (sold in packs of 4)	BRC 220-0064
Brake Pad Retainer Pin for BRC 170-4993 (sold in packs of 4)	BRC 180-3862
1/8" X 3-1/2" Zinc Extended Prong Cotter Pin	BRC 180-0056-1
Brake Pad Wear Plate (sold each)	BRC 300-5875
Replacement Caliper Bolt for BRC 170-4993 (sold each)	BOL 061752HZ
Replacement Caliper Bolt for BRC 170-4997 (sold each)	BOL 062002HZ
Replacement Caliper Bolt for BRC 170-4998 (sold each)	BOL 062502HZ

BRP BILLET 2800 SERIES CALIPERS



PISTON SIZE	ROTOR WIDTH	MOUNT CENTER	RED P/N	BLACK P/N
1.75"	3/8"	3.5"	BRC 170-4088	BRC 170-4088BK
1.75"	.810"	3.5"	BRC 170-4090	BRC 170-4090BK
1.75"	1.25"	3.5"	BRC 170-4100	BRC 170-4100BK

Replacement Parts

DESCRIPTION	P/N
Replacement Piston (sold each)	BRC 230-7531
Replacement Piston O-Ring (sold in packs of 4)	BRC 225-2655
Crossover O-Ring (sold in packs of 4)	BRC 225-2583
Bleeder Screw Assembly (sold in packs of 4)	BRC 220-0064
Bridge Bolt Assembly for BRC 170-4088 (comes with bolt, spacer & nut)	BRC 190-4088
Bridge Bolt Assembly for BRC 170-4090 (comes with bolt, spacer & nut)	BRC 190-4090
Bridge Bolt Assembly for BRC 170-4100 (comes with bolt, spacer & nut)	BRC 190-4100
Brake Pad Wear Plate (sold each)	BRC 300-5876
Replacement Caliper Bolt for BRC 170-4088 (sold each)	BOL 061752HZ
Replacement Caliper Bolt for BRC 170-4090 (sold each)	BOL 062252HZ
Replacement Caliper Bolt for BRC 170-4100 (sold each)	BOL 062502HZ
Spacer - 2000 & 2800 calipers - from 3/8" to .810"	BRC 180-810
Spacer - 2000 & 2800 calipers - from 3/8" to .810"	BRC 180-811
Spacer - 2000 & 2800 calipers - from 3/8" to 1.25"	BRC 180-125
Spacer - 2000 & 2800 calipers - from 3/8" to 1.25"	BRC 180-126

BRP BILLET RADIAL MOUNT CALIPERS



BRC 170-5375

NOTE: SEE PAGE 72 FOR RADIAL MOUNT CALIPER BRACKETS

PISTON SIZE	ROTOR WIDTH	MOUNT CENTER	BLACK P/N
1.75"	3/8"	3.5"	BRC 170-5375
1.75"	.810"	3.5"	BRC 170-5810
1.75"	1.25"	3.5"	BRC 170-5125

Replacement Parts

DESCRIPTION	P/N
Replacement Piston (sold each)	BRC 230-7531
Replacement Piston O-Ring (sold in packs of 4)	BRC 225-2655
Crossover O-Ring (sold in packs of 4)	BRC 225-2583
Bleeder Screw Assembly (sold in packs of 4)	BRC 220-0064
Bridge Bolt Assembly for BRC 170-5375 (comes with bolt, spacer & nut)	BRC 190-4088
Bridge Bolt Assembly for BRC 170-5810 (comes with bolt, spacer & nut)	BRC 190-4090
Bridge Bolt Assembly for BRC 170-5125 (comes with bolt, spacer & nut)	BRC 190-4100
Brake Pad Wear Plate (sold each)	BRC 300-5876
Replacement Caliper Bolt for BRC 170-5375 (sold each)	BOL 051752CHZ
Replacement Caliper Bolt for BRC 170-5810 (sold each)	BOL 052252CHZ
Replacement Caliper Bolt for BRC 170-5125 (sold each)	BOL 053002CHZ

WILWOOD BRAKE CALIPERS

Forged SuperLite Calipers



WIL 120-11134

PISTON SIZE	ROTOR WIDTH		REPLACEMENT PISTON	REPLACEMENT O-RING
	.810"	1.25"		
1.38"	WIL 120-11128	WIL 120-11130	WIL 200-3176 (ea)	WIL 130-2658 (4 pack)
1.75"	WIL 120-11134	WIL 120-11136	WIL 200-3062 (ea)	BRC 225-2655 (4 pack)
Crossover Tube	WIL 190-5973	WIL 190-5975		
Bridge Assembly	WIL 230-7539	WIL 220-7541		

DESCRIPTION	P/N
Replacement Bleed Screw Assembly (sold in packs of 4)	WIL 220-6069

Forged Dynalite Calipers



WIL 120-6818

PISTON SIZE	ROTOR WIDTH			REPLACEMENT PISTON	REPLACEMENT O-RING
	.375"	.810"	1.25"		
1.38"	WIL 120-6808	WIL 120-6806	WIL 120-6804	WIL 200-7518	WIL 130-2658 (4 pack)
1.75"	WIL 120-6818	WIL 120-6816	WIL 120-6814	BRC 230-7528	BRC 225-2655 (4 pack)
Cotter Pin	BRC 180-0054	BRC 180-0055	BRC 180-0056		

DESCRIPTION	P/N
Replacement Bleed Screw Assembly (sold in packs of 4)	BRC 220-0064
Replacement Crossover O-rings (sold in packs of 4)	BRC 225-2583

Narrow Mount DynaPro (NDP) Calipers



WIL 120-9736

PISTON SIZE	ROTOR WIDTH		REPLACEMENT PISTON	REPLACEMENT O-RING
	.375"	.810"		
1.75"	WIL 120-9734	WIL 120-11572	BRC 230-7531 (ea)	WIL 130-2655 (4 pack)

DESCRIPTION	P/N
Replacement Bleed Screw Assembly (sold in packs of 4)	BRC 220-0064
Replacement Crossover O-rings (sold in packs of 4)	BRC 225-2583

Dynalite Single Billet Calipers



WIL 120-4062

PISTON SIZE	ROTOR WIDTH	MOUNT HOLES	P/N	REPLACEMENT PISTON	REPLACEMENT O-RING
1.75"	3/8"	3.25"	WIL 120-4062	BRC 230-7528	BRC 225-2655 (4 pack)
1.75"	3/8"	3.75"	WIL 120-4060	BRC 230-7528	BRC 225-2655 (4 pack)
1.75"	3/8"	3.75" - 3 PIN	WIL 120-9689	BRC 230-7528	BRC 225-2655 (4 pack)

DESCRIPTION	P/N
Replacement Bleed Screw Assembly (sold in packs of 4)	BRC 220-0064
Replacement Crossover O-rings (sold in packs of 4)	BRC 225-2583
Replacement Brake Pad Retaining Pin (sold in packs of 4)	BRC 180-3862

PERFORMANCE FRICTION BRAKE PADS

14 Compound

This compound is a favorite for the short track dirt and asphalt racers. It is the lowest torque race compound in PFC's arsenal. It is also used as a rear pad to reduce lock up. 14 Offers a smooth and stable high temperature torque with excellent cold bite for dirt and asphalt racers that demand race ready friction. 14 also offers quicker release for unrivaled modulation with low wear and excellent disc conditioning properties. Recommended for low grip asphalt and dirt applications.

IMCA modified, dirt late model and street stock. **14 COMPOUND REPLACES 81.**

97 Compound

This compound was designed as an all-purpose pad where excellent controllability was a priority over ultimate stopping power. Due to its excellent modulation characteristics, this pad has proved very popular with race schools, rallying, and as a rear pad for applications such as touring cars. 97 has the lowest wear of all compounds, typically providing two to three times more life expectancy than competitors.

This compound can also dramatically extend disc life. 97 is a medium torque race compound and as a result can provide reduced brake temperatures in situations where poor cooling can result in premature disc failure. 97 has the flattest torque curve of all the Performance Friction compounds.

Effective from 167°F and reach 2000°F (75°C, reach 1100°C).

97 uses Performance Friction's unique lubrication package that maintains a minimal transfer layer on the disc to help prevent brake shudder and provide excellent release properties, therefore reducing overall drag in the brake system. 97 is extremely easy on the discs with very low wear.

97 is now being used in Bondurant, Derek Daley, Dale Jarrett Driving Adventure, Panoz, Mid Ohio, and Jim Russell racing schools because of it's long wear vs. performance vs. control and modulation.

11 Compound

Released in 2001, this compound has increased initial bite and improved modulation. The friction level has been increased for the first two-thirds of the braking event, with flatter torque curve and more linear friction curve.

This allows the driver to attack the brake pedal later, reducing the time spent on the brakes.

Very smooth release will not over-slow the car, and won't overwhelm the car's set-up. Like 97 compound,

11 has excellent modulation characteristics that improve controllability and driver confidence.

11 uses Performance Friction's unique lubrication package that maintains a minimal transfer layer on the disc to help prevent brake shudder and provide excellent release properties, therefore reducing overall drag in the brake system. 11 is extremely easy on the discs with very low wear. Effective from 167°F and reach 2000°F (75°C, reach 1100°C), optimum operating range is between 860°F and 1004°F (460°C and 540°C).

11 COMPOUND REPLACES 01

13 Compound

13 has higher average torque than 11.


There is a slight rise of torque with temperature to handle the most severe conditions. 13 has excellent release for improved modulation.

Very easy on discs with wear on par with 11.

Requires finess so as to not upset or overwhelm the car's set-up.


(Only available in 7751 shape)

PERFORMANCE FRICTION BRAKES

Dynalite Single/BRP 1000 Series


DESCRIPTION	P/N
14 Compound	PFR 7757.14.12.44
97 Compound	PFR 7757.97.12.44
11 Compound	PFR 7757.11.12.44

****All Pads sold in Axle Sets****

Dynalite II/BRP 2000 Series


DESCRIPTION	P/N
14 Compound	PFR 7752.14.12.44
97 Compound	PFR 7752.97.12.44
11 Compound	PFR 7752.11.12.44

****All Pads sold in Axle Sets****

Dynalite IIA/BRP 2800 Series

DESCRIPTION	P/N
14 Compound	PFR 7754.14.16.44
97 Compound	PFR 7754.97.16.44
11 Compound	PFR 7754.11.16.44
13 Compound	PFR 7754.13.16.44

****All Pads sold in Axle Sets****

Wilwood Superlite

DESCRIPTION	P/N
14 Compound	PFR 7751.14.20.44
97 Compound	PFR 7751.97.20.44
11 Compound	PFR 7751.11.20.44
13 Compound	PFR 7751.13.20.44

****All Pads sold in Axle Sets****

WILWOOD BRAKE PADS

WILWOOD POLYMATRIX A

Wilwood Polyatrix A compound has immediate cold response with the highest friction values at all temperatures. It is for severe duty use on oval tracks and road courses or any other application that requires immediate high response at low temperatures. It has a long wear rate for severe duty, sustained high temperature braking. It is compatible with all iron, steel, and titanium rotors.

HEAT RANGE: Low to X-High
Cold Torque: X-High
Hot Torque: X-High
Wear Rate: X-Low

WILWOOD POLYMATRIX B

Wilwood Polymatrix B Compound has a slightly softer initial response with the same high temperature friction as "A" with a steady rise in friction as temperature and pedal pressure increases. It has long wear for severe duty use on oval tracks and road courses. It also has predictable smooth engagement at all temperatures and pedal pressures. It is compatible with all iron, steel, and titanium rotors.

HEAT RANGE: Low to X-High
Cold Torque: High
Hot Torque: X-High
Wear Rate: X-Low

WILWOOD BP-10

Wilwood BP-10 compound is a severe duty replacement pad with increased friction and temperature range over OE type pad compounds. It is standard equipment in many street performance disc conversion kits. It beds quickly and provides fast response without excessive abrasion on vented rotors.

HEAT RANGE: Low to Med-High
Cold Torque: Medium
Hot Torque: Medium-High
Wear Rate: Medium

WILWOOD BP-20

Wilwood BP-20 compound is a high performance street compound with increased friction and a wider temperature range over BP10. Beds Quickly and provides fast response without high rotor abrasion. Baseline pad for track oriented street cars.

HEAT RANGE: Low to Med-High
Cold Torque: Medium
Hot Torque: Medium-High
Wear Rate: Medium

WILWOOD BP-40

Wilwood BP-40 compound is an improved formula for heavy braking asphalt ovals, extreme braking on dirt and road course applications. Predictable, linear response with excellent modulation on iron / titanium rotors. Also has long wear rates with iron / steel rotors. This pad is very heat fade resistant.

HEAT RANGE: X-High
Cold Torque: Medium
Hot Torque: X-High
Wear Rate: Medium-Low


WILWOOD Q/ALUMINUM ROTORS

Wilwood Q compound is used for disc brake conversions on street rods, muscle cars, custom show cars, and all moderate performance applications where low noise and dust are of primary importance. It is best used for aluminum rotors, and is also compatible with all vented steel rotors.

HEAT RANGE: Low to Medium
Cold Torque: Medium
Hot Torque: Medium
Wear Rate: Low




Dynalite Single/BRP 1000 Series



DESCRIPTION	P/N
Wilwood BP10	WIL 150-8937K
Wilwood BP 20	WIL 150-9765K
Wilwood BP 40	WIL 150-12242K
Aluminum Rotor	WIL 15Q-10144K
Polymatrix A	WIL 15A-10142K
Polymatrix B	WIL 15B-9819K

All Pads sold in Axle Sets


Dynalite II/BRP 2000 Series



DESCRIPTION	P/N
Wilwood BP10	WIL 150-8850K
Aluminum Rotor	WIL 15Q-6824K
Polymatrix A	WIL 15A-5734K
Polymatrix B	WIL 15B-3991K

All Pads sold in Axle Sets


Dynalite IIA/BRP 2800 Series



DESCRIPTION	P/N
Wilwood BP10	WIL 150-8946K
Wilwood BP40	WIL 150-12248K
Polymatrix A	WIL 15A-7263K
Polymatrix B	WIL 15B-7264K

All Pads sold in Axle Sets


Wilwood Superlite



DESCRIPTION	P/N
Wilwood BP10	WIL 150-8856K
Polymatrix A	WIL 15A-5735K
Polymatrix B	WIL 15B-3992K

All Pads sold in Axle Sets


Wilwood Superlite with Bridge Bolt



DESCRIPTION	P/N
Polymatrix A	WIL 15A-5938K
Polymatrix B	WIL 15B-5939K

All Pads sold in Axle Sets

G.M. BRAKE PADS



PFR Small G.M. (G.M. III)

DESCRIPTION	P/N
01 Compound	PFR 154.01.14.44
97 Compound	PFR 154.97.14.44
11 Compound	PFR 154.11.14.44

NOTE: 14 COMPOUND REPLACES 81
11 COMPOUND REPLACES 01


All Pads sold in Axle Sets



Wilwood Small G.M. (G.M. III)

DESCRIPTION	P/N
B Compound	WIL 15B-3998K

All Pads sold in Axle Sets



PFR Large G.M.

DESCRIPTION	P/N
14 Compound	PFR 052.14.14.44
11 Compound	PFR 052.11.14.44

NOTE: 14 COMPOUND REPLACES 81
11 COMPOUND REPLACES 01

All Pads sold in Axle Sets



Wilwood Large G.M.

DESCRIPTION	P/N
B Compound	WIL 15B-3994K

All Pads sold in Axle Sets



BILLET ALUMINUM BRAKE HATS



BRP 2100

DESCRIPTION	OFFSET	ROTOR MOUNT	P/N
Multi- Pattern Billet 4 Pin Brake Hat (Midget Application) Has bolt pattern of 4 on 4", 4 on 4.25", and 4 on 4.5"	2.25"	8 on 6.210"	BRP 2100
5 on 5" Billet Brake Hat	2.5"	8 on 7.625"	BRP 2113
6 on 5" Billet Brake Hat	2"	8 on 7.625"	BRP 2105

BRAKE PAD SPACERS



BRP 1414.5

ALL 42040

DESCRIPTION	P/N
Superlite II .250" Thick	BRP 1414.25
Superlite II .500" Thick	BRP 1414.5
Large GM .500" Thick	BRP 1416.5
Large GM .900" Thick	BRP 1416.9
Metric Brake Pad Spacer - .190" Thick (sold each)	ALL 42040

GM CALIPER BOLTS



ALL 42079

ALL 42080

DESCRIPTION	P/N
Allen Head GM Caliper Bolt (package of 2)	ALL 42079
Hex Head GM Caliper Bolt (package of 2)	ALL 42080

BRAKE ROTORS



DESCRIPTION	THICKNESS	O.D.	I.D.	WEIGHT	MATERIAL	BOLT PATTERN	DIRECTION	P/N
Drilled Light Wide 5	.320"	12"		5.12#	steel	8 on 7"	BOTH	BRP 60D
Drilled Extra Light Wide 5	.320"	12"		4.52#	steel	8 on 7"	BOTH	BRP 60DL
Drilled - Fits BRP 2100 Billet Hat	.320"	10.25"		3.75#	steel	8 on 6.210"	BOTH	BRP 62D
Drilled Mini Sprint	.320"	10"		5.30#	steel	2" Spline	BOTH	BRP 63
Solid 6 Pin Stand / BRP Front Hubs	.320"	10.87"		5.55#	steel	3 on 5"	BOTH	BRP 65
Drilled Light 6 Pin Stand / BRP Front Hubs	.320"	10.87"		4.80#	steel	3 on 5"	BOTH	BRP 65D
Drilled Extra Light 6 Pin Stand / BRP Front Hubs	.320"	10.87"		4.46#	steel	3 on 5"	BOTH	BRP 65DL
Waved Drilled Light BRP Front Hubs	.320"	10.87"		3.90#	waved steel	3 on 5"	BOTH	BRP 65W
Drilled Light	.320"	12.18"		6.05#	steel	5 bolt	BOTH	BRP 66D
Waved Drilled Light	.320"	12"		3.88#	waved steel	8 on 7"	BOTH	BRP 67
Weld Style Sprint	.375"	11"		2.55#	aluminum	5 bolt	BOTH	BRP 83
Live Axle Sprint Drilled Light	.375"	10.20"		2.05#	aluminum	2" Spline	BOTH	BRP 4301A
Live Axle Sprint Drilled Light	.375"	11"		2.60#	aluminum	2" Spline	BOTH	BRP 4302A
Mini Sprint	.375"	10"		2.34#	aluminum	2" Spline	BOTH	BRP 63A
6 Pin Stand	.375"	10.87"		2.30#	aluminum	3 on 5"	BOTH	BRP 64
GM Wide 5 32 fin	.810"	11.75"		8.35#	steel	8 on 7"	BOTH	WIL 160-0471
Scalloped Straight Vane	.810"	11.75"		5.36#	waved steel	8 on 7"	BOTH	WIL 160-8135
Wide 5 32 fin	.810"	12.18"		9.05#	steel	8 on 7"	BOTH	WIL 160-0277
Wide 5 32 fin - Drilled Light	.810"	12.18"		7.95#	steel	8 on 7"	BOTH	WIL 160-5865
Scalloped Straight Vane	.810"	12.18"		5.96#	waved steel	8 on 7"	BOTH	WIL 160-8136
Wide 5 Curved Vane Right	.810"	12.18"		8.70#	steel	8 on 7"	RIGHT	WIL 160-7103
Wide 5 Curved Vane Left	.810"	12.18"		8.70#	steel	8 on 7"	LEFT	WIL 160-7104
Wide 5 48 fin Left	.810"	11.75"		9.00#	steel	8 on 7"	LEFT	PFR 299.20.0045.01
Wide 5 48 fin Left	.810"	11.75"		9.00#	steel	8 on 7"	LEFT	WIL 160-12286
Wide 5 48 fin Right	.810"	11.75"		9.00#	steel	8 on 7"	RIGHT	PFR 299.20.0045.02
Wide 5 48 fin Right	.810"	11.75"		9.00#	steel	8 on 7"	RIGHT	WIL 160-12285
32 fin for Brake Hat	.810"	12.18"		8.85#	steel	8 on 7.625"	BOTH	BRP 72
GT 36 Curved Vane Brake Rotor Right	.810"	12.19"		10.60#	steel	8 on 7"	RIGHT	WIL 160-12291
GT 36 Curved Vane Brake Rotor Left	.810"	12.19"		10.60#	steel	8 on 7"	LEFT	WIL 160-12292
Vented	.900"	11.75"		9.25"	steel	8 on 7"	BOTH	BRP 91
Vented 32 fin wide 5	1.25"	11.75"		8.75#	steel	8 on 7"	BOTH	WIL 160-0483
Curved Vane Heavy Duty Cascar Wide 5 Left	1.25"	11.75"		11.55#	steel	8 on 7"	LEFT	BRP 76L
Curved Vane Heavy Duty Cascar Wide 5 Right	1.25"	11.75"		11.55#	steel	8 on 7"	RIGHT	BRP 76R
Scalloped Straight Vane	1.25"	11.75"		5.72#	waved steel	8 on 7"	BOTH	WIL 160-8343
Curved Vane - Lightweight Left	1.25"	11.75"		9.55#	steel	8 on 7"	LEFT	WIL 160-2899
Curved Vane- Lightweight Right	1.25"	11.75"		9.55#	steel	8 on 7"	RIGHT	WIL 160-2898
Drilled Light Wide 5	.320"	11.75"		4.75#	steel	8 on 7"	BOTH	BRP 94D
Mod Lite Waved Rotor	.250"	9.875"		3.00#	waved steel	4 on 3.820"	BOTH	BRP 8009
Mod Lite Waved Rotor	.250"	9.500"	2.875"	3.00#	waved steel	4 on 3.820"	BOTH	BRP 8010
Mod Lite Waved Rotor	.250"	9.875"	2.875"	2.80#	waved steel	4 on 4.219"	BOTH	BRP 8011
Mod Lite Waved Rotor	.250"	10.50"	3.56"	3.60#	waved steel	4 on 4.219"	BOTH	BRP 8012
Mod Lite Waved Rotor	.250"	9.500"	3.55"	3.50#	waved steel	4 on 4.250"	BOTH	BRP 8013
GT 48 Curved Vane Brake Rotor Right	1.25"	12.72"	3.510"	13.00#	spec 37-iron	8 on 7.62"	RIGHT	WIL 160-2978
GT 48 Curved Vane Brake Rotor Left	1.25"	12.72"		13.00#	spec 37-iron	8 on 7.62"	LEFT	WIL 160-2979
Drilled & Scalloped Steel Rotor	0.35"	12.19"		4.60#	steel	8 on 7"	BOTH	WIL 160-9773
Direct Mount 5 Bolt Non Floating Rotor	.375"	12.00"		5.20#	steel	5 Bolt	BOTH	BRP 9478
Direct Mount 5 Bolt Floating Rotor**	.375"	12.00"		5.35#	steel	5 Bolt	BOTH	BRP 9479
Direct Mount 5 Bolt Non Floating Rotor	.375"	10.875"		4.40#	steel	5 Bolt	BOTH	BRP 9482
Direct Mount 5 Bolt Floating Rotor**	.375"	10.875"		4.40#	steel	5 Bolt	BOTH	BRP 9483

** - also requires BRP 9480 mount

BRAKE ROTOR BOLT KITS

DESCRIPTION	P/N
8 - 5/16" Coarse 12 Point Bolts (large Bearing Hubs for clearance)	BRP 50
8 - 5/16" Coarse Allen Head Bolts (Wide 5 Hubs)	BRP 51
8 - 5/16" Coarse Bolts and Nuts (Brake Hats)	BRP 52
3 - 1/2" Fine X 1" Taper Head Bolts (BRP 821 & BRP 4570)	BRP 53

DESCRIPTION	P/N
26 - 5/16" Coarse Bolts (Ford 9" Kit)	BRP 55
8 - Floating Rotor Tee Nuts (package of 8 bolts and 8 tee nuts)	BRP 9386
Front Rotor Bolt Kit (bolts have external hex) pack of 3	BRP 9435
ARP 5/16" X .880" Brake Rotor Bolts - 32 pre-drilled bolts with washers	ARP 300-0801

ALUMINUM BOLT ON CALIPER BRACKETS



Rear Spindle Caliper Mounts

FIG	DESCRIPTION	ROTOR O.D.	OFFSET	RED P/N	BLACK P/N
1	Superlite 3/8" Thick 4 Bolt Rear	12.18"		BRP 1-2	BRP 1-2BK
1	Superlite 1/2" Thick 4 Bolt Rear	12.18"		BRP 1-3	BRP 1-3BK
1	Superlite 1/2" Thick 4 Bolt Rear	11.75"		BRP 1-4	BRP 1-4BK
1	Superlite 4 Bolt	12"		BRP 17	BRP 17BK
1	Superlite 4 Bolt offset	12.18"	.375"	BRP 1X375	
1	Superlite 4 Bolt offset	12.18"	.375"	BRP 1Y375	
1	Dynalite II 45 degree	12.18"		BRP 5	
7	8 Bolt Master Bracket- Steel			BRP 6	
7	8 Bolt Master Bracket- Aluminum			BRP 6A	
8	3/8" offset- master to DL II 3/8" rotor	12"		BRP 25	
8	8 Bolt Master to SL II	12.18"		BRP 7	
8	8 Bolt Master to SL II (plain only)	11.75"		BRP 7-2	
9	8 Bolt Master to DL II	12.18"		BRP 22	
5	Large Bearing NDL/Superlite	12.18"		BRP 2	BRP 2BK

International Front Spindle Mount

FIG	DESCRIPTION	ROTOR O.D.	OFFSET	P/N
3	Dynalite Single (3.75" Mount)	12"		BRP 12
3	Dynalite Single (3.75" Mount)	12.18"	.250"	BRP 12-250



Large Bearing Caliper Mounts

FIG	DESCRIPTION	ROTOR O.D.	OFFSET	RED P/N	BLACK P/N
4	3.75" Dynalite Single / BRP 1000 Series (for use with BRP 9382 hub)	10 7/8"	---		BRP 9390
4	3.75" Dynalite Single / BRP 1000 Series (for use with BRP 9382 hub and 9384 adaptor plate)	12"	---		BRP 9391
	1/8" Offset Caliper Mount for Bert/Winters Hub, 67 Rotor. Non Floating		1/8"		BRP 9530

Ford & Large Bearing Caliper Mounts

FIG	DESCRIPTION	ROTOR O.D.	OFFSET	RED P/N	BLACK P/N
4	Dynalite II / 2000 Series	12.18"	---	BRP 8	
4	Dynalite II / 2000 Series	12"	---	BRP 8-1	BRP 8-1BK
4	Dynalite II / 2000 Series	12"	3/16"	BRP 8-1187	
4	Dynalite II / 2000 Series Fits Sway-A-Way Hub	12"	3/8"	BRP 8-1375	
4	Dynalite II / 2000 Series	11"	---	BRP 8-2	
4	Dynalite II / 2000 Series	10.87"	1/4"	BRP 8-2250	BRP 8-2250BK
2	Dynalite Single / 1000 Series- 3.25"	11"	---	BRP 9	
2	Dynalite Single / 1000 Series- 3.25"	11"	1/8"	BRP 9-125	
2	Dynalite Single / 1000 Series- 3.25"	12.18"	--	BRP 10	BRP 10BK
2	Dynalite Single / 1000 Series- 3.25"	12"	---	BRP 11	
2	Dynalite Single / 1000 Series- 3.25"	12"	.375"	BRP 11-375	
3	Dynalite Single / 1000 Series- 3.75"	12.18"	--	BRP 18	BRP 18BK
3	Dynalite Single / 1000 Series- 3.75"	12"	---	BRP 18-1	BRP 18-1BK
3	Dynalite Single / 1000 Series- 3.75"	12"	3/8"	BRP 18-1375	BRP 18-1375BK
3	Dynalite Single / 1000 Series- 3.75"	11"	---	BRP 18-2	
3	Dynalite Single / 1000 Series- 3.75"	11"	1/4"	BRP 18-2250	BRP 18-2250BK
3	Dynalite Single / 1000 Series- 3.75"	10.87"	3/8"	BRP 18-2375	BRP 18-2375BK
6	Superlite IIA	12.18"	---	BRP 21	
10	Dynalite Single / 1000 Series- 3.75" Use in place of BRP 18-1 (no threaded holes)	12"	---	BRP 19	BRP 19BK
11	3.75" 1000 Series Left Front Mount Ford Spindle (BRP 9200, 9210)	10.87"	---	BRP 26L	BRP 26LBK
11	3.75" 1000 Series Right Front Mount Ford Spindle (BRP 9200, 9210)	10.87"	---	BRP 26R	BRP 26RBK
12	3.75" 1000 Series Front Mount Large Bearing Spindle (BRP 4588 spindle)	12"	---	BRP 27	BRP 27BK
12	2000 Series Left Front Mount Ford Spindle (BRP 9200, 9210)	10.87"	---	BRP 28L	
12	2000 Series Right Front Mount Ford Spindle (BRP 9200, 9210)	10.87"	---	BRP 28R	
2	Brakeman F1 Caliper to BRP 9200, 9210	11.75"	---	BRP 11-100	BRP 11-100BK



Dirt Modified Asphalt Brake Brackets

DESCRIPTION	P/N
Steel Brake Bracket for .810" X 11 3/4" with 2000 series caliper (uses BRP 4588 spindle only)	BRP 9065
Steel Brake Bracket for .810" X 11 3/4" with 2800 series caliper (uses BRP 9200 / 9210 spindle only)	BRP 9066
1/2" Thick Aluminum Rotor Adaptor - 3 on 5" to 8 on 7"	BRP 9067

RADIAL MOUNT CALIPER BRACKETS




DESCRIPTION	P/N
Quadlock Radial Caliper Mount - 12.18" Rotor / Wilwood Caliper	BRP 9379
Quadlock Radial Caliper Mount - 11.75" Rotor / Wilwood Caliper	BRP 9412
3" Tube - 1 3/16" Offset Radial Caliper Mount For 12.19 Rotor / BRP Caliper	BRP 9460
Quadlock Radial Caliper Mount - 11.75" - 12.18" Rotor / BRP Caliper Only	BRP 9487
Quadlock Radial Caliper Mount - 10.87" Rotor / BRP Caliper Only	BRP 9488
Wilwood Dynapro SL4/SL6 3.5" Radial Mount Kit with Bracket	WIL 250-6309
Wilwood Dynalite 3.5" Caliper Mounting Kit with Bracket	WIL 250-13365

ROTOR ADAPTORS / FLOATING ROTORS



DESCRIPTION	P/N
1/4" Thick 3 Bolt to 8 on 7" Aluminum Rotor Adaptor for BRP 821 Hub	BRP 813
1/2" Thick 3 Bolt Aluminum Rotor Adaptor to 8 on 7" (for Asphalt Applications)	BRP 9067
8 on 7" Rotor Adaptor for 3 Bolt Billet Hubs (BRP 9380 / BRP 9384)	
CAN ALSO USE TEE NUTS TO FLOAT ROTORS	BRP 9384
8 on 7" Rotor Adaptor for 5 Bolt Billet Hubs (BRP 9383 / BRP 9401)	
CAN ALSO USE TEE NUTS TO FLOAT ROTORS	BRP 9385
Tee Nuts For BRP Floaters Only (sold in package of 8 bolts and 8 nuts)	BRP 9386
8 on 7" Floating Aluminum Rotor Adaptor for cast Winters / Bert hubs	BRP 9387
8 on 7" Aluminum Rotor Adaptor for 3/4 Ton Hubs (BRP 108C and 108AC)	BRP 109
8 on 7 5/8" Aluminum Rotor Adaptor for 5 on 5 hubs	BRP 808
8 on 7" Aluminum Rotor Adaptor for BRP 5 on 5 hubs	BRP 809
10 Hole Aluminum Rotor Adaptor for BRP 5 on 5 hubs	BRP 810
8 on 7" Steel Floating Rotor Adaptor - Uses WIL 230-8454 Tee Nuts Only	WIL 300-8431
Tee Nuts (sold in package of 8 bolts and 8 nuts) Fits Wilwood Adaptor Only	WIL 230-8454
5 Bolt Steel Floating Rotor Mount (for BRP 9479 / 9483)	BRP 9480
5 Bolt - 3/8" aluminum rotor spacer	BRP 9481

3" CLAMP ON CALIPER BRACKETS



Did You Know...
These Caliper Brackets fit any
3" O.D. Rear End Tube!

DESCRIPTION	RED P/N	BLACK P/N
Clamp on Bracket for BRP 2800 / Superlite Caliper for 12.18" Rotor	BRP 45	BRP 45BK
Clamp on Bracket for BRP 2800 / Superlite Caliper for 12" Rotor	BRP 46	BRP 46BK
Clamp on Bracket for BRP 2800 / Superlite Caliper for 11.75" Rotor	BRP 47	BRP 47BK

QUAD LOCK CALIPER BRACKETS



Did You Know...
These Caliper Brackets fit Quad Lock
Tubes Only... See page 51 for tubes and
31-35 for Birdcages.

DESCRIPTION	RED P/N	BLACK P/N
Quad Lock Bracket for BRP 2800 / Superlite Caliper for 12.18" Rotor	BRP 9034	BRP 9034BK
Quad Lock Bracket for BRP 2800 / Superlite Caliper for 12" Rotor	BRP 9038	BRP 9038BK
Quad Lock Bracket for BRP 2800 / Superlite Caliper for 11.75" Rotor	BRP 9035	BRP 9035BK
Quad Lock Bracket for BRP 2800 / Superlite Caliper for 10.87" Rotor		BRP 9389

3" CLAMP ON MASTER BRACKETS



Master Brackets

DESCRIPTION	P/N
Aluminum Master Clamp for 3" Tube (Bolt On)	BRP 544
Steel Left GM Master Bracket (Bolt On)	BRP 548
Steel Right GM Master Bracket (Bolt On)	BRP 547

Master Bracket to Caliper Adaptor Plates

DESCRIPTION	P/N
Superlite / 2800 Caliper for 12.18" Rotor	BRP 545
Superlite / 2800 Caliper for 12" Rotor	BRP 545-1
Superlite / 2800 Caliper for 11.74" Rotor	BRP 545-2
Dynalite II / 2000 Caliper for 12.18" Rotor	BRP 546
Dynalite II / 2000 Caliper for 12" Rotor	BRP 546-1
Dynalite II / 2000 Caliper for 11.75" Rotor	BRP 546-2



BRAKE LINE DEFLECTORS



DESCRIPTION	RED P/N	BLACK P/N
Right front brake line deflector	BRP 42R	BRP 42RBK
Left front brake line deflector	BRP 42L	BRP 42LBK
Front mounted 1000 series caliper brake line deflector	BRP 43	BRP 43BK

LIGHTWEIGHT CALIPER MOUNT BOLTS



DESCRIPTION	P/N
Lightweight Aluminum Caliper Bolts for Modified Front Spindles (come with 4 sleeves, 4 washers, and 4 aluminum bolts)	BRP 9136

CALIPER BRACKET SPACING GUIDE

***Please Note:** This table is just a guide. Some variations in calipers and rotors may cause misalignment, Always double check for proper caliper alignment.**

Rear Calipers- 8 Bolt Rear End

ROTOR WIDTH	ROTOR DIAMETER	ROTOR P/N	CALIPER	BRAKE BRACKET	QTY	ALSO REQUIRED P/N	DESCRIPTION
.810" rotor	12.18"	BRP 71	2800 Series	BRP 1-2	2	BRP 715	.3125" spacers
.375" rotor	12.18"	BRP 71	2000 Series	BRP 8-1	---	---	---
.375" rotor	12"	BRP 60D	2800 Series	BRP 1-2	2	BRP 693-2	.800" spacers
.375" rotor	12"	BRP 60D	Superlite/3000	1X150S, 1Y150S	2	BRP 693-3	.845" spacers
.375" rotor	12" Waved	BRP 67	2800 Series	BRP 17	2	BRP 693-2	.800" spacers
.810" rotor	11.75"	PFR 299.20.0045.01	2800 Series	BRP 1-4	2	BRP 715	.3125" spacers
.810" rotor	11.75"	PFR 299.20.0045.01	Superlite/3000	BRP 1-4	2	BRP 715	.3125" spacers

Rear Calipers- Large Bearing Rear End

ROTOR WIDTH	ROTOR DIAMETER	ROTOR P/N	CALIPER	BRAKE BRACKET	QTY	ALSO REQUIRED P/N	DESCRIPTION	OPTIONAL CLAMP-ON
.810" rotor	12.18"	BRP 71	2800 Series	BRP 2	2	BRP 726	1.00" spacers	BRP 45
.810" rotor	12.18"	BRP 71	Superlite/3000	BRP 2	2	BRP 693-3	.845" spacers	BRP 45
.375" rotor	12"	BRP 60D	2800 Series	BRP 17	---	---	---	BRP 46
.375" rotor	12"	BRP 60D	2000 Series	BRP 8-1	2	BRP 695	1.50" spacers	BRP 46
.810" rotor	11.75"	PFR 299.20.0045.01	2800 Series	BRP 1-4	2	BRP 726	1.00" spacers	BRP 47
.810" rotor	11.75"	PFR 299.20.0045.01	Superlite/3000	BRP 1-4	2	BRP 726	1.00" spacers	BRP 47

Front Calipers- Ford Spindle

FRONT SPINDLE	ROTOR WIDTH	ROTOR DIAMETER	ROTOR P/N	HUB P/N	CALIPER	MOUNT LOCATION	BRAKE BRACKET	ROTOR ADAPTOR	ALSO REQUIRED
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	BRC 170-1526	Top Mount	BRP 18-2375	---	---
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	2000 Series	Top Mount	BRP 8-2250	---	---
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	BRC 170-1526	Front Mount	Left- BRP 26L	---	---
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	BRC 170-1526	Front Mount	Right- BRP 26R	---	---
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	2000 Series	Front Mount	Left- BRP 28L	---	---
BRP 9200/9210	.375"	10.875"	BRP 65W/65D	BRP 4570/821	2000 Series	Front Mount	Right- BRP 28R	---	---
BRP 9200/9210	.810"	12.18"	BRP 71	BRP 4570/821	2000 Series	Top Mount	BRP 8	BRP 813	2 X BRP 693-3
BRP 9200/9210	.810"	11.75"	PFR 299.20.0045.01	BRP 4570/821	2800 Series	Top Mount	BRP 9066	BRP 9067	---

Front Calipers- Large Bearing Spindle

FRONT SPINDLE	ROTOR WIDTH	ROTOR DIAMETER	ROTOR P/N	HUB P/N	CALIPER	MOUNT LOCATION	BRAKE BRACKET	ROTOR ADAPTOR	ALSO REQUIRED
BRP 4588/9215	3/8"	10.875"	BRP 65W	BRP 9382	BRC 170-1526	Top Mount	BRP 9390	---	---
BRP 4588/9215	3/8"	12"	BRP 67	BRP 9382	BRC 170-1526	Top Mount	BRP 9391	BRP 9384	---
BRP 4588/9215	3/8"	12"	BRP 67	*SEE BELOW	BRC 170-1526	Top Mount	BRP 19	---	---
BRP 4588/9215	3/8"	12"	BRP 67	*SEE BELOW	2000 Series	Top Mount	BRP 8-1187	---	---
BRP 4588/9215	3/8"	12"	BRP 67	*SEE BELOW	BRC 170-1526	Front Mount	BRP 27	---	---
BRP 4588/9215	.810"	12.18"	BRP 71	*SEE BELOW	2000 Series	Top Mount	BRP 8	---	2 X BRP 693
BRP 4588/9215	.810"	11.75"	PFR 299.20.0045.01	*SEE BELOW	2000 Series	Top Mount	BRP 9065	---	---

- Used primarily on Asphalt tracks and long tracks.

*Hub Part Numbers - BRP 6203 / BER CTD-NYM-H01 / WIN 3266F (SEE PAGE 60)

BRAKE FLUID

Brake Fluid - Bottles

DESCRIPTION	P/N
AP 600 super brake fluid - 16.9 oz bottle (399 degree wet boiling point)	APB 600
Wilwood 570 brake fluid - 12oz bottle (284 degree wet boiling point)	WIL 290-0632
Wilwood EXP 600 brake fluid - 16.9 oz bottle (399 degree wet boiling point)	WIL 290-6209
Castrol SRF Brake Fluid - 1 liter (518 degree wet boiling point)	ALL 78115
Champion 12oz. 600 DOT4 Brake Fluid	CHO 4059K

Brake Fluid - Cases

DESCRIPTION	P/N
Wilwood 570 brake fluid- case of 24 bottles	WIL 290-0633
Wilwood EXP 600 brake fluid - case of 20 bottles	WIL 290-6210



WIL 290-6209 WIL 290-0632 APB 600 ALL 78115

PRE BENT BRAKE LINES

BRC 190-0415 Components

1- BRC 190-0409: Left front hard line	2 - BRP 403-15
1- BRC 190-0410: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0416: right front shut off hard line	4 - BRP 780
1- BRC 190-0417: right front hard line	1 - LEF 116-5035-10
1- BRP 402-1 : Shut Off	4 - XRP 482203
	2 - XRP 981603
	2 - XRP 982303
	2 - XRP 983403
	1- XRP 983303

BRC 190-0426 Components

1- BRC 190-0409: Left front hard line	2 - BRP 403-15
1- BRC 190-0411: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0418: right front shut off hard line	4 - BRP 780
1- BRC 190-0419: right front hard line	1 - LEF 116-5035-10
1- BRP 402-1 : Shut Off	4 - XRP 482203
	2 - XRP 981603
	2 - XRP 982303
	2 - XRP 983403
	1- XRP 983303

BRC 190-0436 Components

1- BRC 190-0420: Left front hard line	2 - BRP 403-15
1- BRC 190-0411: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0418: right front shut off hard line	4 - BRP 780
1- BRC 190-0421: right front hard line	1 - LEF 116-5035-10
1- BRP 402-1 : Shut Off	4 - XRP 482203
	2 - XRP 981603
	2 - XRP 982303
	2 - XRP 983403
	1- XRP 983303

BRC 190-0407 Components

1- BRC 190-0409: Left front hard line	2 - BRP 403-15
1- BRC 190-0411: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0408: left front to right front hard line	4 - BRP 780
	5 - LEF 116-5035-1
	4 - XRP 482203
	1 - XRP 981503
	2 - XRP 982303
	2 - XRP 983403

BRC 190-0425 Components


1- BRC 190-0409: Left front hard line	2 - BRP 403-15
1- BRC 190-0411: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0408: left front to right front hard line	4 - BRP 780
	5 - LEF 116-5035-1
	4 - XRP 482203
	1 - XRP 981503
	2 - XRP 982303
	2 - XRP 983403

BRC 190-0435 Components

1- BRC 190-0420: Left front hard line	2 - BRP 403-15
1- BRC 190-0411: left rear to right rear hard line	4 - BRP 403-24
1- BRC 190-0408: left front to right front hard line	4 - BRP 780
	5 - LEF 116-5035-1
	4 - XRP 482203
	1 - XRP 981503
	2 - XRP 982303
	2 - XRP 983403


Complete Brake Line Kit WITH RF Shut Off

DESCRIPTION	P/N
Complete brake line kit with RF brake shut off valve	BRC 190-0415
Complete brake line kit with RF brake shut off valve - 3" driver back	BRC 190-0426
Complete brake line kit with RF brake shut off valve - 2" engine back	BRC 190-0436




Complete Brake Line Kit - No Shut Off

DESCRIPTION	P/N
Complete brake line kit (no shut off)	BRC 190-0407
Complete brake line kit (no shut off) - 3" driver back	BRC 190-0425
Complete brake line kit (no shut off) - 2" engine back	BRC 190-0435



**** extra shipping charges will apply****

BULK STEEL BRAKE LINE



DESCRIPTION	P/N
Bulk 25 foot roll of 3/16" steel brake line	BRP 401
DIY Brake Line Kit for Sportsman/Modified chassis - cut and bend yourself! (can be shipped inexpensively as it comes with 1 roll of brake line)	BRP 407

PROP / RESIDUAL / SHUT OFF VALVES



DESCRIPTION	P/N
Tilton lever style proportioning valve	TIL 90-1000
Wilwood screw type proportioning valve	WIL 260-8419
Brake shut off valve	BRP 402
Brake line flow control valve (used in place of shut off valve)	BRP 402-1
2 # residual pressure valve (disc brakes) BLUE	WIL 260-13706
10 # residual pressure valve (drum brakes) RED	WIL 260-13707
100-1000 PSI proportioning valve assembly	WIL 260-11179
Brake shut off valve	ALL 48010
Electric brake shut off	WIL 260-9921

STEEL BRAIDED BRAKE LINES

AN 3 Straight Both Ends

DESCRIPTION	P/N
15" Long	BRP 403-15
18" Long	BRP 403-18
20" Long	BRP 403-20
24" Long	BRP 403-24
28" Long	BRP 403-28
36" Long	BRP 403-36
48" Long	BRP 403-48
108" Long	BRP 403-108

AN 3 Straight Both Ends
HEAVY DUTY - BLACK

DESCRIPTION	P/N
24" Long - BLACK	BRP 403-24HD
28" Long - BLACK	BRP 403-28HD

AN 3 Straight 1 End
90 degree 1 End

DESCRIPTION	P/N
18" Long	BRP 405-18
24" Long	BRP 405-24

AN 4 Straight Both Ends

DESCRIPTION	P/N
15" Long	BRP 404-15
18" Long	BRP 404-18
20" Long	BRP 404-20
24" Long	BRP 404-24
32" Long	BRP 404-32
36" Long	BRP 404-36
48" Long	BRP 404-48

AN 4 Straight 1 End
90 degree 1 End

DESCRIPTION	P/N
18" Long	BRP 406-18
24" Long	BRP 406-24

BRAKE LINE CLAMPS



DESCRIPTION	P/N
Clamp For 2 1/8" Tube - Used to Clamp Brake Line To Front Axle	BRP 9363
Clamp For 3" - Used to Clamp Brake Line To Rear End Tube	BRP 9377
Clamp For 1 1/4" Tube	BRP 9365
Clamp For 1 1/2" Tube	BRP 9366
Clamp For 1 5/8" Tube	BRP 9367
Clamp For 1 3/4" Tube	BRP 9368

NOTE: These clamps have a hole in them- you can tie wrap anything to them to tidy up your race car.

DIRT MODIFIED BRAKE PEDALS



DESCRIPTION	P/N
Steel brake pedal for standard cage cars	BRP 411
Steel brake pedal for 3" driver back cars	BRP 411-3
Standard brake mount saddle only	BRP 411E
3" driver back brake mount saddle only	BRP 411E-3
Aluminum brake rod for standard cars with Wilwood / BRP balance bar	BRP 4340-12
Aluminum brake rod for standard car with BRP new style balance bar	BRP 4340-13
Aluminum brake rod for 3" driver back car with Wilwood / BRP balance bar	BRP 4340-9
Aluminum brake rod for 3" driver back car with BRP new style balance bar	BRP 4340-10

Did You Know...

A standard brake pedal will fit in a driver back car- If more leg room is required! Just use a 12" rod for Wilwood and BRP balance bars, and a 13" rod for new style BRP balance bars!

BRAKE FITTINGS

Caliper Fittings



DESCRIPTION	P/N
AN 3 to 1/8" NPT Straight - Aluminum	XRP 981603
AN 3 to 1/8" NPT Straight - Steel	XRP 481603
AN 4 to 1/8" NPT Straight - Aluminum	XRP 981604
AN 4 to 1/8" NPT Straight - Steel	XRP 481604
AN 3 to 1/8" NPT 45° - Aluminum	XRP 982303
AN 3 to 1/8" NPT 45° - Steel	XRP 482303
AN 4 to 1/8" NPT 45° - Aluminum	XRP 982304
AN 4 to 1/8" NPT 45° - Steel	XRP 482304
AN 3 to 1/8" NPT 90° - Aluminum	XRP 982203 *
AN 3 to 1/8" NPT 90° - Steel	XRP 482203
AN 4 to 1/8" NPT 90° - Aluminum	XRP 982204 *
AN 4 to 1/8" NPT 90° - Steel	XRP 482204

GM Steel Caliper Banjo Fittings



DESCRIPTION	P/N
7/16" Banjo to AN 4	XRP 403844
7/16" Banjo to AN 3	XRP 403843
7/16" Banjo to AN 3 Short Neck	ALL 50062
3/8" Banjo to AN 4	XRP 403804
3/8" Banjo to AN 4 Extended Neck	XRP 441144
3/8" Banjo to AN 3	XRP 403803

GM Steel Caliper Banjo Bolt



DESCRIPTION	P/N
7/16" Banjo Bolt (includes crush washer)	ALL 50072
7/16" Banjo Bolt (includes washers)	XRP 494704
AN3 x 7/16"-24 Short Banjo Fitting	XRP 403843
AN3 X 3/8"-24 Short Banjo Fitting	XRP 403803
3/8" Short Banjo Bolt (includes washers)	XRP 494303
3/8" Long Banjo Bolt (includes washers)	XRP 494313
3/8"-20 Double Banjo Bolt	XRP 494903
3/8" Crush Washer Only (pkg of 2)	BRP 4705
7/16" Crush Washer Only (pkg of 2)	BRP 4709
10mm x 1" Banjo Bolt	XRP 494403
10mm x 1" Long Banjo Bolt	XRP 494413

Steel Brake Line Nut



DESCRIPTION	P/N
3/16" Brake Line (AN 3)	XRP 481803
1/4" Brake Line (AN 4)	XRP 481804

Brake Line & Cable Clamps



DESCRIPTION	P/N
Plastic 3/16" Brake Line Clamp - QTY 1	LEF 116-5035-1
Plastic 3/16" Brake Line Clamp - QTY 10	LEF 116-5035-10
Plastic 3/16" Brake Line Clamp - QTY 100	LEF 116-5035-100

Master Cylinder Fittings



DESCRIPTION	P/N
3/16" Inverted Flare to AN 3 Male	TIL 73-2089-188
3/8"-24 Male to AN 3 Male	TIL 73-2089-189
AN 3 male to AN 3 Male - LONG Steel	TIL 73-820
3/8"-24 Male to AN 4 Male	TIL 73-2089-251
7/16"-24 Male to AN 4 Male	XRP 402834
3/8"-24 Inverted Flare Male - AN 3 Male	XRP 402703
7/16"-24 Inverted Flare to AN 3 Male	XRP 402803

Brake Bleeder Valves




DESCRIPTION	P/N
Brake Bleeder Valve (pack of 4)	BRC 220-0064

Small GM Metric Banjo Fitting



DESCRIPTION	P/N
10mm Banjo to AN 4	XRP 441144

Small GM Metric Banjo Bolt



DESCRIPTION	P/N
10mm - 1.50 Banjo	XRP 494603
10mm - 1.50 Banjo LONG	XRP 494703
10mm - 1.25 Banjo	XRP 494503
3/8" Crush Washer (pkg of 2)	BRP 4705
7/16" Crush Washer (pkg of 2)	BRP 4709

Steel Brake Line Sleeve



DESCRIPTION	P/N
3/16" Brake Line (AN 3)	XRP 481903
1/4" Brake Line (AN 4)	XRP 481904

Brake Line & Cable Clamps



DESCRIPTION	P/N
Plastic 3/16" Brake Line Clamp - QTY 10	ALL 18310

Chassis Mounts



DESCRIPTION	P/N
3/8"-24 Inverted Flare to AN 3	XRP 402603
3/8"-24 Inverted Flare to AN 4	XRP 402604
Weld On Chassis Tab - 3/8" Hole	BRP 1547

Chassis Mount Clip



DESCRIPTION	P/N
Brake fitting clip (4 per pack)	ALL 50150

used to secure XRP 402603 & XRP 402604

Brake Line Tee



DESCRIPTION	P/N
3/8"-24 Inverted Flare Tee	ALL 50136
1/8" NPT Brass Female Tee (pkg of 2)	ALL 50139

GM Steel Calipers



DESCRIPTION	P/N
7/16" to AN 4 90°	ALL 50035

1/8" NPT to 3/8"-24 Inverted Flare



DESCRIPTION	P/N
1/8" NPT - 3/16" Inverted Flare	BRP 400H
3/16" Inverted Flare Union	ALL 50130

Caliper/Master Cylinder Fittings



DESCRIPTION	P/N
10mm-1.5 to AN 4 Steel (includes washer)	XRP 425034
AN4 Straight Steel Bulkhead Fitting	XRP 483204
AN8 Straight Steel Bulkhead Fitting	XRP 483208

Cushioned Tubing Clamps



DESCRIPTION	P/N
AN3 - 3/16" - Package of 10	XRP 810203
AN4 - 7/16" - Package of 10	XRP 810204
AN6 - 9/16" - Package of 10	XRP 810206
AN8 - 11/16" - Package of 5	XRP 810208
AN10 - 13/16" - Package of 5	XRP 810210
AN12 - 15/16" - Package of 5	XRP 810212
3/4" - Package of 10	ALL 18305

BRAKE FITTINGS (con'd)



XRP 600003



XRP 604504



XRP 600503

DESCRIPTION	P/N	DESCRIPTION	P/N
AN3 Straight Steel PTFE Brake Hose End	XRP 600003	AN3 PTFE 45° Bent Tube Hose End	XRP 604503
AN4 Straight Steel PTFE Brake Hose End	XRP 600004	AN4 PTFE 45° Bent Tube Hose End	XRP 604504
AN6 Straight Steel PTFE Brake Hose End	XRP 600006	AN6 PTFE 45° Bent Tube Hose End	XRP 604506
		AN3 PTFE 90° Bent Tube Hose End	XRP 609003
AN3 Brass Furrel (package of 5)	XRP 600503	AN4 PTFE 90° Bent Tube Hose End	XRP 609004
5/16 Tubing Adapter Sleeve (package of 5)	XRP 600605	AN6 PTFE 90° Bent Tube Hose End	XRP 609006

BALANCE BARS



BRC 310-9085

BRP Constant Bias Balance Bar

DESCRIPTION	P/N
BRP balance bar assembly complete with Wilwood compact master cylinders (1" top front & 7/8" bottom rear master) - comes with fill lines and reservoirs	BRC 310-9085
BRP balance bar assembly only	BRC 310-9070

Replacement Parts


DESCRIPTION	P/N
Balance Bar Main Body - No Bushings	BRC 310-9071
Push Clevis	BRC 310-9072
Pivot Block With Slotted End	BRC 310-9073
Threaded Adjuster Pin - Detent Not Included	BRC 310-9074
Short Clevis Pin	BRC 310-9075
E-Clips for End of 9075, 9074, 9079	BRC 310-9076
Roller Bearing for Inside Of Pivot Block	BRC 310-9077
Adjuster Knob	BRC 310-9078BK
Threaded Main Adjuster Shaft	BRC 310-9079
Threaded Bushing / Jam Nut for Master Cylinder Push Rods	BRC 310-9080
Brass Bushing (NOTE- must be replaced at factory)	BRC 310-9081
Detent Plunger	BRC 310-9082

SEE PAGE 79 FOR REPLACEMENT
MASTER CYLINDER PARTS



Weld On Balance Bar


DESCRIPTION	P/N
Weld on balance bar tube assembly	WIL 340-1757



Wilwood Single Pedal Balance Bar

DESCRIPTION	P/N
Wilwood single pedal balance bar assembly (master cylinders sold separately)	WIL 340-4630
60 Degree Master Cylinder Mount & Trubar Assembly	WIL 340-14380

SLAVE CYLINDERS



BRP 400

DESCRIPTION	P/N
Pull slave cylinder	BRP 400
Replacement Small O-Ring	NIA 110
Replacement Large O-Ring	NIA 208

CONVENTIONAL MASTER CYLINDERS



WIL 260-6765



WIL 260-2636

Wilwood Conventional Master Cylinders

DESCRIPTION	P/N	REBUILD KIT P/N
7/8" conventional master cylinder assembly	WIL 260-6765	WIL 260-6899
1" conventional master cylinder assembly	WIL 260-6766	WIL 260-6900

1/8" NPT Outlet

Wilwood Girling Master Cylinders

DESCRIPTION	P/N
5/8" girling master cylinder assembly	WIL 260-2636
3/4" girling master cylinder assembly	WIL 260-1304

MASTER CYLINDERS

Wilwood Compact Master Cylinders



DESCRIPTION	P/N	REBUILD KIT P/N
5/8" compact master cylinder assembly	WIL 260-10371	WIL 260-10513
3/4" compact master cylinder assembly	WIL 260-10372	WIL 260-10514
7/8" compact master cylinder assembly	WIL 260-10374	WIL 260-10516
7/8" compact master cylinder assembly (only 1 reservoir)	WIL 260-10374B	WIL 260-10516
1" compact master cylinder assembly	WIL 260-10375	WIL 260-10517
1" compact master cylinder assembly (only 1 reservoir)	WIL 260-10375B	WIL 260-10517

1/8" NPT Outlet

Assemblies come with 1 reservoir- designed for Dirt modifieds

Wilwood Compact Master Cylinder Replacement Parts



DESCRIPTION	P/N
Small Reservoir (7 oz.)	WIL 260-10204
Large Reservoir (10 oz.)	WIL 260-10205
Reservoir Cap	WIL 330-15081
Remote Reservoir Mounting Bracket	WIL 250-10263
Reservoir Clamp	WIL 260-10342
Reservoir Hose (30" Long)	WIL 220-10444
Inline Adaptor	WIL 260-10264

Wilwood Master Cylinders




DESCRIPTION	P/N	REBUILD KIT P/N
5/8" remote master cylinder assembly	WIL 260-3372	WIL 260-3880
3/4" remote master cylinder assembly	WIL 260-3374	WIL 260-3881
7/8" remote master cylinder assembly	WIL 260-3376	WIL 260-3882
1" remote master cylinder assembly	WIL 260-3378	WIL 260-3883
1 1/8" remote master cylinder assembly	WIL 260-3380	WIL 260-3884

3/8" X 24 Outlet

DESCRIPTION	P/N
Replacement Reservoir Cap	WIL 330-15081

Tilton Master Cylinders



DESCRIPTION	P/N	REBUILD KIT P/N
5/8" remote master cylinder assembly	TIL 74-625U	TIL 74-625RK
3/4" remote master cylinder assembly	TIL 74-750U	TIL 74-750RK
7/8" remote master cylinder assembly	TIL 74-875U	TIL 74-875RK
1" remote master cylinder assembly	TIL 74-1000U	TIL 74-1000RK
1 1/8" remote master cylinder assembly	TIL 74-1125U	TIL 74-1125RK

3/8" X 24 Outlet

Replacement Parts

DESCRIPTION	P/N
A- Large reservoir	TIL 74-204
B- Small reservoir	TIL 74-202
C- Replacement reservoir cap	TIL 74-207
D- Remote bracket mount	TIL 74-212
E- Replacement 24" Hose	TIL 74-214
F- Reservoir clamp (sold each)	TIL 74-208
G- Remote master cylinder top	TIL 74-200
H- Small reservoir filter	TIL 74-210
I- Large reservoir filter	TIL 74-211
J - O-ring	NIA 216

BRAKE GAUGES AND PANELS



DESCRIPTION	P/N
Brake bias gauge	ALL 80170

DESCRIPTION	P/N
Quick check brake pressure gauge (screws into bleed screw)	WIL 260-0966

BRAKE / CLUTCH PEDALS

WIL 340-11299

*Wilwood Dual Pedal- Triple Master Cylinder*

DESCRIPTION	P/N
Dual pedal- triple master cylinder hanging reverse mounted pedal	WIL 340-11299
Dual pedal- triple master cylinder hanging forward mounted pedal	WIL 340-11295

Master Cylinders Not Included - See page 79

WIL 340-13832

*Wilwood Single Pedal- Dual Conventional Master*

DESCRIPTION	P/N
Single pedal- dual master floor mount brake pedal	WIL 340-13831
Single pedal- dual master cylinder hanging mount brake pedal	WIL 340-13832

Master Cylinders Not Included - See page 79

WIL 340-13837

*Wilwood Single Pedal- Dual Master Cylinder*

DESCRIPTION	P/N
Single pedal- dual master cylinder long aluminum pedal	WIL 340-12509
Single pedal- dual master cylinder short aluminum pedal	WIL 340-13837

Master Cylinders Not Included - See page 79

WIL 340-13833

*Wilwood Single Pedal- Single Master Cylinder*

DESCRIPTION	P/N
Single pedal- single master cylinder floor mount clutch pedal	WIL 340-13833
Single pedal- single master cylinder hanging mount clutch pedal	WIL 340-13834

Master Cylinders Not Included - See page 79

NEW PRODUCT

WIL 340-15074

WIL 340-15075

Wilwood Reverse Swing Mount Tru-Bar Pedals

DESCRIPTION	P/N
Brake pedal assembly - Tru-Bar reverse swing mount adjustable - 5.1:1	WIL 340-15073
Brake and clutch pedal assembly - Tru-Bar reverse swing mount - 6.25:1	WIL 340-15074
Brake and clutch pedal assembly - Tru-Bar reverse swing mount Pedal 1: 6.25:1 and Pedal 2: 5.1:1	WIL 340-15075

Master Cylinders Not Included - See page 79

Tru-Bar pedals utilize a fixed trunnion bearing in the pedal arm, with spherical rod-end bearing pushrod attachments. They provide ultimate precision, control, and adjustment of the brake bias on race prepped vehicles. The new Tru-Bar pedals utilize the same chassis and master cylinder mounting as all Wilwood balance bar style pedals.

WIL 340-4990



ALL 42074



WIL 340-1757

*Remote Balance Bar Adjuster*

DESCRIPTION	P/N
Wilwood balance bar adjuster (complete as shown)	WIL 340-4990
Brake bias adjuster with knob	ALL 42074
Wilwood brake balance bar assembly	WIL 340-1757

CLAMP ON STEEL BRACKETS

ALL 42101

ALL 42105



DESCRIPTION

DESCRIPTION	P/N
Steel Clamp On Bracket for GM Caliper	ALL 42101
Steel Clamp On Bracket for Small GM Caliper	ALL 42103

Did You Know...

Stop Bolts Included on all clamp-on brackets!
These clamp on brackets are made for 3" Tubes.

WELD ON CALIPER BRACKETS



DESCRIPTION	P/N
Weld On Steel Small GM Rear Caliper Mount (3" Tube)	ALL 42102
Weld On Steel GM Rear Caliper Mount (3" Tube)	PCR 100-411

NACA DUCTS & HOSE



Did You Know...

The term "NACA" stands for National Advisory Committee of Aeronautics, which was the precursor to NASA. The NACA duct was originally designed in 1945 for use in military aircrafts

Single NACA Duct

DESCRIPTION	P/N
Clear single NACA duct (4 1/4"H X 6"D X 10 3/4"W)	BRP 4215
Black single NACA duct (4 1/4"H X 6 1/4"D X 10"W)	BRP 4214
Black single NACA duct (4 1/4"H X 6"D X 10 3/4"W)	BRP 4200



Double NACA Duct

DESCRIPTION	P/N
Black double NACA duct (4 1/4"H X 9"D X 10 1/2"W)	BRP 4216

Bumper Mount Air Ducts



DESCRIPTION	P/N
Headlight mount black duct (3 1/4"H X 6 1/4"D X 8 1/2"W)	BRP 4218
Single hose bumper mount duct (5 3/4"H X 5"D X 9 1/2"W)	BRP 4219
Dual hose angled outlet bumper mount duct (4 1/2"H X 5"D X 11"W)	BRP 4221

Triple NACA Nose Duct

DESCRIPTION	P/N
Triple carbon fiber nose duct (4.25"H X 13"D X 11"W)	BRP 4207



3" Duct Hose

DESCRIPTION	P/N
3" diameter duct hose (sold in 10 foot lengths)	BRP 4225
Replacement aluminum support ring	BRP 4206

INTEGRA RACING SHOCKS



****See Page 96-100 For Coil Over Kits****

**Aluminum "401" Stealth Series
Coil Kit Part # BRP 9052**

Did You Know...

We recommend running all 4 short link shocks when running the short link setup with the left side panhard bar. If you already have shocks, we can also revalve yours! Just ask your salesperson!

1	Retaining Ring - Spherical Bearing	PCR 310-30328
2	Spherical Bearing	PCR 310-30327
3	Fill Valve (O ring style)	PCR 310-30245A
3	Fill Valve (Pipe Thread)	BRT TV
4	End Cap	PCR 310-30301
5	End Cap O-Ring	PCR 310-30212
6	Floating Piston O-Ring	PCR 310-30213
7	Floating Piston	PCR 310-30334
8	Coil Over Adjuster Nut	BRP 9050
9	7" Aluminum Body	PCR 310-30307
9	9" Aluminum Body	PCR 310-30309
10	Piston Nut	PCR 310-30216
11	Piston Washer	PCR 310-30217
12	Travel Limiter	PCR 310-30335
13	3 Port Linear Piston	PCR 310-30321
13	Digressive Piston	PCR 310-30322
13	Linear Piston	PCR 310-30323
13	Linear / Digressive Piston	PCR 310-30325
14	Piston Band O-Ring	PCR 310-30215
15	Piston Band	PCR 310-30214
16	7" Piston Rod	PCR 310-30317
16	9" Piston Rod	PCR 310-30319
17	Rod Guide Primary O-Ring	PCR 310-30211
18	Rod Guide DU Bearing	PCR 310-30300-1
19	Rod Guide	PCR 310-30300
20	Rod Guide Secondary O-Ring	PCR 310-30210
21	Rod Guide Main Seal (GEN 1)	PCR 310-30209
21	Rod Guide Main Seal (GEN 2)	PCR 310-30281
22	Rod Wiper Seal (GEN 1)	PCR 310-30208
22	Rod Wiper Seal (GEN 2)	PCR 310-30280
23	Coil Over Top Diaper Pin	BRP 631
24	Coil Over Top	BRP 9051
25	Travel Indicator O-Ring	PCR 310-30218
26	Piston Rod Jam Nut	BRP 782A
27	Rod End Housing	PCR 310-30402
28	Constant Shim	PCR 310-MVD594020
29	Valve Disc - .700" O.D. X .010" Shim	PCR 310-MVD7010
30	Valve Disc - .850" O.D. X .010" Shim	PCR 310-MVD85010
31	Valve Disc - 1.00" O.D. X .010" Shim	PCR 310-MVD1010
32	Valve Disc - 1.16" O.D. X .010" Shim	PCR 310-MVD116010
33	Valve Disc - 1.28" O.D. X .010" Shim	PCR 310-MVD128010

Aluminum "401" Stealth Series Shocks

7" ALUMINUM SHOCK

- 7.0" Travel - 20.25" extended length - 13.25" collapsed length -

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
7" LF or RF STD	100psi	2C	4R	LINEAR	PCR 310-40170
7" LF or RF STD +1C	100psi	3C	4R	LINEAR	PCR 310-40170+1C
7" LF or RF STD +1R	100psi	2C	5R	LINEAR	PCR 310-40170+1R
7" LF or RF STD +2R	100psi	2C	6R	LINEAR	PCR 310-40170+2R
7" LF or RF +1C / +1R	100psi	2C	5R	LINEAR	PCR 310-40170+1C+1R
7" LF or RF MEDIUM	150psi	4C	5.5R	LINEAR	PCR 310-40170-MED
7" RF SLICK	15psi	2C	4R	LINEAR	PCR 310-40270RF-SLICK
7" BD1 LF	100psi	2C	4R	DIGRESSIVE	PCR 310-40170-LF-BD1
7" BD1 RF	100psi	2C	4R	DIGRESSIVE	PCR 310-40170-RF-BD1
7" BD1 RF +1R	100psi	2C	5R	DIGRESSIVE	PCR 310-40170-RF-BD1+1R
7" BD1 RF +2R	100psi	2C	6R	DIGRESSIVE	PCR 310-40170-RF-BD1+2R

9" ALUMINUM SHOCK


- 9.0" Travel - 24.25" extended length - 15.25" collapsed length -

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
9" LR NEW EGYPT	150psi	5.5C	6.5R	LINEAR	PCR 310-40190L-NE
9" LR STD	150psi	5.5C	3.5R	LINEAR	PCR 310-40190L
9" LR MEDIUM	150psi	5C	4R	LINEAR	PCR 310-40190L-MED
9" LR TRACTION	150psi	5C	3R	DIGRESSIVE	PCR 310-40190L-TRACTION
9" BD1 LR	125psi	4.5C	4.5R	DIGRESSIVE	PCR 310-40190LRBD1
9" LR MED DIG	150psi	5C	4R	DIGRESSIVE	PCR 310-40190L-MED-DIG
9" LR RACHEL	150psi	5.5C	3R	DIGRESSIVE	PCR 310-40190L-RACHEL
9" RR NEW EGYPT	150psi	6.5C	5.5R	LINEAR	PCR 310-40190R-NE
9" RR HEAVY	200psi	5.5C	7R	LINEAR	PCR 310-40190R-HEAVY
9" RR 55	150psi	5C	5R	LINEAR	PCR310-40190R-55
9" RR STD	125psi	4C	5R	LINEAR	PCR 310-40190R
9" RR STD 3 PORT	125psi	4C	5R	3 PORT	PCR 310-40190R-STD-3PORT
9" RR MEDIUM	150psi	5.5C	5R	LINEAR	PCR 310-40190R-MED
9" BD1 RR	125psi	4C	4.5R	DIGRESSIVE	PCR 310-40190RRBD1
9" RR MED DIG	150psi	5.5C	5R	DIGRESSIVE	PCR 310-40190R-MED-DIG

REAR SHORT LINK ALUMINUM SHOCKS

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
7" LF FOR SHORT LINK	100psi	2C	5R	LINEAR	PCR 310-40170-LF-FSR
7" RF FOR SHORT LINK	100psi	2C	6R	LINEAR	PCR 310-40170-RF-FSR
9" LR FOR SHORT LINK	125psi	4.5C	4R	LINEAR	PCR 310-40190-LR-RSR
9" RR FOR SHORT LINK	125psi	4.5C	4.5R	LINEAR	PCR 310-40190-RR-RSR

Aluminum Shock Replacement Parts



INTEGRA RACING SHOCKS

Steel "45" Avenger Series Shocks

7" STEEL SHOCK

- 7.0" Travel- 20.38" extended length - 13.38" collapsed length -

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
7" LF STD	100psi	2C	4R	LINEAR	PCR 45170-LF-STD
7" RF STD	100psi	2C	4R	LINEAR	PCR 45170-RF-STD
7" LF or RF STD +1C	100psi	3C	4R	LINEAR	PCR 45170-RF+1C
7" LF or RF STD +1R	100psi	2C	5R	LINEAR	PCR 45170-LF+1REB
7" LF or RF STD +2R	100psi	2C	6R	LINEAR	PCR 45170-LF+2REB
7" LF or RF STD +3R	100psi	2C	7R	LINEAR	PCR 45170-LF+3REB
7" LF or RF MEDIUM	150psi	4C	5.5R	LINEAR	PCR 45170-RF-MED
7" LF BD1	100psi	2C	4R	DIGRESSIVE	PCR 45170-LF-BD1
7" RF BD1	100psi	2C	4R	DIGRESSIVE	PCR 45170-RF-BD1
7" LF or RF BD1 +1C	100psi	3C	4R	DIGRESSIVE	PCR 45170-RF-BD1+1C
7" LF or RF BD1 +1R	100psi	2C	5R	DIGRESSIVE	PCR 45170-LF-BD1+REB
7" LF or RF BD1 +2R	100psi	2C	6R	DIGRESSIVE	PCR 45170-LF-BD1+2R
7" LF or RF BD1 +4R	100psi	2C	8R	DIGRESSIVE	PCR 45170-LF-BD1+4R


9" STEEL SHOCK

- 9.0" Travel - 24.5" extended length - 15.5" collapsed length -

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
9" LR STD	150psi	5.5C	3.5R	LINEAR	PCR 45190-LR-STD
9" LR MEDIUM	150psi	5C	4R	LINEAR	PCR 45190-LR-MED
9" LR TRACTION	150psi	5C	3R	DIGRESSIVE	PCR 45190-LR-TRAC
9" BD1 LR	125psi	4.5C	4.5R	DIGRESSIVE	PCR 45190-LR-BD1
9" LR MED DIG	150psi	5C	4R	DIGRESSIVE	PCR 45190-LR-MDG
9" LR RACHEL	150psi	5.5C	3R	DIGRESSIVE	PCR 45190-L-RACHEL
9" RR STD	125psi	4C	5R	LINEAR	PCR 45190-RR-STD
9" RR STD 3 PORT	125psi	4C	5R	3 PORT	PCR 45190R-STD-3PORT
9" RR MEDIUM	150psi	5.5C	5R	LINEAR	PCR 45190-RR-MED
9" BD1 RR	125psi	4C	4.5R	DIGRESSIVE	PCR 45190-RR-BD1
9" RR MED DIG	150psi	5.5C	5R	DIGRESSIVE	PCR 45190-RR-MED-DIG

REAR SHORT LINK STEEL SHOCKS

DESCRIPTION	REC. GAS #	COMPRESSION	REBOUND	PISTON	P/N
7" LF FOR SHORT LINK	100psi	2C	5R	LINEAR	PCR 45170-LF-FSR
7" RF FOR SHORT LINK	100psi	2C	6R	LINEAR	PCR 45170-RF-FSR
9" LR FOR SHORT LINK	125psi	4.5C	4R	LINEAR	PCR 45190-LR-RSR
9" RR FOR SHORT LINK	125psi	4.5C	4.5R	LINEAR	PCR 45190-RR-RSR




See Page 96-100 For Coil Over Kits

Steel "45" Avenger Series
Coil Kit Part # BRP 9422

Did You Know...

We recommend running all 4 short link shocks when running the short link setup with the left side panhard bar. If you already have shocks, we can also revalve yours! Just ask your salesperson!

Steel Shock Replacement Parts



1	Retaining Ring - Spherical Bearing	PCR 310-30328
2	Spherical Bearing	PCR 310-30327
3	Fill Valve (O ring style)	PCR 310-30245A
3	Fill Valve (Pipe Thread)	BRT TV
4	End Cap	PCR 310-45001
5	Coil Over Nut	BRP 602BK
6	Floating Piston O-Ring	PCR 310-30213
7	Floating Piston	PCR 310-30334
8	Coil Over Sleeve	BRP 9042
8	Replacement Snap Ring for Coil Over	BRP 9049
9	7" Steel Body	PCR 310-45017
9	9" Steel Body	PCR 310-45019
10	Piston Nut	PCR 310-30216
11	Piston Washer	PCR 310-30217
12	Travel Limiter	PCR 310-30335
13	LINEAR Piston	PCR 310-30323
13	DIGRESSIVE Piston	PCR 310-30322
14	Piston Band O-Ring	PCR 310-30215
15	Piston Band	PCR 310-30214
16	7" Piston Rod	PCR 310-30317
16	9" Piston Rod	PCR 310-30319
17	Rod Guide Primary O-Ring	PCR 310-30211
18	Rod Guide DU Bearing	PCR 310-30300-1
19	Rod Guide	PCR 310-30226
20	Rod Guide Secondary O-Ring	PCR 310-30210
21	Rod Guide Main Seal (GEN 1)	PCR 310-30209
21	Rod Guide Main Seal (GEN 2)	PCR 310-30281
22	Rod Wiper Seal (GEN 1)	PCR 310-30208
22	Rod Wiper Seal (GEN 2)	PCR 310-30280
23	Coil Over Top Diaper Pin	BRP 631
24	Coil Over Top	BRP 9051
25	Travel Indicator O-Ring	PCR 310-30218
26	Piston Rod Jam Nut	BRP 782A
27	Rod End Housing	PCR 310-30402
28	Constant Shim	PCR 310-MVD594020
29	Valve Disc - .700" O.D. X .010" Shim	PCR 310-MVD7010
30	Valve Disc - .850" O.D. X .010" Shim	PCR 310-MVD85010
31	Valve Disc - 1.00" O.D. X .010" Shim	PCR 310-MVD1010
32	Valve Disc - 1.16" O.D. X .010" Shim	PCR 310-MVD116010
33	Valve Disc - 1.28" O.D. X .010" Shim	PCR 310-MVD128010

FOX RACING SHOCKS



Aluminum Track 2.0 Bulb Shocks

7" ALUMINUM SHOCK WITH BASE VALVE

- 7.3" Travel - 21.9" extended length - 14.6" collapsed length -

DESCRIPTION	COMPRESSION	REBOUND	PISTON	P/N
7" Aluminum shock with base valve	CUSTOM	CUSTOM	LINEAR	FOX 983-90-007-XX*
7" Aluminum shock with base valve	60C	165R	LINEAR	FOX 983-90-007-10
7" Aluminum shock with base valve	60C	200R	LINEAR	FOX 983-90-007-11
7" Aluminum shock with base valve	75C	165R	LINEAR	FOX 983-90-007-12
7" Aluminum shock with base valve	75C	200R	LINEAR	FOX 983-90-007-13
7" Aluminum shock with base valve	75C	230R	LINEAR	FOX 983-90-007-14
7" Aluminum shock with base valve	60C	230R	LINEAR	FOX 983-90-007-17
7" Aluminum shock with base valve	100C	230R	LINEAR	FOX 983-90-007-19
7" Aluminum shock with base valve	75C	275R	LINEAR	FOX 983-90-007-22
7" Aluminum shock with base valve	65C	190R	DIGRESSIVE	FOX 983-90-007-50
7" Aluminum shock with base valve	75C	165R	DIGRESSIVE	FOX 983-90-007-51

* Please specify valving when ordering

Track 2.0 Aluminum Coil Over Kit part # BRP 9420

9" ALUMINUM SHOCK WITH BASE VALVE


- 9.1" Travel - 25.3" extended length - 16.2" collapsed length -

DESCRIPTION	COMPRESSION	REBOUND	PISTON	P/N
9" Aluminum shock with base valve	CUSTOM	CUSTOM	LINEAR	FOX 983-90-009-XY*
9" Aluminum shock with base valve	60C	200R	LINEAR	FOX 983-90-009-11
9" Aluminum shock with base valve	75C	165R	LINEAR	FOX 983-90-009-12
9" Aluminum shock with base valve	75C	200R	LINEAR	FOX 983-90-009-13
9" Aluminum shock with base valve	75C	230R	LINEAR	FOX 983-90-009-14
9" Aluminum shock with base valve	115C	165R	LINEAR	FOX 983-90-009-15
9" Aluminum shock with base valve	115C	200R	LINEAR	FOX 983-90-009-16
9" Aluminum shock with base valve	60C	230R	LINEAR	FOX 983-90-009-17
9" Aluminum shock with base valve	115C	230R	LINEAR	FOX 983-90-009-18
9" Aluminum shock with base valve	100C	230R	LINEAR	FOX 983-90-009-19
9" Aluminum shock with base valve	100C	250R	LINEAR	FOX 983-90-009-21
9" Aluminum shock with base valve	100C	200R	LINEAR	FOX 983-90-009-27
9" Aluminum shock with base valve	125C	165R	LINEAR	FOX 983-90-009-28
9" Aluminum shock with base valve	120C	270R	LINEAR	FOX 983-90-009-94
9" Aluminum shock with base valve	145C	145R	DIGRESSIVE	FOX 983-90-009-52
9" Aluminum shock with base valve	100C	200R	DIGRESSIVE	FOX 983-90-009-53

* Please specify valving when ordering

****See Page 96-100 For Coil Over Kits****

Aluminum Shock Replacement Parts



1	Shraeder Valve (small style)	FOX 010-00-021
1	Shraeder Valve (large style)	FOX 802-00-008
2	Retaining Ring	FOX 038-00-015-A
3	Spherical Bearing	FOX 001-00-025
4	Body Cap - Aluminum Shocks (gas chamber housing)	FOX 206-06-127
5	Divider Piston	FOX 223-00-031
6	Divider Piston O-Ring	FOX 029-00-328
7	Base Valve Bolt (base valve shocks only)	FOX 241-02-086
8	Base Valve Nut (base valve shocks only)	FOX 018-00-003-A
9	Base Valve (base valve shocks only)	FOX 222-01-247
9	Tube Adaptor (non base valve shocks only)	FOX 206-06-128
10	Tube Adaptor / Base Valve O-Ring (O.D. of adaptor)	FOX 029-03-139-A
11	Tube O-Ring (I.D. of adaptor)	FOX 029-03-135-A
12	7" Aluminum Body	FOX 207-14-045
12	9" Aluminum Body	FOX 207-14-061
13	Bearing Housing (Eye End)	FOX 213-01-430
14	7" Shaft for Aluminum Shock	FOX 229-99-102
14	9" Shaft for Aluminum Shock	FOX 229-99-120
15	Travel Indicator	FOX 008-06-001
16	Rod Wiper Seal	FOX 036-02-012-A
17	Rod Wiper Seal Housing	FOX 202-00-041
18	Rod Guide U Cup Seal	FOX 036-01-058
19	Rod Guide O-Ring	FOX 029-03-222-A
20	Rod Guide Housing	FOX 203-00-060
21	Rod Guide Wear Plate (rubber)	FOX 008-00-006
22	Teflon Piston Band	FOX 002-00-000-A
23	Piston Reducer Plate	FOX 050-00-018
24	Piston Backup Plate	FOX 050-01-000-C
25	Piston Nut	FOX 018-00-003-A
26	Linear Piston	FOX 222-07-002-A
26	Digressive Piston	FOX 222-01-249
27	Valve Disc - .075" O.D. X .010" Thick	FOX 041-10-075-A
27	Valve Disc - 0.80" O.D.	FOX 041-XX-080-A
27	Valve Disc - .095" O.D.	FOX 041-XX-095-A
27	Valve Disc - 1.10" O.D.	FOX 041-XX-110-A
27	Valve Disc - 1.35" O.D.	FOX 041-XX-135-A
27	Valve Disc - 1.42" O.D.	FOX 041-XX-142-A
27	Valve Disc - 1.60" O.D.	FOX 041-XX-160-A
XX - SUBSTITUTE XX FOR SHIM THICKNESS - .06 .08 .10 .12 .15 .20		

XX - SUBSTITUTE XX FOR SHIM THICKNESS - 06, 08, 10, 12, 15, 20

FOX RACING SHOCKS

Steel Track 2.0 Hybrid Shocks

7" STEEL SHOCK

- 7.1" Travel - 20.1" extended length - 13" collapsed length -

DESCRIPTION	COMPRESSION	REBOUND	PISTON	P/N
7" Steel shock	CUSTOM	CUSTOM	LINEAR	FOX 983-91-507-XX*
7" Steel shock	60C	165R	LINEAR	FOX 983-91-507-10
7" Steel shock	60C	200R	LINEAR	FOX 983-91-507-11
7" Steel shock	75C	165R	LINEAR	FOX 983-91-507-12
7" Steel shock	75C	200R	LINEAR	FOX 983-91-507-13
7" Steel shock	60C	230R	LINEAR	FOX 983-91-507-17
7" Steel shock	65C	190R	DIGRESSIVE	FOX 983-91-507-50
7" Steel shock	75C	165R	DIGRESSIVE	FOX 983-91-507-51

* Please specify valving when ordering

Track 2.0 Steel Coil Over Kit part # BRP 9418

9" STEEL SHOCK

- 8.8" Travel - 23.4" extended length - 14.6" collapsed length -

DESCRIPTION	COMPRESSION	REBOUND	PISTON	P/N
9" Steel shock	CUSTOM	CUSTOM	LINEAR	FOX 983-91-509-XX*
9" Steel shock	60C	165R	LINEAR	FOX 983-91-509-10
9" Steel shock	60C	200R	LINEAR	FOX 983-91-509-11
9" Steel shock	75C	165R	LINEAR	FOX 983-91-509-12
9" Steel shock	75C	200R	LINEAR	FOX 983-91-509-13
9" Steel shock	75C	230R	LINEAR	FOX 983-91-509-14
9" Steel shock	115C	165R	LINEAR	FOX 983-91-509-15
9" Steel shock	115C	200R	LINEAR	FOX 983-91-509-16
9" Steel shock	60C	230R	LINEAR	FOX 983-91-509-17
9" Steel shock	115C	230R	LINEAR	FOX 983-91-509-18
9" Steel shock	100C	275R	LINEAR	FOX 983-91-509-23
9" Steel shock	125C	165R	LINEAR	FOX 983-91-509-28
9" Steel shock	120C	270R	LINEAR	FOX 983-91-509-94
9" Steel shock	145C	145R	DIGRESSIVE	FOX 983-91-509-52
9" Steel shock	100C	200R	DIGRESSIVE	FOX 983-91-509-53


* Please specify valving when ordering



See Page 96-100 For Coil Over Kits

Steel Shock Replacement Parts

1	Shraeder Valve (small style)	FOX 010-00-021
1	Shraeder Valve (large style)	FOX 802-00-008
2	Retaining Ring	FOX 038-00-015-A
3	Spherical Bearing	FOX 001-00-025
4	Body Cap - Steel Shocks (gas chamber housing)	FOX 206-06-130
5	Divider Piston	FOX 223-00-020
6	Divider Piston O-Ring	FOX 029-00-324
7	Tube O-Ring (I.D. of adaptor)	FOX 029-03-135-A
8	7" Steel Body	FOX 204-18-081
8	9" Steel Body	FOX 204-18-082
9	Bearing Housing (Eye End)	FOX 213-01-430
10	7" Shaft for Steel Shock	FOX 229-99-100
10	9" Shaft for Steel Shock	FOX 229-99-117
11	Travel Indicator	FOX 008-06-001
12	Rod Wiper Seal	FOX 036-02-012-A
13	Rod Wiper Seal Housing	FOX 202-00-041
14	Rod Guide U Cup Seal	FOX 036-01-058
14	Rod Guide O-Ring	FOX 029-03-222-A
15	Rod Guide Housing	FOX 203-00-060
16	Rod Guide Wear Plate (rubber)	FOX 008-00-006
17	Teflon Piston Band	FOX 002-00-000-A
18	Piston Reducer Plate	FOX 050-00-018
19	Piston Backup Plate	FOX 050-01-000-C
20	Piston Nut	FOX 018-00-003-A
21	Linear Piston	FOX 222-07-002-A
22	Digressive Piston	FOX 222-01-249
23	Valve Disc - .075" O.D. X .010" Thick	FOX 041-10-075-A
23	Valve Disc - 0.80" O.D.	FOX 041-XX-080-A
23	Valve Disc - .095" O.D.	FOX 041-XX-095-A
23	Valve Disc - 1.10" O.D.	FOX 041-XX-110-A
23	Valve Disc - 1.35" O.D.	FOX 041-XX-135-A
23	Valve Disc - 1.42" O.D.	FOX 041-XX-142-A
23	Valve Disc - 1.60" O.D.	FOX 041-XX-160-A
XX	SUBSTITUTE XX FOR SHIM THICKNESS - 06, 08, 10, 12, 15, 20	
46mm Rod Guide	BIL E4-BOA-0000119	



BILSTEIN ALUMINUM XVA SHOCKS



7" ALUMINUM SHOCK

- 7.0" Travel - 20.3" extended length - 13.69" collapsed length -

DESCRIPTION	P/N
7" Stroke Linear XVA Series Aluminum Shock	BIL 33-255194
7" Stroke Linear XVA Series Aluminum Shock With Base Valve	BIL 33-252506
7" Stroke Digressive XVA Series Aluminum Shock	BIL 33-255255
7" Stroke Digressive XVA Series Aluminum Shock With Base Valve	BIL 33-255149

** Please add valving to end of part number when ordering**

9" ALUMINUM SHOCK


- 9.0" Travel - 23.72" extended length - 15.39" collapsed length -

DESCRIPTION	P/N
9" Stroke Linear XVA Series Aluminum Shock	BIL 33-255217
9" Stroke Linear XVA Series Aluminum Shock With Base Valve	BIL 33-252520
9" Stroke Digressive XVA Series Aluminum Shock	BIL 33-255279
9" Stroke Digressive XVA Series Aluminum Shock With Base Valve	BIL 33-255163

** Please add valving to end of part number when ordering**

XVA SERIES Coil Over Kit Part # BIL B4-KT1-Z245A01

XVA Series Replacement Parts



Number	Part Number	Description
1	BIL E4-GL1-Z020A00	Spherical Bearing
2	BIL E4-BOA-0000440	Spring Clip
3	BIL E4-LG0-Z016A02	XVA End Cap
4	BIL B4-XD0-Z015A00	Fill Valve
5	BIL E4-DI6-Z110A00	Fill Valve O-Ring
6	BIL B4-B46-U160	Dividing Piston
7	BIL E4-DI6-Z111A00	Divider Piston O-Ring
8	BIL E4-FT4-Z058A00	Jam Nut
9	BIL 33-255194	7" XVA Threaded Aluminum Tube
9	BIL 33-255217	9" XVA Threaded Body Tube
10	BIL 1000424	M8 X 1.0 Nylon Locknut
11	BIL E4-SB1-Z023A01	Support Plate
12	BIL E4-B46-Z05NCT	Piston
13	BIL E4-KR2-X001A02	Piston Band
14	BIL E4-SB1-Z030A00	Brake
15	BIL E4-AP1-Z023A03	Bumper
16	BIL E4-B46-26	Snap Ring
17	BIL B4-BOA-0000119	Rod Guide Assembly
18	BIL E4-XD0-Z071A00	Jounce Cap
19	BIL E4-KS2-Z013A06	7" Piston Rod
19	BIL E4-KS2-Z013A80	9" Piston Rod
20	BIL 2568310	Travel O-Ring
21	BIL E4-MU1-Z010A00	Nut
22	BIL B4-LG0-Z043A01	Rod End Assembly

See Page 96-100 For Coil Over Kits

Did You Know...

All Bilstein aluminum shocks are custom built, and therefore require greater lead time. Please allow ample time when ordering!



BILSTEIN AS2 SERIES ALUMINUM SHOCKS

7" ALUMINUM SHOCK

- 6.9" Travel - 19.9" extended length - 13.0" collapsed length -

DESCRIPTION	P/N
7" Stroke Linear AS2 Series Aluminum Shock	BIL 33-247915
7" Stroke Digressive AS2 Series Aluminum Shock	BIL 33-247854

** Please add valving to end of part number when ordering**

9" ALUMINUM SHOCK

- 8.9" Travel - 24.0" extended length - 15.1" collapsed length -

DESCRIPTION	P/N
9" Stroke Linear AS2 Series Aluminum Shock	BIL 33-247892
9" Stroke Digressive AS2 Series Aluminum Shock	BIL 33-247830

** Please add valving to end of part number when ordering**

AS2 Series Coil Over Nut and Top - SOLD SEPARATELY

Coil Nut: BIL E4-BOA-0000458 Coil Top: BI E4-BOA-0000537



BILSTEIN SN2 SERIES STEEL SHOCKS

7" STEEL SHOCK

- 6.8" Travel - 19.8" extended length - 13.0" collapsed length -

DESCRIPTION	P/N
7" Stroke Linear SN2 Series Steel Shock	BIL 33-247809
7" Stroke Digressive SN2 Series Steel Shock	BIL 33-247755

** Please add valving to end of part number when ordering**

9" STEEL SHOCK

- 8.8" Travel - 23.9" extended length - 15.1" collapsed length -

DESCRIPTION	P/N
9" Stroke Linear SN2 Series Steel Shock	BIL 33-247786
9" Stroke Digressive SN2 Series Steel Shock	BIL 33-247731

** Please add valving to end of part number when ordering**

Steel "SN2" Series Coil Kit Part # BRP 614-7BK

BILSTEIN STEEL BODY SHOCKS



Did You Know...

Bilstein Shocks uses a different "valving" code than most other shock manufacturers. They are one of the only brands to have the REBOUND valving number first!



Did You Know...

Custom valved shocks are also available. Just ask your salesperson for more details.



BIL 423435

SL Series Steel Shocks

7" STEEL SHOCK

- 6.9" Travel - 20.00" extended length - 13.14" collapsed length -

9" STEEL SHOCK

- 8.5" Travel - 23.44" extended length - 14.94" collapsed length -

Standard to Semi-Slick Conditions

	DESCRIPTION	P/N
LF	7" 162/55	BIL B46-0210C
RF	7" 208/55	BIL B46-0210-230/55
LR	9" 162/120	BIL B46-0207-162/120
RR	9" 230/72	BIL B46-0207-230/72

Fast, Tacky, Hooked Up Conditions

	DESCRIPTION	P/N
LF	7" 162/55	BIL B46-0210C
RF	7" 230/100	BIL B46-0210-230/100
LR	9" 230/120	BIL B46-0207-230/120
RR	9" 270/120	BIL B46-0207-270/120

Smooth/Glass Slick Conditions

	DESCRIPTION	P/N
LF	7" 130/55	BIL B46-0210-130/55
RF	7" 130/55	BIL B46-0210-130/55
LR	9" 162/72	BIL B46-0207-162/72
RR	9" 230/55	BIL B46-0207-230/55

Asphalt Package

	DESCRIPTION	P/N
LF	7" 300/78	BIL B46-0210-300/78
RF	7" 270/78	BIL B46-0210-270/78
LR	9" 230/78	BIL B46-0207A-230/78
RR	9" 208/90	BIL B46-0207-208/90

** Please Note- The above packages are guide lines. These packages can be mixed and matched for differing track conditions.**

BILSTEIN PARTS

DESCRIPTION	P/N
Replacement Bilstein Coil Over Snap Ring	BIL 522880
Shock Eye Reducer Bushing (reduces 15MM to 1/2")	BIL 423435

Other Valvings Available:

7" Stroke

- 6.9" Travel -
- 20.00" extended length - 13.14" collapsed length -

VALVING	P/N
300/78	BIL B46-0210-300/78
270/78	BIL B46-0210-270/78
230/100	BIL B46-0210-230/100
208/72	BIL B46-0210-208/72
208/55	BIL B46-0210-208/55
162/72	BIL B46-0210-162/72
162/55	BIL B46-0210C
130/55	BIL B46-0210-130/55

9" Stroke

- 8.5" Travel -
- 23.44" extended length - 14.94" collapsed length -

VALVING	P/N	VALVING	P/N
270/120	BIL B46-0207-270/120	208/90	BIL B46-0207-208/90
270/78	BIL B46-0207-270/78	208/72	BIL B46-0207B
230/120	BIL B46-0207-230/120	162/120	BIL B46-0207-162/120
230/90	BIL B46-0207-230/90	162/100	BIL B46-0207-162/100
230/78	BIL B46-0207A	162/90	BIL B46-0207-162/90
230/72	BIL B46-0207-230/72	162/72	BIL B46-0207-162/72
230/55	BIL B46-0207-230/55	162/55	BIL B46-0207C
225/100	BIL B46-0207-225/100	50/30*	BIL S9Z-5030
220/90	BIL B46-0207-220/90	60/10*	BIL S9Z-6010
208/100	BIL B46-0207-208/100	50/50*	BIL S9Z-5050

*Indicates Digressive Valving

See Page 96-100 For Coil Over Kits

SMALL BODY SHOCKS



6" Stroke Bilstein Shock

- 5.49" Travel -
- 17.56" extended length - 12.07" collapsed length -

VALVING REB/COMP	P/N
1/1	BIL S6G1010
1/2	BIL S6G1020
1/3	BIL S6G1030
2/2	BIL S6G2020
2/4	BIL S6G2040
3/1	BIL S6G3010
3/3	BIL S6G3030
4/2	BIL S6G4020

7" Stroke Bilstein Shock

- 6.87" Travel -
- 20.49" extended length - 13.62" collapsed length -

VALVING REB/COMP	P/N
1/9	BIL S7G1090
2/2	BIL S7G2020
2/4	BIL S7G2040
3/3	BIL S7G3030
3/5	BIL S7G3050
3.5/3.5	BIL S7G3535
4/2	BIL S7G4020
4.5/4.5	BIL S7G4545
5.5/5.5	BIL S7G5555



BIL S7G1090



BIL B4-LGO-2043A01

DESCRIPTION	P/N
Replacement rod end for Bilstein small body shock (sold each)	BIL B4-LGO-2043A01



AFC 1551



5" Stroke Afco Shock


- 5.00" Travel -
- 15.28" extended length - 10.28" collapsed length -

VALVING REB/COMP	P/N
1/1	AFC 1551
2/2	AFC 1552
3/3	AFC 1553
4/4	AFC 1554

6" Stroke Afco Shock

- 6.00" Travel -
- 17.45" extended length - 11.45" collapsed length -

VALVING REB/COMP	P/N
1/1	AFC 1561
2/2	AFC 1562
3/3	AFC 1563
3/1	AFC 1563-1
4/4	AFC 1564



AFC 10157-1

DESCRIPTION	P/N
Replacement Diaper Pin	AFC 10157-1

****See Page 96-100 For Coil Over Kits****

RUSH RACING SERIES SHOCKS



VALVING REB/COMP	P/N
162 / 90	PRE R162-90
162 / 50	PRE R162/55
208 / 72	PRE R208-72

RUSH RACING SERIES "BILSTEIN BANDITS" \$135 SEALED- SPEC SHOCK

- RUSH "BILSTEIN BANDITS" SEALED - SPEC SHOCK PACKAGE DELIVERS WORLD CLASS BILSTEIN NON-FADE PERFORMANCE TO RUSH RACE TEAMS FOR \$135 PER SHOCK.
- THE RUSH "BILSTEIN BANDITS" PACKAGE HAS BEEN SUCCESSFULLY UTILIZED BY NUMEROUS LATE MODEL AND PRO STOCK TEAMS AS AN AFFORDABLE OPTION TO EXPENSIVE DOUBLE-ADJUSTABLE SHOCK PACKAGES. THE SHOCKS ARE MANDATED IN THE SPORTSMAN MODIFIED & PRO MOD DIVISIONS.
- THE "BILSTEIN PACKAGE" IS A PROVEN WINNER AGAINST ALL BRANDS OF ADJUSTABLE SHOCK PACKAGES THAT COST THOUSANDS OF DOLLARS PER SET.
- THE "BILSTEIN BANDITS" PACKAGE INCORPORATES BILSTEIN LINEAR, DIGRESSIVE, AND C.O.B. DIGRESSIVE TECHNOLOGIES.
- "BILSTEIN BANDITS" SHOCKS ARE CONSISTENT FROM SHOCK TO SHOCK OF THE SAME VALVING.
- "BILSTEIN BANDITS" SHOCKS ARE THE MOST DURABLE RACE SHOCKS AVAILABLE ANYWHERE. THEY MAINTAIN THE SAME LEVEL OF PERFORMANCE OVER TIME, UNLIKE OTHER SHOCK BRANDS.

STREET STOCK SHOCKS



AFCO Street Stock Shocks

FIG	APPLICATION	DESCRIPTION	EXTENDED LENGTH	COMP. LENGTH	VALVING	P/N
1	GM Full Size & Mid Size '70-'81 Camaro & Firebird Ford Full & Mid Size, Merc, Montego & Cougar.	Ex-Heavy	15 1/2"	10 1/2"	7 (50/50)	AFC 1020
		Heavy	15 1/2"	10 1/2"	6 (50/50)	AFC 1021
		Ex-Heavy/Medium	15 1/2"	10 1/2"	7/4 (80/20)	AFC 1022

FIG	APPLICATION	DESCRIPTION	EXTENDED LENGTH	COMP. LENGTH	VALVING	P/N
2	GM Full & Mid Size Malibu Chevelle, Monte Carlo, GTO Cutlass, Grand Prix, Regal, Tempest, Skylark, Nova	Medium	21"	13"	5 (50/50)	AFC 1030
		Heavy	21"	13"	6 (50/50)	AFC 1031

FIG	APPLICATION	DESCRIPTION	EXTENDED LENGTH	COMP. LENGTH	VALVING	P/N
3	All '70-'81 Camaro/Firebird	Medium	22 1/2"	14 1/2"	5 (50/50)	AFC 1032
		Heavy	22 1/2"	14 1/2"	6 (50/50)	AFC 1033
	GM Intermediate Rear	Soft/Heavy	21"	13"	3/5 (40/60)	AFC 1035
	Camaro '70-'81 Rear	Soft/Heavy	22 1/2"	14 1/2"	3/5 (40/60)	AFC 1034

Did You Know...

Afco stock mount shocks are designed to be OEM replacement shocks for your race car!



PRO "SS" Series Street Stock Shocks

	P/N
Front GM full & mid-size, '70-'81 Camaro/Firebird, Front Ford full & mid size, Mercury and Cougar	PRO SS100
Rear '70-'81 Camaro & Firebird	PRO SS200
Rear GM full and mid-size Chevelle, Monte Carlo, Cutlass, Grand Prix, GTO, Tempest, Regal and Skylark	PRO SS201
Front '74-'78 Mustang II and '71-'80 Pinto	PRO SS300
Rear Mustang and Ford Full size	PRO SS400
Rear '75-'78 Mustang II	PRO SS402

These specially designed shocks are made to replace the stock OEM units in the original mounting locations. The "SS" series have extra heavy damping designed for the rigors of street stock racing. There are 7 designs available and we stock them all!

PRO "WB" SERIES SHOCKS



7" Stroke

- 7.00" Travel -
- 19.50" extended length - 12.50" collapsed length -

VALVING REB/COMP	P/N
210/210	PRO WB74BK
210/315	PRO WB746BK
260/260	PRO WB75BK
260/155	PRO WB753BK
315/315	PRO WB76BK
315/155	PRO WB763BK
370/370	PRO WB77BK
370/480	PRO WB78BK
600/65	PRO WB791BK

9" Stroke

- 9.00" Travel -
- 23.50" extended length - 14.50" collapsed length -

VALVING REB/COMP	P/N
260/155	PRO WB935BK
210/210	PRO WB94BK
210/350	PRO WB946BK
260/260	PRO WB95BK
260/155	PRO WB953BK
315/315	PRO WB96BK
370/370	PRO WB97BK

Pro WB Series Coil Kit Part # BRP 616-7BK

"WB" series shocks are an inexpensive welded bearing painted shock designed especially for coil-over / non-coil over applications.
(Can be used as a coil-over shock or can be run up side down to save on unsprung weight).
The "WB" series are offered in 7" and 9" strokes.

Call for PRO PGA and PGAC series shocks

PRO STEEL TAKE APART SHOCKS



7" Stroke

- 7.00" Travel -
- 19.50" extended length - 12.50" collapsed length -

VALVING COMP/REB	P/N
155/155	PRO TA7300
210/210	PRO TA7400
210/315	PRO TA7460
260/260	PRO TA7500
260/155	PRO TA7530
315/315	PRO TA7600
315/155	PRO TA7630
370/370	PRO TA7700
370/480	PRO TA7800
600/65	PRO TA7910

9" Stroke

- 9.00" Travel -
- 23.50" extended length - 14.50" collapsed length -

VALVING COMP/REB	P/N
155/155	PRO TA9300
155/480	PRO TA9380
210/210	PRO TA9400
260/260	PRO TA9500
260/155	PRO TA9530
260/350	PRO TA9560
315/315	PRO TA9600
370/370	PRO TA9700
370/480	PRO TA9800



DESCRIPTION	P/N
Replacement Shock End	PRO B200A

****See Page 96-100 For Coil Over Kits****

SHOCK OIL

INTEGRA SHOCK OIL

DESCRIPTION	P/N
Integra Shock Oil - 1 gallon	PCR 310-30902

FOX SHOCK OIL

DESCRIPTION	P/N
Fox Shock Oil - 1 Gallon	FOX 025-03-012

BILSTEIN SHOCK OIL

DESCRIPTION	P/N
Bilstein Shock Oil - 1 Gallon (Good for steel and aluminum shocks)	BIL 193031



PCR 310-30902

FOX 025-03-012

BIL 193031

SHOCK INFLATION UNITS



PEN IU-08

BRT SG

BRP 9430

DESCRIPTION	P/N
Replacement T handle valve only for PEN TL-COMPUNIT or BRP 9430	PEN IU-08
Shuttle Lightweight shock inflation unit - 0 - 300psi	BRT SG
Bicknell Shock Pressure / Inflation Gauge 0 - 300psi	BRP 9430

NITROGEN FILL VALVES

BRT TV



FITS

- PENSKE STEEL SHOCKS
- GEN 1 INTEGRA ALUMINUM SHOCKS
- BILSTEIN BGT, ASN, SNS, SL, SZ

PCR310-30245A



FITS

- GEN 2 INTEGRA ALUMINUM SHOCKS
- INTEGRA STEEL SHOCKS (WITH O-RING)
- GENESIS STEEL & ALUMINUM
- PENSKE ALUMINUM

FOX 802-00-008



FITS

- LARGE VALVE FOR FOX GEN 2 ALUMINUM AND STEEL SHOCKS

FOX 010-00-021



FITS

- SMALL VALVE FOR FOX GEN 1 ALUMINUM AND STEEL SHOCKS

BIL B4-XD0-Z015A00



FITS

- BILSTEIN AS2, SN2, & XVA SERIES SHOCKS (M8 x 1)

SHOCK COVERS

Kirkey Shock Covers - Sold In Pairs

DESCRIPTION	P/N
5" X 18" Black Shock Covers (set of 2)	KIR 00041

Integra Shock Cover - Sold In Pairs

DESCRIPTION	P/N
Fits 10" - 12" Coil Spring - Velcro / Cloth Shock Covers (set of 2)	PCR 310-30650
Fits 14" Coil Spring - Velcro / Cloth Shock Covers (set of 2)	PCR 310-30651
17" Long Armor Coil Over Covers (set of 2)	PCR 310-30656
19" Long Armor Coil Over Covers (set of 2)	PCR 310-30657

Eibach Shock Covers - Sold In Pairs

DESCRIPTION	P/N
Nylon Shock Cover - Fits 10" or 12" Coils - 2 1/2" or 3" Diameter	EIB ESB12.300
Nylon Shock Cover - Fits 14" or 16" Coils - 2 1/2" or 3" Diameter	EIB ESB16.300

Outerwears Shock Covers - Sold In Pairs

DESCRIPTION	P/N
5" X 13" Velcro / Cloth Shock Covers (set of 2)	OUT 30-2615-01



KIR 00041

PCR 310-30650

EIB ESB12.300

PCR 310-30656

OUT 30-2615-01

NOTE: SHOCK SOLD SEPARATELY

COIL OVER ACCESSORIES



PRO Z902

BRP 631

AFC 10157-1

BRP 671

BRP 632

DESCRIPTION	P/N
Spanner Wrench	PRO Z902
Hair Pin Clip	BRP 632
Large Diaper Pin Clip - 2 1/2" Overall Length	BRP 631
Small Diaper Pin Clip - 1 3/4" Overall Length	AFC 10157-1
Tie Rod Shock Adaptor	BRP 671

SHOCK BUMP RUBBERS

3" Tall Christmas Tree Style



DESCRIPTION	P/N
Christmas Tree Style 3" Tall bump Rubber - Soft (RED)	PCR 310-3019-41
Christmas Tree Style 3" Tall bump Rubber - Medium (WHITE)	PCR 310-3019-50
Christmas Tree Style 3" Tall bump Rubber - Hard (BLUE)	PCR 310-3019-59

COIL OVER SPRING RUBBERS

3/4" Thick Speedthane Polyurethane Spring Rubber



DESCRIPTION	P/N
3/4" Thick Speedthane Spring Rubber - Soft (RED)	PCR 310-3017-43
3/4" Thick Speedthane Spring Rubber - Medium (WHITE)	PCR 310-3017-49
3/4" Thick Speedthane Spring Rubber - Hard (BLUE)	PCR 310-3017-57
3/4" Thick Speedthane Spring Rubber - Extra Hard (YELLOW)	PCR 310-3017-62

1" Thick Speedthane Polyurethane Spring Rubber



DESCRIPTION	P/N
1" Thick Speedthane Spring Rubber - Soft (RED)	PCR 310-3017-72
1" Thick Speedthane Spring Rubber - Medium (WHITE)	PCR 310-3017-96
1" Thick Speedthane Spring Rubber - Hard (BLUE)	PCR 310-3017-108

3/4" Thick Integra Urethane Spring Rubber



DESCRIPTION	P/N
3/4" Thick Urethane Spring Rubber - Soft (YELLOW)	PCR 310-30112
3/4" Thick Urethane Spring Rubber - Medium (ORANGE)	PCR 310-30113
3/4" Thick Urethane Spring Rubber - Hard (RED)	PCR 310-30114

1 1/4" Thick Integra Urethane Spring Rubber



DESCRIPTION	P/N
1 1/4" Thick Urethane Spring Rubber - Soft (YELLOW)	PCR 310-30112-1
1 1/4" Thick Urethane Spring Rubber - Medium (ORANGE)	PCR 310-30113-1
1 1/4" Thick Urethane Spring Rubber - Hard (RED)	PCR 310-30114-1

NOTE: FITS INTEGRA MX SPRINGS



Did You Know...

Coil over spring rubbers install in the spring. They are used to affect the spring rate. The rate of the spring is affected by the hardness of the rubber used, as well as the thickness of the rubber and the material! Different springs also require different thickness rubbers so measure the distance between your coils before ordering!

1 1/2" Thick Eibach Polyurethane Spring Rubber



DESCRIPTION	P/N
60 Durmoeter Spring Rubber for 2 1/2" or 3" Coil Over (PURPLE)	EIB SR.2530.0060
70 Durmoeter Spring Rubber for 2 1/2" or 3" Coil Over (GREEN)	EIB SR.2530.0070

COIL OVER BEARINGS



DESCRIPTION	P/N
2 1/2" Coil Spring Thrust Bearing Assembly (contains 2 X SUP TRA-4052, 1 X SUP TC-4052)	BRP 9507
3 1/4" OD Steel Thrust Washer - 2 1/2" ID - 1/32" Thick for Coil Over	SUP TRA-4052
3 1/4" OD Thrust Bearing for Coil Over Kits	SUP TC-4052
Bearing Kit for 3" Coil Over Spring	ALL 64212

COIL OVER REAR SHOCK MOUNTS



DESCRIPTION	P/N
Adjustable Rear Coil Over Shock Bracket Assembly	BRP 9560
Rear Drop Down Shock Mount (designed for exhaust clearance) (designed for use with BRP 9469 and short link adaptor brackets)	BRP 9574
Double Shear Right Rear Shock Mount (designed for use with BRP 9469 without short link adaptor brackets)	BRP 9595

REAR TORSION / COIL OVER SHOCK MOUNTS



DESCRIPTION	RED P/N	BLACK P/N
1 1/4" Heavy Duty Slider	BRP 9060	BRP 9060BK

3/4" SMALL JACK BOLTS



DESCRIPTION	P/N
3/4"F X 4" Steel Jack Bolt Assembly	BRP 9230
3/4"F X 6" Steel Jack Bolt Assembly	BRP 9231
Replacement Aluminum Shock Mount Clevis - Red Anodized	BRP 9233
Replacement Aluminum Shock Mount Clevis - Black Anodized	BRP 9233BK
2 1/8" Long X 1" O.D. Steel Weld On Sleeve - (3/4"F Threads)	BRP 9234
Replacement 4" Steel Jack Bolt	BRP 9235
Replacement 6" Steel Jack Bolt	BRP 9236
Replacement 8" Steel Jack Bolt	BRP 9237
Replacement Bolt For Attaching Clevis To Jack Bolt (3/8" X 3/4" shoulder)	BOL 0607505C

COIL OVER WEDGE BOLTS



Aluminum Shaft Coil Over Wedge Bolts

DESCRIPTION	RED P/N	BLACK P/N
4" Aluminum Wedge Bolt Assembly - 1 1/8"F Thread	BRP 6139	
4" Aluminum Wedge Bolt Only - 1 1/8"F Thread	BRP 6135	
6" Aluminum Wedge Bolt Assembly - 1 1/8"F Thread	BRP 6142	
6" Aluminum Wedge Bolt Only - 1 1/8"F Thread	BRP 6136	
Replacement Aluminum Shock Mount Only	BRP 6141A	BRP 6141ABK

Steel Shaft Coil Over Wedge Bolts

DESCRIPTION	RED P/N	BLACK P/N
6" Steel Wedge Bolt Assembly - 1 1/8"F Thread	BRP 6142S	BRP 6142S
6" Steel Wedge Bolt Only - 1 1/8"F Thread	BRP 6145	BRP 6145
Replacement Aluminum Shock Mount Only	BRP 6141A	BRP 6141ABK

UNIVERSAL SHOCK SLIDERS



1 Piece Aluminum Slider

DESCRIPTION	RED P/N	BLACK P/N
1 1/2" Right Front Shock Slider	BRP 280R	BRP 280RBK
1 1/2" Left Front Shock Slider	BRP 280L	BRP 280LBK
Replacement Bolt Assembly for BRP 280R / BRP 280L	BRP 282	
Optional Screw in Stud For BRP 280R / BRP 280L	BRP 4288	
1 1/2" Right Front Slider With 1 Piece Stud	BRP 9143R	BRP 9143RBK
1 1/2" Left Front Slider With 1 Piece Stud	BRP 9143L	BRP 9143LBK

Shock Slider Safety Collars

DESCRIPTION	RED P/N	BLACK P/N
1 1/2" shock slider safety lock collar (sold in pack of 2)	BRP 9047	BRP 9047BK




2 Piece Aluminum Slider

DESCRIPTION	RED P/N	BLACK P/N
2 Piece Aluminum Slider For 1 1/4" Tubing	BRP 284	BRP 284BK
2 Piece Aluminum Slider For 1 1/4" Tubing with redesigned stud (for faster disassembly)	BRP 4289	BRP 4289BK
2 Piece Aluminum Slider For 1 1/2" Tubing	BRP 286	BRP 286BK
2 Piece Aluminum Slider For 1 3/4" Tubing	BRP 288	BRP 288BK



Heavy Duty 2 Piece Slider

DESCRIPTION	RED P/N	BLACK P/N
1 1/4" Heavy Duty Slider	BRP 9060	BRP 9060BK



Steel 2 Piece Slider

DESCRIPTION	P/N
1 1/4" Steel Slider - Gold Zinc Plated	BRP 283



2 Piece Aluminum Slider

DESCRIPTION	RED P/N	BLACK P/N
1" Slider - Red Anodized (1/2" Bolt)	BRP 4180	BRP 4180BK
1" Extended Slider - Red Anodized (1/2" Bolt)	BRP 4181	BRP 4181BK
1" Slider - Red Anodized (3/8" Bolt)	BRP 4173	BRP 4173BK

DOUBLE SHEAR LOWER SHOCK MOUNTS




DESCRIPTION	P/N RED	P/N BLACK
Left rear double shear lower shock mount (STD BIRDCAGE)	BRP 9079	BRP 9079BK
Right rear double shear lower shock mount (STD BIRDCAGE)	BRP 9080	BRP 9080BK
Left rear double shear lower shock mount - (ADJUSTABLE BIRDCAGE)		BRP 9399L
Right rear double shear lower shock mount - (ADJUSTABLE BIRDCAGE)		BRP 9399R

STEEL WELD ON NUTS



DESCRIPTION	P/N
Steel Weld On Nut - 1 1/8" F Thread	BRP 5150
Steel Weld On Nut - 7/8" C. Thread	BRP 6191

UNIVERSAL SHOCK MOUNTS



DESCRIPTION	P/N
Universal Shock Mount	ALL 60106
Universal Roll Cage Mount	ALL 60103
Universal Lower Arm Mount for Round Tubing	ALL 60107

HYDRAULIC WEIGHT JACK ASSEMBLIES



BRP 635

7/8" Stroke Weight Jack

DESCRIPTION	P/N
7/8" Stroke Weight Jack Assembly (fits threaded and smooth body 2" diameter shocks)	BRP 635
Replacement Coil Ram	BRP 636
Replacement Pump Assembly	BRP 637
Replacement Washer for Coil Over Kit	BRP 638
Replacement Washer for Threaded Body Shocks	BRP 638T
Replacement Knob and Shaft for Pump Assembly	BRP 639
Replacement Steel Braided Hose	BRP 403-108
Replacement O-Ring Kit (package of 5)	BRP 640
Adaptor Kit for 2 1/4" Spring	BRP 634

Did You Know...

All weight jack assemblies come pre-bled, tested and ready to install! It allows driver adjustment from inside the cockpit while he races.



BRP 635-1

2 1/2" Stroke Weight Jack

DESCRIPTION	P/N
2 1/2" Stroke Weight Jack Assembly (fits threaded and smooth body 2" diameter shocks)	BRP 635-1
Replacement Coil Ram	BRP 636-1
Replacement Pump Assembly	BRP 637-1
Replacement Washer for Coil Over Kit	BRP 638
Replacement Washer for Threaded Body Shocks	BRP 638T
Replacement Knob and Shaft for Pump Assembly	BRP 639
Replacement Steel Braided Hose	BRP 403-108
Replacement O-Ring Kit (package of 5)	BRP 640
Adaptor Kit for 2 1/4" Spring	BRP 634

LIFT ARM COIL MOUNTS



DESCRIPTION	P/N
Late Model Adjustable 5th Coil Mount (includes quick adjustment pin)	BRP 9414



BICKNELL
RACING PRODUCTS

Did You Know...

BRP coil over kits have 8 threads per inch. 1 turn = 1/8" of an inch of movement.
 Integra, and Afco also have 8 threads per inch.
 Bilstein BGT series, Carrera, and Fox are all 12 threads per inch
 so 1 1/2 turns = 1/8".
 Bilstein XVS series is 16 threads per inch, resulting in 2 turns = 1/8".

COIL OVER KITS

KIT PART NUMBER	DESCRIPTION		KIT COMPONENTS
BRP 643	AFCO Small Body Steel and Aluminum Shocks (15 and 16 Series Shocks) - Tall Taper Slotted Top, 4" Sleeve - Fits 1 7/8" Spring	 Red Anodized	BRP 642- Slotted Top BRP 641- 4" Sleeve → SLEEVE I.D. 1.675" BRP 647- Coil Nut AFC 10157-1- Diaper Pin BRP 645- Snap Ring
BRP 615	AFCO 2" Steel Body Shocks (10 series) - 5" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 618- Slotted Top BRP 600A- 5" Sleeve → SLEEVE I.D. 2.075" BRP 602- Coil Nut Optional- BRP 598 Jam Nut
BRP 615-7	AFCO 2" Steel Body Shocks (10 series) - 7" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 618- Slotted Top BRP 601A- 7" Sleeve → SLEEVE I.D. 2.075" BRP 602- Coil Nut Optional- BRP 598 Jam Nut
BRP 615-7BK	AFCO 2" Steel Body Shocks (10 series) - 7" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 618BK- Slotted Top BRP 601ABK- 7" Sleeve → SLEEVE I.D. 2.075" BRP 602BK- Coil Nut Optional- BRP 598 Jam Nut
BRP 612	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) - 5" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 613S- Snap ring BRP 613- Slotted Top BRP 600B- 5" Sleeve → SLEEVE I.D. 1.990" BRP 602- Coil Nut Optional- BRP 598 Jam Nut
BRP 612-7	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) - 7" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 613S- Snap ring BRP 613- Slotted Top BRP 601B- 7" Sleeve → SLEEVE I.D. 1.990" BRP 602- Coil Nut Optional- BRP 598 Jam Nut

COIL OVER KITS

KIT PART NUMBER	DESCRIPTION		KIT COMPONENTS
BRP 612-7BK	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) -7" Sleeve -Short Taper Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 613S- Snap ring BRP 613BK- Slotted Top BRP 601BBK- 7" Sleeve BRP 602BK- Coil Nut Optional- BRP 598BK Jam Nut SLEEVE I.D. 1.990"
BRP 614	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) -5" Sleeve -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 632- Hairpin Clip BRP 624- Slotted Top BRP 600B- 5" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 614-7	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) -7" Sleeve -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 632- Hairpin Clip BRP 624- Slotted Top BRP 601B- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 614-7BK	BILSTEIN Steel Body Shock (SZ,SL,SLS, & SN series) -7" Sleeve -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 632- Hairpin Clip BRP 624BK- Slotted Top BRP 601BBK- 7" Sleeve BRP 602BK- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 592	BILSTEIN Aluminum Threaded Body Shocks (BGT & ASN series) -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Plain	BRP 632- Hairpin Clip BRP 624P- Slotted Top BRP 590- Coil Nut BRP 591- Jam Nut
BRP 592BK	BILSTEIN Aluminum Threaded Body Shocks (BGT & ASN series) -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 632- Hairpin Clip BRP 624BK- Slotted Top BRP 590BK- Coil Nut BRP 591BK- Jam Nut
BRP 658P	BILSTEIN Small Body Steel Shocks ("SG" series shocks) -Short Taper Top - Fits 1 7/8" Spring	 Plain	BRP 653P- Slotted Top BRP 600R1P- Sleeve BRP 647P- Coil Nut SLEEVE I.D. 1.565"
BRP 600RP	BILSTEIN Small Body Steel Shocks ("SM" series shocks) -Short Taper Top - Fits 1 7/8" Spring	 Plain	BRP 600R2P- Slotted Top BRP 600R1P- Sleeve BRP 647P- Coil Nut SLEEVE I.D. 1.565"
BRP 687BK	BILSTEIN Small Body Steel Shocks ("SM" series shocks) -Non Slotted Flat Top - Fits 1 7/8" Spring	 Black Anodized	BRP 670BK- Flat Top BRP 600R1BK- Sleeve BRP 647BK- Coil Nut SLEEVE I.D. 1.565"

COIL OVER KITS

KIT PART NUMBER	DESCRIPTION		KIT COMPONENTS
BRP 688	BILSTEIN Small Body Steel Shocks ("SM" series shocks) -Non Slotted Taper Top - Fits 1 7/8" Spring	 Plain	BRP 676P- Taper Top BRP 600R1P- Sleeve BRP 647P- Coil Nut SLEEVE I.D. 1.565"
BRP 623	CARRERA 2" Aluminum Threaded Body Shocks (67 series) -Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 624- Slotted Top BRP 625- Coil Nut BRP 632- Hairpin Clip BRP 2008- Tie Wraps Optional- BRP 630 Jam Nut
BRP 9418	FOX Steel Body Shocks (2.0 Track Steel) -Tall Taper Non Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 9416 - Top BRP 9415 - Sleeve BRP 602BK - Coil Nut BRP 9417 - Snap Ring SLEEVE I.D. 2.015"
BRP 9420	FOX Aluminum Body Shocks (2.0 Track Bulb) -Fits shock with or without BV -Tall Taper Non Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 9416 - Top BRP 9419 - Coil Nut BRP 9417 - Snap Ring
BRP 9052	INTEGRA Aluminum Threaded Body Shocks ("Stealth Series" Shocks) -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 9051 - Slotted Top BRP 9050- Coil Nut BRP 631- Diaper Pin
BRP 9056	INTEGRA Steel Shocks "AVENGER" Series Shocks -7" Sleeve -Tall Taper Slotted Top - Fits 10" X 2 1/2" Spring Only	 Black Anodized	PCR 310-30526SR Top Snap Ring BRP 9051- Slotted Top BRP 9042- 7" Sleeve BRP 602BK- Coil Nut BRP 631- Diaper Pin SLEEVE I.D. 1.880"
BRP 9422	INTEGRA Steel Shocks "AVENGER" Series Shocks -7" Sleeve -Tall Taper Slotted Top Fits 10" and 12" X 2 1/2" Springs	 Black Anodized	PCR 310-30526SR Top Snap Ring BRP 9051- Slotted Top BRP 9421- 7" Sleeve BRP 602BK- Coil Nut BRP 631- Diaper Pin SLEEVE I.D. 1.880"
BRP 611-7	KONI Steel Shocks (30 Series) -7" Sleeve -Flat Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 609- Top Snap Ring BRP 608- Slotted Top BRP 601B- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 621	KONI Steel Shocks (30 Series) - 5" Sleeve -Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 609- Top Snap Ring BRP 620- Slotted Top BRP 600B- 5" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"

COIL OVER KITS

KIT PART NUMBER	DESCRIPTION	KIT COMPONENTS	
BRP 622	KONI Steel Shocks (30 Series) - 7" Sleeve - Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 609- Top Snap Ring BRP 620- Slotted Top BRP 601B- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 629-7	PENSKE Steel and Aluminum Shocks (7100, 7200, 7500 and 7600 series) - Short taper- Non Slotted Top - 7" Sleeve - Fits 2 1/2" Spring	 Red Anodized	BRP 603- Top BRP 601B- 7" Sleeve BRP 602- Coil Nut BRP 599- Snap Ring Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 629-7T	PENSKE Steel and Aluminum Shocks (7100, 7200, 7500 and 7600 series) - Tall Taper- Slotted Top - 7" Sleeve - Fits 2 1/2" Spring	 Red Anodized	BRP 626- Taper Top BRP 601B- 7" Sleeve BRP 602- Coil Nut BRP 599- Snap Ring Optional- BRP 598 Jam Nut SLEEVE I.D. 1.990"
BRP 616-7BK	PRO 2" Steel Big Body (Pro WB series) - 7" Sleeve - Short Taper Non-Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BRP 599- Snap ring BRP 603BK- Top BRP 601ABK- 7" Sleeve BRP 602BK- Coil Nut SLEEVE I.D. 2.075"
BRP 617-7	PRO 2" Steel/Alum Body Shocks (Pro A, PG, & TA Series) - 7" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 604- Slotted Top BRP 601- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 2.040"
BRP 605	PRO 2" Steel/Alum Body Shocks (Pro A, PG, & TA series) - 5" Sleeve - Short Taper Non-Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 603- Top BRP 600- 5" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 2.040"
BRP 605-7	PRO 2" Steel/Alum Body Shocks (Pro A, PG, & TA series) - 7" Sleeve - Short Taper Non-Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 603- Top BRP 601- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut SLEEVE I.D. 2.040"
BRP 627	PRO 2" Aluminum Threaded Body Shocks (AC series) - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 604- Slotted Top BRP 625- Coil Nut BRP 2008- Tie Wraps Optional- BRP 630 Jam Nut
BRP 657	PRO Small Body Steel Shocks (SB series) - Short Taper Slotted Top - 4" Sleeve - Fits 1 7/8" Spring	 Red Anodized	BRP 645- Snap ring BRP 650- Slotted Top BRP 646- 4" Sleeve BRP 647- Coil Nut SLEEVE I.D. 1.655"

COIL OVER KITS

KIT PART NUMBER	DESCRIPTION	KIT COMPONENTS	
BRP 662	PRO Small Body Steel Shocks (SB series) - Short Taper Non Slotted Top - 4" Sleeve - Fits 2 1/2" Spring	 Red Anodized	BRP 645- Snap ring BRP 603- Top BRP 648- 4" Sleeve BRP 649- Coil Nut SLEEVE I.D. 1.655"
BRP 9424	JRI 2" Steel Monotube Shocks (SL 10 & SL 13 Series) - 9" Sleeve - Slotted Top - Fits 2 1/2" Spring	 Black Anodized	BIL 522880- Snap Ring BRP 613BK - Slotted Top BRP 9423- 9" Sleeve BRP 602BK- Coil Nut BRP 613S- Snap Ring SLEEVE I.D. 1.940"
BRP 606-7	QA1/CARRERA 2" Body shocks (60 series) - 7" Sleeve - Short Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap ring BRP 607- Slotted Top BRP 601- 7" Sleeve BRP 602- Coil Nut Optional- BRP 598 Jam Nut Optional- BRP 624 Tall Top SLEEVE I.D. 2.040"
BRP 6005	QA1 Smooth Body Aluminum shocks (60 series) - 5" Sleeve - Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 6002- Slotted Top BRP 6004- 5" Sleeve BRP 602- Coil Nut BRP 631- Diaper Pin 2 small tie wraps SLEEVE I.D. 2.098"
BRP 6005-7	QA1 Smooth Body Aluminum shocks (60 series) - 7" Sleeve - Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 6002- Slotted Top BRP 6004- 7" Sleeve BRP 602- Coil Nut BRP 631- Diaper Pin 2 small tie wraps SLEEVE I.D. 2.098"
BRP 6006	QA1 Smooth Body Steel shocks (50 series) - 5" Sleeve - Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 599- Snap Ring BRP 6002- Slotted Top BRP 600- 5" Sleeve BRP 602- Coil Nut BRP 631- Diaper Pin 2 small tie wraps SLEEVE I.D. 2.040"
BRP 6007	QA1 Threaded Body Aluminum shocks (62 series) - Tall Taper Slotted Top - Fits 2 1/2" Spring	 Red Anodized	BRP 6002- Slotted Top BRP 6000- Coil Nut BRP 631- Diaper Pin 2 small tie wraps
BRP 672-6	VRP Smooth Body (10 series) - 7" Sleeve - Non Slotted Taper Top - Fits 2 1/2" Spring	 Red Anodized	BRP 603- Top BRP 651- 6- 7" Sleeve BRP 649- Coil Nut SLEEVE I.D. 1.782"



2 1/2" I.D. SPRINGS

2 1/2" I.D. X 8" Long

RATE	P/N
8" X 200	EIB 0800.250.0200
8" X 225	EIB 0800.250.0225
8" X 250	EIB 0800.250.0250
8" X 275	EIB 0800.250.0275
8" X 300	EIB 0800.250.0300
8" X 325	EIB 0800.250.0325
8" X 350	EIB 0800.250.0350
8" X 375	EIB 0800.250.0375
8" X 400	EIB 0800.250.0400
8" X 425	EIB 0800.250.0425
8" X 450	EIB 0800.250.0450
8" X 475	EIB 0800.250.0475
8" X 500	EIB 0800.250.0500
8" X 525	EIB 0800.250.0525

2 1/2" I.D. X 10" Long

RATE	P/N
10" X 150	EIB 1000.250.0150
10" X 162	EIB 1000.250.0162
10" X 175	EIB 1000.250.0175
10" X 200	EIB 1000.250.0200
10" X 225	EIB 1000.250.0225
10" X 250	EIB 1000.250.0250
10" X 275	EIB 1000.250.0275
10" X 300	EIB 1000.250.0300
10" X 350	EIB 1000.250.0350



BRP 9507 - 2 1/2" Coil Spring Thrust Bearing Assembly
(contains 2 X SUP TRA-4052, 1 X SUP TC-4052)

2 1/2" I.D. X 12" Long

RATE	P/N
12" X 80	EIB 1200.250.0080
12" X 100	EIB 1200.250.0100
12" X 125	EIB 1200.250.0125
12" X 150	EIB 1200.250.0150
12" X 165	EIB 1200.250.0165
12" X 175	EIB 1200.250.0175
12" X 185	EIB 1200.250.0185
12" X 200	EIB 1200.250.0200
12" X 225	EIB 1200.250.0225
12" X 250	EIB 1200.250.0250
12" X 275	EIB 1200.250.0275
12" X 300	EIB 1200.250.0300

2 1/2" I.D. X 14" Long

RATE	P/N
14" X 100	EIB 1400.250.0100
14" X 125	EIB 1400.250.0125
14" X 150	EIB 1400.250.0150
14" X 165	EIB 1400.250.0165
14" X 175	EIB 1400.250.0175
14" X 185	EIB 1400.250.0185
14" X 200	EIB 1400.250.0200
14" X 225	EIB 1400.250.0225
14" X 250	EIB 1400.250.0250
14" X 275	EIB 1400.250.0275
14" X 300	EIB 1400.250.0300



EIB 1000.250.0150

SEE PAGE 92 FOR COIL
SPRING RUBBERS

2 1/2" I.D. BARREL SPRINGS



2 1/2" I.D. X 12" Long

RATE	P/N
12" X 100	EIB 1200.2530.0100
12" X 125	EIB 1200.2530.0125
12" X 150	EIB 1200.2530.0150
12" X 165	EIB 1200.2530.0165
12" X 175	EIB 1200.2530.0175
12" X 185	EIB 1200.2530.0185
12" X 200	EIB 1200.2530.0200
12" X 225	EIB 1200.2530.0225
12" X 250	EIB 1200.2530.0250

2 1/2" I.D. X 14" Long

RATE	P/N
14" X 125	EIB 1400.2530.0125
14" X 150	EIB 1400.2530.0150
14" X 175	EIB 1400.2530.0175
14" X 185	EIB 1400.2530.0185
14" X 200	EIB 1400.2530.0200
14" X 225	EIB 1400.2530.0225
14" X 250	EIB 1400.2530.0250

2 1/2" I.D. X 16" Long

RATE	P/N
16" X 100	EIB 1600.2530.0100
16" X 125	EIB 1600.2530.0125
16" X 150	EIB 1600.2530.0150
16" X 175	EIB 1600.2530.0175
16" X 200	EIB 1600.2530.0200
16" X 225	EIB 1600.2530.0225
16" X 250	EIB 1600.2530.0250

Spring Bags



SIZE	P/N
3" X 12"	EIB ESB12.300
3" X 16"	EIB ESB16.300



EIB 1400.2530.0185

Eibach's new XT Barrel coil springs are designed for the special needs of Circle Track racing, and are configured to provide additional clearance for standard 2.5-inch circle-track racing shocks. Their distinctive XT Barrel shape works seamlessly with standard 2.5-inch spring perches, allowing easy access to the lower ball joint while retaining the benefits of a larger diameter spring-with more travel and more shock body clearance



HYPERCO

HYPERCOIL SPRINGS

1 7/8" I.D. X 10" Long

RATE	P/N
10" X 50	HYP 1810DO050
10" X 62	HYP 1810DO062
10" X 75	HYP 1810DO075
10" X 87	HYP 1810DO087
10" X 125	HYP 1810DO125
10" X 137	HYP 1810DO137
10" X 150	HYP 1810DO150
10" X 162	HYP 1810DO162
10" X 175	HYP 1810DO175
10" X 185	HYP 1810DO185
10" X 200	HYP 1810DO200
10" X 225	HYP 1810DO225
10" X 250	HYP 1810DO250
10" X 400	HYP 1810DO400
10" X 450	HYP 1810DO450
10" X 500	HYP 1810DO500



HYP 1810BO150

2 1/2" I.D. X 10" Long

RATE	P/N
10" X 150	HYP 1810BO150
10" X 175	HYP 1810BO175
10" X 200	HYP 1810BO200
10" X 225	HYP 1810BO225
10" X 250	HYP 1810BO250
10" X 275	HYP 1810BO275
10" X 300	HYP 1810BO300
10" X 325	HYP 1810BO325
10" X 350	HYP 1810BO350
10" X 375	HYP 1810BO375
10" X 400	HYP 1810BO400

2 1/2" I.D. X 12" Long

RATE	P/N
12" X 110	HYP 1812BO110
12" X 150	HYP 1812BO150
12" X 162	HYP 1812BO162
12" X 175	HYP 1812BO175
12" X 185	HYP 1812BO185
12" X 200	HYP 1812BO200
12" X 225	HYP 1812BO225
12" X 250	HYP 1812BO250
12" X 275	HYP 1812BO275
12" X 300	HYP 1812BO300
12" X 325	HYP 1812BO325
12" X 350	HYP 1812BO350
12" X 375	HYP 1812BO375
12" X 400	HYP 1812BO400

2 1/2" I.D. X 14" Long

RATE	P/N
14" X 125	HYP 1814BO125
14" X 150	HYP 1814BO150
14" X 160	HYP 1814BO160
14" X 175	HYP 1814BO175
14" X 200	HYP 1814BO200
14" X 225	HYP 1814BO225
14" X 250	HYP 1814BO250
14" X 275	HYP 1814BO275
14" X 300	HYP 1814BO300



2 1/2" I.D. INTEGRA MX SPRINGS

2 1/2" I.D. X 10" Long

RATE	P/N
10" X 150	PCR 310-2510-150MX
10" X 175	PCR 310-2510-175MX
10" X 185	PCR 310-2510-185MX
10" X 200	PCR 310-2510-200MX
10" X 225	PCR 310-2510-225MX
10" X 250	PCR 310-2510-250MX
10" X 275	PCR 310-2510-275MX
10" X 300	PCR 310-2510-300MX

2 1/2" I.D. X 12" Long

RATE	P/N
12" X 150	PCR 310-2512-150MX
12" X 175	PCR 310-2512-175MX
12" X 185	PCR 310-2512-185MX
12" X 200	PCR 310-2512-200MX
12" X 225	PCR 310-2512-225MX
12" X 250	PCR 310-2512-250MX
12" X 275	PCR 310-2512-275MX
12" X 300	PCR 310-2512-300MX

2 1/2" I.D. BARREL SPRINGS

2 1/2" I.D. X 13" Long

RATE	P/N
150	PCR 310-2513-150B
160	PCR 310-2513-160B
175	PCR 310-2513-175B
185	PCR 310-2513-185B
200	PCR 310-2513-200B
225	PCR 310-2513-225B
250	PCR 310-2513-250B
275	PCR 310-2513-275B
300	PCR 310-2513-300B



PCR 310-2512-150MX



PCR 310-2513-250B

BRP 9507 - 2 1/2" Coil Spring Thrust Bearing Assembly
(contains 2 X SUP TRA-4052, 1 X SUP TC-4052)SEE PAGE 92 FOR COIL
SPRING RUBBERS

2 1/2" I.D. X 6" Long

RATE	P/N
6" X 100	PAC 6X2.5X100
6" X 200	PAC 6X2.5X200

2 1/2" I.D. X 8" Long

RATE	P/N
8" X 200	PAC 8X2.5X200

2 1/2" I.D. X 12" Long

RATE	P/N
12" X 150	PAC 12X2.5X150
12" X 165	PAC 12X2.5X165
12" X 175	PAC 12X2.5X175
12" X 200	PAC 12X2.5X200
12" X 225	PAC 12X2.5X225
12" X 250	PAC 12X2.5X250
12" X 275	PAC 12X2.5X275
12" X 300	PAC 12X2.5X300

2 1/2" I.D. X 14" Long

RATE	P/N
14" X 65	PAC 14X2.5X65
14" X 80	PAC 14X2.5X80
14" X 100	PAC 14X2.5X100
14" X 150	PAC 14X2.5X150
14" X 165	PAC 14X2.5X165
14" X 175	PAC 14X2.5X175
14" X 200	PAC 14X2.5X200
14" X 225	PAC 14X2.5X225
14" X 250	PAC 14X2.5X250
14" X 275	PAC 14X2.5X275
14" X 300	PAC 14X2.5X300



PAC 12X2.5X250

BRP 9507 - 2 1/2" Coil Spring Thrust Bearing Assembly
(contains 2 X SUP TRA-4052, 1 X SUP TC-4052)

2 1/2" I.D. X 16" Long

RATE	P/N
16" X 100	PAC 16X2.5X100

3" I.D. SPRINGS

3" I.D. X 12" Long

RATE	P/N
12" X 150	PAC 12X3X150
12" X 160	PAC 12X3X160
12" X 175	PAC 12X3X175
12" X 200	PAC 12X3X200
12" X 225	PAC 12X3X225
12" X 250	PAC 12X3X250

3" I.D. X 14" Long

RATE	P/N
14" X 150	PAC 14X3X150
14" X 175	PAC 14X3X175
14" X 200	PAC 14X3X200



PAC 300412

SEE PAGE 92 FOR COIL
SPRING RUBBERS

DESCRIPTION	P/N
PAC 3" to 2 1/2" Spring Adaptor	PAC 300412



1 7/8" I.D. SB COIL SPRINGS

AFCO 1 7/8" Diameter X 10" Long

RATE	P/N
10" X 90	AFC 29090-1
10" X 105	AFC 29105-1
10" X 120	AFC 29120-1
10" X 135	AFC 29135-1
10" X 150	AFC 29150-1
10" X 175	AFC 29175-1
10" X 250	AFC 29250-1
10" X 275	AFC 29275-1

SEE PAGE 92 FOR COIL
SPRING RUBBERS

2 1/2" I.D. SB COIL SPRINGS

2 1/2" I.D. X 10" Long

RATE	P/N
10" X 150	AFC 23150
10" X 175	AFC 23175
10" X 225	AFC 23225
10" X 250	AFC 23250
10" X 350	AFC 23350

2 1/2" I.D. X 12" Long

RATE	P/N
12" X 150	AFC 22150
12" X 175	AFC 22175
12" X 185	AFC 22185
12" X 200	AFC 22200
12" X 250	AFC 22250
12" X 275	AFC 22275
12" X 300	AFC 22300
12" X 700	AFC 22700

2 1/2" I.D. X 14" Long

RATE	P/N
14" X 150	AFC 24150
14" X 175	AFC 24175
14" X 200	AFC 24200
14" X 250	AFC 24250
14" X 275	AFC 24275
14" X 300	AFC 24300



BRP 9507 - 2 1/2" Coil Spring Thrust Bearing Assembly
(contains 2 X SUP TRA-4052, 1 X SUP TC-4052)

TAKE UP SPRINGS



DESCRIPTION	P/N
Integra Take Up Spring (black powder coated)	PCR 310-3006-005
Integra Nylon Slider - 2.025" I.D.	PCR 310-30400
Aluminum Spring Divider - 2.380" I.D. - RED ANODIZED	BRP 597
Aluminum Spring Divider - 2.380" I.D. - BLACK ANODIZED	BRP 597BK
Fox Nylon Spring Divider - 2.130" I.D.	FOX 234-00-010-B
Afco Nylon Spring Divider - 2.200" I.D.	AFC 20183-1
Nylon Spring Divider - 2.090" I.D.	BRP 594

COIL OVER BEARINGS



DESCRIPTION	P/N
2 1/2" Coil Spring Thrust Bearing Assembly (contains 2 X SUP TRA-4052, 1 X SUP TC-4052)	BRP 9507
3 1/4" OD Steel Thrust Washer - 2 1/2" ID - 1/32" Thick for Coil Over	SUP TRA-4052
3 1/4" Thrust Bearing for Coil Over Kits	SUP TC-4052

SPRING & ACCESSORIES

STREET STOCK SPRINGS - NO WEDGE BOLTS

AFCO



AFC 25225SS

AFCO 5 1/2" X 12" Pigtail Rear Metric Springs

RATE	P/N
150	AFC 25150SS
175	AFC 25175SS
200	AFC 25200SS
225	AFC 25225SS
250	AFC 25250SS
275	AFC 25275SS
300	AFC 25300SS

AFCO 5 1/2" X 11" Front Metric Springs

RATE	P/N
600	AFC 20600-6
700	AFC 20700-6
800	AFC 20800-6
900	AFC 20900-6
1000	AFC 21000-6
1100	AFC 21100-6
1200	AFC 21200-6
1300	AFC 21300-6
1400	AFC 21400-6



AFC 21000-6

AFCO



HYP 18Z0800-12



5 1/2" X 12" Camaro Front Springs


RATE	P/N
800	HYP 18Z0800-12
900	HYP 18Z0900-12
1000	HYP 18Z1000-12
1100	HYP 18Z1100-12
1200	HYP 18Z1200-12

Did You Know...

Street stock springs are painted black to conform to most "stock appearing" rules.

SEE PAGE 92 FOR COIL SPRING RUBBERS

MULTI-LEAF SPRINGS



- Features:
- Chrysler type
 - made from chrome vanadium
 - tapered leaves
 - front bushings included
 - teflon rub blocks

We have a variety of leaf spring options, please call the retail store for your specific needs

LEAF SPRING ACCESSORIES



DESCRIPTION	P/N
Steel Leaf Spring Pivot Bushing	BRP 5174
Steel Leaf Spring Slider	ALL 60035
Replacement Bearing for AFC 20236S Leaf Spring Slider	AFC 20236S-2
Aluminum Shackle Plate (2 required)	BRP 5169
Steel 2 1/2" Leaf Spring Mounting Pad (works on 3" axle tube)	ALL 56126
Leaf Spring Shackle Bolt Kit	BRP 5170
Replacement Shoulder Bolt for BRP 5170	BRP 5171
Replacement Bushing for BRP 5170	BRP 5172
8" U-Bolt for 3" Tubes (comes with nuts)	AFC 20238
2 1/2" Adjustable Lowering Block	BRP 6162



BRP 6162

WEIGHT JACK ASSEMBLIES

Did You Know...

These weight jack assemblies use 1 1/8" F jack bolts and are used with 5" and 5 1/2" springs.



BRP 6148



BRP 6155

Standard Weight Jack Assemblies

SPRING DIAMETER	LENGTH	SEAT	BOLT	P/N
5" Spring	6"	STEEL	STEEL	BRP 6148
5 1/2" Spring	6"	STEEL	STEEL	BRP 6150
5" Spring	8"	STEEL	STEEL	BRP 6152
5 1/2" Spring	8"	STEEL	STEEL	BRP 6154
5" Spring	8"	STEEL	ALUMINUM	BRP 6151

Replacement Weight Jack Parts

DESCRIPTION	P/N
4" Aluminum Wedge Bolt - 1 1/8" F	BRP 6135
6" Aluminum Wedge Bolt - 1 1/8" F	BRP 6136
8" Aluminum Wedge Bolt - 1 1/8" F	BRP 6137
6" Steel Wedge Bolt - 1 1/8" F	BRP 6145
8" Steel Wedge Bolt - 1 1/8" F	BRP 6146
1 1/8" F Thread Nut	BRP 5150
5" Steel Spring Seat	BRP 6143
5 1/2" Steel Spring Seat	BRP 6144

CONVENTIONAL WEIGHT JACK ASSEMBLIES



BRP 6130



ALL 56114



BRP 6133

Did You Know...

These weight jacks are made for conventional spring type cars using 1" C weight jack bolts.

DESCRIPTION	P/N
1" C X 8" Long Steel Wedge Bolt	BRP 6130
1" C X 11" Long Steel Wedge Bolt	BRP 6131
Weld on Adjuster Plate	BRP 6133
Spring Cup	ALL 56114

COIL SPRING ADJUSTERS & SPACERS



ALL 56116

DESCRIPTION	P/N
5" or 5 1/2" Coil Spring Spacer (I.D. open for stock mount racing)	ALL 56116



BRP 5151

DESCRIPTION	P/N
5" or 5 1/2" Coil Spring Adjustable Spring Spacer (has 2" travel)	BRP 5151
Replacement Nut	BRP 5151B



BRP 5157

DESCRIPTION	P/N
5" or 5 1/2" Coil Spring Bucket (works with any 1 1/8" F jack bolt)	BRP 5157



ALL 56124

DESCRIPTION	P/N
Rear Spring Seat (mounts 5" or 5 1/2" springs on rear axle tube)	ALL 56124

15" WIDE 5 STEEL WHEELS



Steel Wide 5 Non-Bead Lock Wheels

WHEEL WIDTH	BACKSPACING	WEIGHT	BRP P/N	AERO P/N
10"	4"	19#	BRW 10M4	ARW 51-100540
10"	5"	19#	BRW 10M5	ARW 51-100550
12"	3"	21#	BRW 12M3	
12"	5"	21#	BRW 12M5	
13"	3"	23#	BRW 13M3	
13"	4"	23#	BRW 13M4	
13"	5"	23#	BRW 13M5	
14"	3"	24#	BRW 14M3	
14"	4"	24#	BRW 14M4	
14"	5"	24#	BRW 14M5	

See Page 109 for Aero Wheels



Steel Wide 5 Bead Lock Wheels BEAD LOCK RINGS NOT INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	3"	21#	BRW 10M3B
10"	4"	21#	BRW 10M4B
10"	5"	21#	BRW 10M5B
12"	3"	24#	BRW 12M3B
12"	4"	24#	BRW 12M4B
12"	5"	24#	BRW 12M5B
13"	3"	25#	BRW 13M3B
13"	4"	25#	BRW 13M4B
13"	5"	25#	BRW 13M5B
14"	3"	26#	BRW 14M3B
14"	4"	26#	BRW 14M4B
14"	5"	26#	BRW 14M5B

See Page 108 for Bead Locks



Steel Wide 5 Bead Lock Wheels BRP 32 BEAD LOCK RING INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	3"	22#	BRW 10M3BL
10"	4"	22#	BRW 10M4BL
10"	5"	22#	BRW 10M5BL
12"	3"	25#	BRW 12M3BL
12"	4"	25#	BRW 12M4BL
12"	5"	25#	BRW 12M5BL
13"	3"	26#	BRW 13M3BL
13"	4"	26#	BRW 13M4BL
13"	5"	26#	BRW 13M5BL
14"	3"	27#	BRW 14M3BL
14"	4"	27#	BRW 14M4BL
14"	5"	27#	BRW 14M5BL

See Page 108 for Replacement Beadlocks

WELD ALUMINUM WHEELS



Aluminum Wide 5 Non-Beadlock Wheels

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	11.54#	WEL 570-5014
10"	5"	11.57#	WEL 570-5015
12"	5"	13.80#	WEL 571-5215
12"	6"	13.80#	WEL 571-5216
13"	3"	14.10#	WEL 571-5313
13"	4"	14.12#	WEL 571-5314
13"	5"	14.15#	WEL 571-5315
14"	3"	14.12#	WEL 571-5413
14"	4"	14.58#	WEL 571-5414
14"	5"	14.91#	WEL 571-5415



Aluminum Wide 5 Wheel - Weld Beadlocks

WELD BEAD LOCK RING INCLUDED - Weld Bolt Pattern

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	14.00#	WEL 570-5024M
12"	5"	15.75#	WEL 571-5225M
12"	6"	15.75#	WEL 571-5226M
13"	3"	16.20#	WEL 571-5323M
13"	4"	16.20#	WEL 571-5324M
13"	5"	16.20#	WEL 571-5325M
14"	3"	16.75#	WEL 571-5423M
14"	4"	16.75#	WEL 571-5424M
14"	5"	16.75#	WEL 571-5425M

WELD REPLACEMENT BEAD LOCK RING - WEL P650-5275M

** THESE WHEELS HAVE WELD BEAD LOCKS INSTALLED.
THE BEADLOCKS ARE WELD BOLT PATTERN**

BRP ALUMINUM BEADLOCK WHEELS



Aluminum Wide 5 Wheel - BRP Beadlock

BEAD LOCK RING NOT INCLUDED - BRP / Weld Bolt Pattern

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	12.55#	BRW 10M4AB
10"	5"	12.55#	BRW 10M5AB
12"	4"	13.85#	BRW 12M4AB
12"	5"	13.85#	BRW 12M5AB
12"	6"	13.85#	BRW 12M6AB
13"	3"	14.75#	BRW 13M3AB
13"	4"	14.75#	BRW 13M4AB
13"	5"	14.75#	BRW 13M5AB
14"	3"	15.15#	BRW 14M3AB
14"	4"	15.15#	BRW 14M4AB
14"	5"	15.15#	BRW 14M5AB

** THESE WHEELS HAVE BRP BEAD LOCKS INSTALLED.
THE BEADLOCKS ARE BRP & WELD BOLT PATTERN**

See Page 108 for Beadlocks

BEAD LOCK RINGS

Dirt Defender Plastic Wheel Covers / Expansion Ring

DESCRIPTION	P/N
Black Plastic Wheel Cover - 15" - Expansion Ring Sold Separately	DDR 10010
Flourescent Orange Plastic Wheel Cover - 15" - Expansion Ring Sold Separately	DDR 10060
Yellow Plastic Wheel Cover - 15" - Expansion Ring Sold Separately	DDR 10080
Orange Plastic Wheel Cover - 15" - Expansion Ring Sold Separately	DDR 10090
Expansion Ring with mounting hardware - High Visibility Yellow	DDR 20020

Single Drilled Outer Bead Lock Rings

DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
16 Hole - 1/4" Thick Billet Beadlock Ring (fits BRP Wheels)	BRP 32P	BRP 32	BRP 32BK
16 Hole - 1/2" Thick Billet Beadlock Ring (fits BRP Wheels)	BRP 32CP	BRP 32C	BRP 32CBK

1/4" Thick Single Drilled Outer Bead Lock Rings with Tabs

DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
16 Hole - 1/4" Thick Billet Beadlock Ring with Tabs for Lexan or Aluminum Cover (fits BRP Wheels)	BRP 32-1P	BRP 32-1	BRP 32-1BK

Did You Know...

Double drilled bead locks fit both BRP and Weld bolt patterns. They have both bolt patterns drilled so they fit every wheel!!

1/4" Thick Double Drilled Outer Bead Lock Rings

DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
32 Hole - 1/4" Thick Billet Beadlock Ring (fits BRP and Weld Wheels)	BRP 32WP	BRP 32W	BRP 32WBK

1/4" Thick Double Drilled Outer Bead Lock Rings with Tabs

DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
32 Hole - 1/4" Thick Billet Beadlock Ring with tabs for Lexan or Aluminum Cover (fits BRP and Weld Wheels)	BRP 32-1WP	BRP 32-1W	BRP 32-1WBK


1/4" Double Drilled Mud Lock Bead Lock Rings

DESCRIPTION	PLAIN P/N	RED P/N	BLACK P/N
32 Hole - 1/4" Thick Solid Billet Mud Lock Beadlock Ring (fits BRP and Weld Wheels)	BRP 32-2P	BRP 32-2	BRP 32-2BK
Plastic Cap Kit for MudLock Wheels - Comes with 1 Large Cap, and 5 Small Caps			BRP 9436

DESCRIPTION	P/N
32 Hole - 1/4" Thick Solid Billet Mud Lock Beadlock Ring with built in plastic cover	BRP 9433

Lexan & Aluminum Covers


DESCRIPTION	P/N
Clear Lexan Cover for use on BRP 32-1, BRP 32-1P, BRP 32-1W, & BRP 32-1WP	BRP 33
Mudlock Conversion Plate - Bolts under existing Weld / BRP beadlock to make it a Mudlock	BRP 9445
Bolts to Outside of BRP 32-1 to make it a Mudlock (comes with hardware)	BRP 9447
.080" Aluminum Cover - comes with 3 snap in clips and 3 1/4" X 20 body bolts (bolts to BRP 32-1)	BRP 9450
Black Plastic Weld Wheel Cover - includes steel quick turn fasteners	ALL 44168



BRP 9445




BRP 9447




BRP 9450

BRP 9450 Hardware Includes....


Clip Nut - Part # BOL 202-395
Bolt - Part # BOL460-004
(requires 3 of each)




BRP 32



BRP 32-1



BRP 32WP



BRP 32-2



BRP 9436



ALL 44168



DDR 10010



DDR 20020



BRP 32-1WBK



BRP 9433



BRP 33

Beadlock Bolts & Assemblies

DESCRIPTION	P/N
Complete Beadlock Kit for Alum. Wheel (comes w/ BRP 31, BRP 32 & BRP 39)	BRP 30
Aluminum Wheel Inner Beadlock Only - 3/8"	BRP 31
Steel Wheel Inner Beadlock Ring Only	BRP 34
5/16" Beadlock bolt and washer kit for 16 Bolt Beadlocks	BRP 39



DESCRIPTION	P/N
Body Bolt Kit with Clips (10 pack)	ALL 18558
Body Bolt Kit with Clips (50 pack)	ALL 18558-50

AERO RACING WHEELS

EXAMPLE: ARW 52-085040



AERO LINE CODE

8" - Street Stock
10" - Pro Stock

RIM DIAMETER

3 = 13"
5 = 15"

RIM TYPE

0 = Standard Rolled
1 = Spun Light
2 = Rolled Light IMCA
3 = Rolled Light Beadlock
5 = Special Rolled
8 = Special Rolled Light
9 = Sprint Cup

RIM COLOUR

0 = Silver
1 = Black
2 = Chrome

RIM WIDTH

0 = 10"
4 = 14"
5 = 15"
6 = 6"
7 = 7"
8 = 8"
9 = 9"

BOLT CIRCLE

45 = 5 on 4.5"
47 = 5 on 4.75"
50 = 5 on 5"
05 = Wide 5
40 = 4 on 4"
42 = 4 on 4.25"
45 = 4 on 4.5"

BACK SPACING

1 = 1"
2 = 2"
3 = 3"
4 = 4"
5 = 5"

BACK SPACING HALF SIZES

0 = 0
1 = 1/8"
5 = 1/2"



30 Series - 13" Standard Rolled

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Standard Rolled	silver	13 X 7"	4 on 4 1/2"	2"	17#	ARW 30-074520
Standard Rolled	chrome	13 X 7"	4 on 4 1/2"	2"	17#	ARW 30-274520
Standard Rolled	black	13 X 7"	4 on 4"	3 1/2"	17#	ARW 30-174035
Standard Rolled	black	13 X 7"	4 on 4 1/2"	2"	17#	ARW 30-174520
Standard Rolled	black	13 X 8"	4 on 4"	3"	17#	ARW 30-184030



33 Series - 13" Rolled Light Beadlock

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Rolled Light Beadlock	chrome	13 X 7"	4 on 4 1/2"	2"	20#	ARW 33-274520
Rolled Light Beadlock	silver	13 X 7"	4 on 4 1/2"	2"	20#	ARW 33-074520
Rolled Light Beadlock	silver	13 X 8"	4 on 4 1/2"	2"	20#	ARW 33-084520



50 Series - 15" Standard Rolled

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Standard Rolled	black	15 X 7"	5 on 4 3/4"	2"	21#	ARW 50-174720
Standard Rolled	silver	15 X 8"	5 on 4 3/4"	2"	24#	ARW 50-084720
Standard Rolled	silver	15 X 8"	5 on 4 3/4"	3"	24#	ARW 50-084730
Standard Rolled	silver	15 X 8"	5 on 4 3/4"	3 1/2"	24#	ARW 50-084735
Standard Rolled	silver	15 X 8"	5 on 4 3/4"	4"	24#	ARW 50-084740
Standard Rolled	chrome	15 X 8"	5 on 4 3/4"	2"	24#	ARW 50-284720
Standard Rolled	chrome	15 X 8"	5 on 4 3/4"	3"	24#	ARW 50-284730
Standard Rolled	chrome	15 X 8"	5 on 4 3/4"	4"	24#	ARW 50-284740
Standard Rolled	silver	15 X 8"	5 on 4 1/2"	3"	24#	ARW 50-084530
Standard Rolled	black	15 X 8"	5 on 4 3/4"	2"	24#	ARW 50-184720
Standard Rolled	black	15 X 8"	5 on 4 3/4"	3"	24#	ARW 50-184730
Standard Rolled	black	15 X 8"	5 on 4 3/4"	4"	24#	ARW 50-184740

Steel Outer Beadlock Rings



ARW 54-500004



ARW 54-500005

DESCRIPTION	P/N
15" Chrome Outer Beadlock Ring	ARW 54-500004
13" Black Outer Beadlock Ring	ARW 54-500032
Rim Straightening Wrench	ARW 54-500005



51 Series - 15" Spun Light

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Spun Light	black	15" X 10"	Wide 5	3"	18#	ARW 51-100530
Spun Light	black	15" X 10"	Wide 5	4"	18#	ARW 51-100540
Spun Light	black	15" X 10"	Wide 5	5"	18#	ARW 51-100550
Spun Light	black	15" X 10"	Wide 5	6"	18#	ARW 51-100560
Spun Light	black	15" X 8"	5 on 5"	4"	18#	ARW 51-185040
Spun Light	chrome	15" X 10"	Wide 5	3"	18#	ARW 51-200530
Spun Light	chrome	15" X 10"	Wide 5	4"	18#	ARW 51-200540
Spun Light	chrome	15" X 10"	Wide 5	5"	18#	ARW 51-200550
Spun Light	chrome	15" X 14"	Wide 5	4"	18#	ARW 51-240540



52 Series - 15" Rolled Light IMCA

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Rolled Light	black	15" X 8"	5 on 4 3/4"	3"	19#	ARW 52-184730
Rolled Light	black	15" X 8"	5 on 4 3/4"	4"	19#	ARW 52-184740



53 Series - 15" Rolled Light Beadlock

Rim Type	Color	Width	Bolt Circle	Offset	Weight	P/N
Rolled Light Beadlock	silver	15" X10"	5 on 4 3/4"	3"	26#	ARW 53-004730
Rolled Light Beadlock	chrome	15" X10"	5 on 4 3/4"	3"	26#	ARW 53-204730
Rolled Light Beadlock	silver	15" X10"	5 on 4 3/4"	4"	26#	ARW 53-004740
Rolled Light Beadlock	silver	15" X 8"	5 on 4 3/4"	3"	26#	ARW 53-084730
Rolled Light Beadlock	silver	15" X 8"	5 on 4 3/4"	4"	26#	ARW 53-084740
Rolled Light Beadlock	black	15" X 10"	5 on 4 3/4"	3"	26#	ARW 53-104730
Rolled Light Beadlock	black	15" X 8"	5 on 4 3/4"	3"	26#	ARW 53-184730
Rolled Light Beadlock	chrome	15" X 8"	5 on 4 3/4"	3"	26#	ARW 53-284730



58 Series - 15" Rolled Light


Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Rolled Light	10"	5 on 4 3/4"	3"	silver	22#	ARW 58-004730
Rolled Light	10"	5 on 4 3/4"	4"	silver	22#	ARW 58-004740
Rolled Light	10"	5 on 4 3/4"	3"	chrome	22#	ARW 58-204730
Rolled Light	10"	5 on 4 3/4"	2"	chrome	22#	ARW 58-204720

WIDE 5 WHEEL ADAPTORS



3/8" Plain Aluminum Wide 5 Wheel Adaptors

DESCRIPTION	P/N
2" Pilot hole Blank to Wide 5	BRP 136
5 on 5 1/2" to Wide 5	BRP 137
6 on 5 1/2" to Wide 5	BRP 139
8 on 6 1/2" to Wide 5	BRP 140
5 on 4 1/2" to Wide 5	BRP 141
5 on 4 3/4" to Wide 5	BRP 142
5 on 5" to Wide 5	BRP 143
Replacement Wheel Stud	BRP 2060



1/2" Red Anodized Wide 5 Aluminum Wheel Adaptors

DESCRIPTION	P/N
5 on 5" to Wide 5	BRP 128
6 on 5" to Wide 5	BRP 129
Lightweight 6 on 5" to Wide 5	BRP 130
Lightweight 5 on 4 1/2", 5 on 4 3/4" & 5 on 5" Multi-Hole adaptor to Wide 5	BRP 131
6 on 5 1/2" to Wide 5	BRP 132
5 on 5 1/2" to Wide 5	BRP 133
Replacement Wheel Stud	BRP 2060

5/8" Red Anodized Wide 5 Aluminum Wheel Adaptors

DESCRIPTION	P/N
6 on 5" to Wide 5	BRP 135

6 ON 5" / 5 ON 5" WHEEL SPACERS



DESCRIPTION	P/N
6 on 5" or 5 on 5" X 1/2" Thick	BRP 149
6 on 5" or 5 on 5" X 3/8" Thick	BRP 150
6 on 5" or 5 on 5" X 1/4" Thick	BRP 150-2
6 on 5" or 5 on 5" X 5/16" Thick	BRP 150-3

Did You Know...

These wheel spacers will work on both 6 on 5" and 5 on 5" bolt patterns!

4 ON 4 1/2" WHEEL SPACERS



DESCRIPTION	P/N
4 on 4 1/2" X 1/4" Thick	BRP 8027
4 on 4 1/2" X 3/8" Thick	BRP 8028
4 on 4 1/2" X 1/2" Thick	BRP 8029

WIDE 5 WHEEL SPACERS



BRP 152



BRP 768

Billet Aluminum Wheel Spacers

DESCRIPTION	WEIGHT	P/N
1/4" Thick Wide 5 Spacer	0.80#	BRP 148
3/8" Thick Wide 5 Spacer	1.20#	BRP 151
1/2" Thick Wide 5 Spacer	1.60#	BRP 152
1/4" Thick Spacer with 5/8" hole (sold each) 5 required per wheel	0.10#	BRP 768



Billet Aluminum Wheel Spacers

DESCRIPTION	WEIGHT	P/N
1" Wide 5 Aluminum Wheel Spacer	3.2#	BRP 156
1 1/2" Wide 5 Aluminum Wheel Spacer	4.2#	BRP 154
2" Wide 5 Aluminum Wheel Spacer	4.2#	BRP 155
1" Wide 5 Wheel Spacer (includes 5 shortened studs for hub when 5 hole wheel is used)	3.2#	BRP 153

Wilwood Aluminum Wheel Spacer

DESCRIPTION	WEIGHT	P/N
2" Wide 5 Wheel Spacer	4.2#	WIL 270-2189C


FOAM MUD PLUGS



ALL 44168

DESCRIPTION	P/N
5" Thick Black Foam	ALL 44150
5" Thick Red Foam	ALL 44151
5" Thick Blue Foam	ALL 44152
5" Thick Orange Foam	ALL 44153
5" Thick Yellow Foam	ALL 44154
Plastic Mud Cover - Weld Style	ALL 44168

ACCESSORIES



BRP 41

BRP 39

BRP 40

DESCRIPTION	P/N
Brass Valve Stem	BRP 41
5/16" C Beadlock Bolt Kit (16 grade 8 bolts and washers)	BRP 39
Tire Tape Measure	BRP 40

PLUMBING & FITTINGS

XRP PUSH ON HOSE AND FITTINGS



Did You Know...

The blue hose will work with either the red / blue fittings or the black fittings!

Blue Push On Hose




SOLD BY THE FOOT

DESCRIPTION	I.D.	O.D.	BEND RADIUS	P/N
#4 Push On Hose	1/4"	.500"	3"	XRP 340004
#6 Push On Hose	3/8"	.625"	3"	XRP 340006
#8 Push On Hose	1/2"	.750"	5"	XRP 340008
#10 Push On Hose	5/8"	.900"	6"	XRP 340010
#12 Push On Hose	3/4"	1.030"	7"	XRP 340012



Ensure Clamps

SIZE	P/N
4 (pack of 4)	XRP 818404
6 (pack of 4)	XRP 818406
8 (pack of 4)	XRP 818408
10 (pack of 4)	XRP 818410
12 (pack of 4)	XRP 818412
PLIERS	XRP 818000



Aluminum Straight

SIZE	P/N
4	XRP 230004
6	XRP 230006
8	XRP 230008
10	XRP 230010
12	XRP 230012

Aluminum 45°

SIZE	P/N
4	XRP 234504
6	XRP 234506
8	XRP 234508
10	XRP 234510
12	XRP 234512

Aluminum 90°

SIZE	P/N
4	XRP 239004
6	XRP 239006
8	XRP 239008
10	XRP 239010
12	XRP 239012

Aluminum 120°

SIZE	P/N
6	XRP 231206
8	XRP 231208
10	XRP 231210
12	XRP 231212

Aluminum 150°

SIZE	P/N
6	XRP 231506
8	XRP 231508
10	XRP 231510
12	XRP 231512

Aluminum 180°

SIZE	P/N
8	XRP 231808




Did You Know...

The black hose will work with either the red / blue fittings or the black fittings!

Black Push On Hose

SOLD BY THE FOOT

DESCRIPTION	I.D.	O.D.	BEND RADIUS	P/N
#4 Push On Hose	1/4"	.500"	3"	XRP 520004
#6 Push On Hose	3/8"	.625"	3"	XRP 520006
#8 Push On Hose	1/2"	.750"	5"	XRP 520008
#10 Push On Hose	5/8"	.900"	6"	XRP 520010
#12 Push On Hose	3/4"	1.030"	7"	XRP 520012



Ensure Clamps

SIZE	P/N
4 (pack of 4)	XRP 818404
6 (pack of 4)	XRP 818406
8 (pack of 4)	XRP 818408
10 (pack of 4)	XRP 818410
12 (pack of 4)	XRP 818412
PLIERS	XRP 818000



Aluminum Straight

SIZE	P/N
4	XRP 230004BB
6	XRP 230006BB
8	XRP 230008BB
10	XRP 230010BB
12	XRP 230012BB

Aluminum 45°

SIZE	P/N
4	XRP 234504BB
6	XRP 234506BB
8	XRP 234508BB
10	XRP 234510BB
12	XRP 234512BB

Aluminum 90°

SIZE	P/N
4	XRP 239004BB
6	XRP 239006BB
8	XRP 239008BB
10	XRP 239010BB
12	XRP 239012BB

Aluminum 120°

SIZE	P/N
6	XRP 231206BB
8	XRP 231208BB
10	XRP 231210BB
12	XRP 231212BB

Aluminum 150°

SIZE	P/N
6	XRP 231506BB
8	XRP 231508BB
10	XRP 231510BB
12	XRP 231512BB

Aluminum 180°

SIZE	P/N
8	XRP 231808BB

Did You Know...
The stainless hose will work with either the red / blue fittings or the black fittings on page 114!

XRP STEEL BRAIDED HOSE AND FITTINGS



Stainless Steel Braided Hose

SOLD BY THE FOOT


DESCRIPTION	HOSE I.D.	HOSE O.D.	MAX OPERATING PSI	BURST PRESSURE PSI	BEND RADIUS	P/N
#4 Braided Hose	.219"	.438"	1500#	6000#	2"	XRP 300004
#6 Braided Hose	.344"	.547"	1500#	6000#	2.5"	XRP 300006
#8 Braided Hose	.438"	.641"	1250#	5000#	3.5"	XRP 300008
#10 Braided Hose	.562"	.797"	1250#	5000#	4"	XRP 300010
#12 Braided Hose	.688"	.928"	1000#	4000#	4.5"	XRP 300012
#16 Braided Hose	.875"	1.156"	750#	3000#	5.5"	XRP 300016

Double Swivel, Triple Sealed Hose Ends (Red/Blue)



Straight

SIZE	P/N
4	XRP 100004
6	XRP 100006
8	XRP 100008
10	XRP 100010
12	XRP 100012
16	XRP 100016
20	XRP 100020



45°

SIZE	P/N
6	XRP 204506
8	XRP 204508
10	XRP 204510
12	XRP 204512
16	XRP 204516



90°

SIZE	P/N
4	XRP 209004
6	XRP 209006
8	XRP 209008
10	XRP 209010
12	XRP 209012
16	XRP 209016



120°

SIZE	P/N
6	XRP 212006
8	XRP 212008
10	XRP 212010
12	XRP 212012
16	XRP 212016



150°

SIZE	P/N
6	XRP 215006
8	XRP 215008
10	XRP 215010
12	XRP 215012
16	XRP 215016




180°

SIZE	P/N
6	XRP 218006
8	XRP 218008
10	XRP 218010
12	XRP 218012
16	XRP 218016

STAINLESS STEEL CPE RACE HOSE HAS 4-PLY CONSTRUCTION

NOTE: All fittings on this page come in black as well.
Just add BB to the end of the part number when ordering.
Example: If you would like to order a black AN4 90 degree hose end, order part number XRP 209004BB

SEE PAGE 114



XRP Fire Sleeve



SIZE	P/N
4	XRP 320204
6	XRP 320206
8	XRP 320208

SIZE	P/N
10	XRP 320210
12	XRP 320212
16	XRP 320216

Fixed End Hose Fittings



45°	
SIZE	P/N
4	XRP 104504
20	XRP 105520

90°	
SIZE	P/N
4	XRP 109004
20	XRP 109020

EARLS PRO-LITE 350 HOSE



Did You Know...

The Pro-Lite 350 hose will work with either the red / blue fittings on page 113 or the black fittings on this page!



DESCRIPTION	HOSE I.D.	HOSE O.D.	MAX OPERATING PSI	BEND RADIUS	P/N
#4 Braided Hose	.220"	.440"	350#	2"	EAR 350004ERL
#6 Braided Hose	.350"	.550"	350#	2.25"	EAR 350006ERL
#8 Braided Hose	.440"	.650"	350#	3.5"	EAR 350008ERL
#10 Braided Hose	.570"	.800"	350#	4"	EAR 350010ERL
#12 Braided Hose	.690"	.940"	350#	4.5"	EAR 350012ERL
#16 Braided Hose	.880"	1.16"	350#	5.5"	EAR 350016ERL

Pro Lite 350 hose has a tough, abrasion resistant Nylon sheathing, bonded to the textile inner braid embedded in the synthetic rubber liner. This gives the hose incredible flexibility while maintaining the ability to withstand high vacuum and hot oil temperatures.



Double Swivel, Triple Sealed Hose Ends (Black)



Straight

SIZE	P/N
4	XRP 100004BB
6	XRP 100006BB
8	XRP 100008BB
10	XRP 100010BB
12	XRP 100012BB
16	XRP 100016BB
16 - 12	XRP 100017BB



45°

SIZE	P/N
6	XRP 204506BB
8	XRP 204508BB
10	XRP 204510BB
12	XRP 204512BB
16	XRP 204516BB



90°

SIZE	P/N
4	XRP 209004BB
6	XRP 209006BB
8	XRP 209008BB
10	XRP 209010BB
12	XRP 209012BB
16	XRP 209016BB



120°

SIZE	P/N
6	XRP 212006BB
8	XRP 212008BB
10	XRP 212010BB
12	XRP 212012BB
16	XRP 212016BB



150°

SIZE	P/N
6	XRP 215006BB
8	XRP 215008BB
10	XRP 215010BB
12	XRP 215012BB
-12 to -16 nut	XRP 215013BB
16	XRP 215016BB
-6 to -8 nut	XRP 215068BB



180°

SIZE	P/N
6	XRP 218006BB
8	XRP 218008BB
10	XRP 218010BB
12	XRP 218012BB
16	XRP 218016BB

XRP ALUMINUM ADAPTOR FITTINGS



*Aluminum
Bulkhead Union*

SIZE	P/N
3	XRP 983203 *
4	XRP 983204 *
6	XRP 983206 *
8	XRP 983208 *
10	XRP 983210 *
12	XRP 983212 *
16	XRP 983216 *



*Aluminum
90° Bulkhead Union*

SIZE	P/N
3	XRP 983303 *
4	XRP 983304 *
6	XRP 983306 *
8	XRP 983308
10	XRP 983310 *
12	XRP 983312 *




*Aluminum
45° Bulkhead Union*

SIZE	P/N
3	XRP 983703 *
4	XRP 983704
6	XRP 983706
8	XRP 983708
10	XRP 983710




*Aluminum
Bulkhead Union Tee*

SIZE	P/N
3	XRP 983403
4	XRP 983404
6	XRP 983406
8	XRP 983408



*Bulkhead Union
Run On*

SIZE	P/N
3	XRP 980403
4	XRP 980404
6	XRP 980406
16	XRP 980416



Aluminum Nuts

SIZE	P/N
3	XRP 992403 *
4	XRP 992404 *
6	XRP 992406 *
8	XRP 992408 *
10	XRP 992410 *
12	XRP 992412 *
16	XRP 992416 *



Union Tee

SIZE	P/N
3	XRP 982403 *
4	XRP 982404
6	XRP 982406
8	XRP 982408
10	XRP 982410
12	XRP 982412



Female Flare Tee

SIZE	P/N
3	XRP 900203 *
4	XRP 900204 *
6	XRP 900206 *
8	XRP 900208 *
10	XRP 900210 *
12	XRP 900212 *



Swivel Run On

SIZE	P/N
3	XRP 900303 *
4	XRP 900306
12	XRP 900308



90° Flare Union

SIZE	P/N
3	XRP 982103
4	XRP 982104
12	XRP 982112

NOTE: If a part number has an * beside it, it means this part comes in black as well! Just add BB to the end of the part number when ordering!
Example: XRP 105520 * would be XRP 105520BB when ordering



AN - NPT On Run Tee

SIZE	P/N
3 - 1/8" NPT	XRP 982603
4 - 1/8" NPT	XRP 982604
6 - 1/4" NPT	XRP 982606
8 - 3/8" NPT	XRP 982608
10 - 1/2" NPT	XRP 982610




AN - NPT Male Tee

SIZE	P/N
3 - 1/8" NPT	XRP 982503
4 - 1/8" NPT	XRP 982504
8 - 3/8" NPT	XRP 982508



Male NPT Nipple

SIZE	P/N
1/8" NPT	XRP 991101
1/4" NPT	XRP 991102 *
3/8" NPT	XRP 991103
1/2" NPT	XRP 991104
3/4" NPT	XRP 991106 *



Female Flare Swivel

SIZE	P/N
4	XRP 900104 *
6	XRP 900106 *
8	XRP 900108 *
10	XRP 900110
12	XRP 900112 *
8 - 6	XRP 900186
16	XRP 900116 *



Coupling Nut

SIZE	P/N
3	XRP 981803 *
6	XRP 981806 *
8	XRP 981808



*45° Male AN Flare -
Male O-Ring Boss*

SIZE	P/N
AN6 - AN6	XRP 984506
AN10 - AN12	XRP 984511
AN12 - AN10	XRP 984513



*90° Male AN Flare -
Male O-Ring Boss*

SIZE	P/N
AN6 - AN6	XRP 989006
AN8 - AN8	XRP 989008
AN10 - AN8	XRP 989009
AN6 - AN8	XRP 989068
AN8 - AN6	XRP 989086



90° Female Coupler

SIZE	P/N
6	XRP 929006
8	XRP 929008 *
10	XRP 929010



Pipe Tee

SIZE	P/N
1/4" Female	XRP 991702
1/2" Female	XRP 991704



*Female Swivel
to Male Flare*

SIZE	P/N
6	XRP 920506
10	XRP 920510
12	XRP 920512



Female NPT Union

SIZE	P/N
1/8" NPT	XRP 991001 *
1/4" NPT	XRP 991002
3/8" NPT	XRP 991003
1/2" NPT	XRP 991004
3/4" NPT	XRP 991006



O-Ring Sold Separately

AN O-Ring Plug

SIZE	P/N
6	XRP 981406
8	XRP 981408
10	XRP 981410
12	XRP 981412
16	XRP 981416 *



AN O-Rings

SIZE	P/N
6	NIA 112
8	NIA 113
9	NIA 115
10	NIA 210
12	NIA 212
16	NIA 216



AN O-Ring - AN Union (Black)

O-RING	TAPER	P/N
6	6	XRP 980006
8	8	XRP 980008
6	8	XRP 980086
8	6	XRP 980068
8	10	XRP 980009
9	10	BRP 5026

AN O-Ring - AN Union (Black) cont'd

O-RING	TAPER	P/N
10	4	XRP 980041
10	6	XRP 980061
10	8	XRP 980081
10	10	XRP 980010
10	12	XRP 980013
12	16	XRP 980014
10	10	XRP 980010
12	10	XRP 980011
12	12	XRP 980012
16	16	XRP 980016
20	16	XRP 980018
10 - 10 Red Fitting		BRP 5024



NPT - AN Straight

SIZE	P/N
3 - 1/8" NPT	XRP 981603 *
4 - 1/8" NPT	XRP 981604 *
4 - 1/4" NPT	XRP 981644 *
4 - 1/4" NPT	XRP 981646 *
6 - 1/8" NPT	XRP 981662 *
6 - 1/4" NPT	XRP 981606 *
6 - 3/8" NPT	XRP 981666 *
6 - 1/2" NPT	XRP 981668 *
8 - 1/4" NPT	XRP 981607 *
8 - 3/8" NPT	XRP 981608 *
8 - 1/2" NPT	XRP 981688 *
10 - 3/8" NPT	XRP 981611 *
10 - 1/2" NPT	XRP 981610 *
10 - 3/4" NPT	XRP 981613 *
12 - 1/2" NPT	XRP 981614 *
12 - 3/4" NPT	XRP 981612 *
16 - 3/4" NPT	XRP 981617 *
16 - 1" NPT	XRP 981616 *
20 - 1 1/4" NPT	XRP 981620 *



NPT - AN 45°

SIZE	P/N
3 - 1/8" NPT	XRP 982303 *
4 - 1/8" NPT	XRP 982304
6 - 1/4" NPT	XRP 982306
6 - 3/8" NPT	XRP 982366
8 - 3/8" NPT	XRP 982308 *
8 - 1/2" NPT	XRP 982388 *
10 - 3/8" NPT	XRP 982311
10 - 1/2" NPT	XRP 982310 *
12 - 1/2" NPT	XRP 982314
12 - 3/4" NPT	XRP 982312
16 - 1" NPT	XRP 982316



NPT - AN 90°

SIZE	P/N
3 - 1/8" NPT	XRP 982203 *
4 - 1/8" NPT	XRP 982204 *
4 - 1/4" NPT	XRP 982244 *
4 - 3/8" NPT	XRP 982246 *
6 - 1/8" NPT	XRP 982262 *
6 - 1/4" NPT	XRP 982206 *
6 - 3/8" NPT	XRP 982266 *
6 - 1/2" NPT	XRP 982268 *
8 - 1/4" NPT	XRP 982207 *
8 - 3/8" NPT	XRP 982208 *
8 - 1/2" NPT	XRP 982288
8 - 3/4" NPT	XRP 982209 *
10 - 3/8" NPT	XRP 982211 *
10 - 1/2" NPT	XRP 982210 *
10 - 3/4" NPT	XRP 982213 *
12 - 1/2" NPT	XRP 982214 *
12 - 3/4" NPT	XRP 982212 *
16 - 3/4" NPT	XRP 982217 *



Pipe Reducers

SIZE	P/N
1/4" - 1/8"	XRP 991201 *
3/8" - 1/4"	XRP 991202 *
3/8" - 1/8"	XRP 991203
1/2" - 3/8"	XRP 991204
1/2" - 1/4"	XRP 991205
1/2" - 1/8"	XRP 991206 *
3/4" - 1/2"	XRP 991207 *
3/4" - 3/8"	XRP 991208 *
3/4" - 1/4"	XRP 991209 *
1" - 3/4"	XRP 991210 *
1" - 1/2"	XRP 991211
1" - 3/8"	XRP 991212
1 1/4" - 3/4"	XRP 991216



Flare Union

SIZE	P/N
3	XRP 981503 *
4	XRP 981504
6	XRP 981506
8	XRP 981508
10	XRP 981510 *
12	XRP 981512
16	XRP 981516 *




Flare Reducer Union

SIZE	P/N
4 - 3	XRP 991902
6 - 4	XRP 991906 *
8 - 6	XRP 991912
10 - 4	XRP 991913
10 - 6	XRP 991914 *
10 - 8	XRP 991915 *
12 - 6	XRP 991918
12 - 8	XRP 991919 *
12 - 10	XRP 991920 *
16 - 10	XRP 991922 *
16 - 12	XRP 991923



Male NPT Hex Plugs

SIZE	P/N
1/8" NPT	BRP 4822
1/4" NPT	BRP 4823
1/2" NPT	BRP 4825
3/4" NPT	BRP 4826
1" NPT	BRP 4827



Male Allen NPT Plugs (Aluminum)

SIZE	P/N
1/8" NPT	XRP 993202 *
1/4" NPT	XRP 993203 *
3/8" NPT	XRP 993204 *
1/2" NPT	XRP 993205 *
3/4" NPT	XRP 993206 *
1" NPT	XRP 993207 *



Male Allen NPT Plugs (Steel)

SIZE	P/N
1/8" NPT	BRP 4829S
1/8" NPT	XRP 493202
1/4" NPT	XRP 493203
3/8" NPT	XRP 493204
1/2" NPT	XRP 493205
1-1/4" NPT	XRP 493208

NOTE: If a part number has an * beside it, it means this part comes in black as well! Just add BB to the end of the part number when ordering!
Example: XRP 105520 * would be XRP 105520BB when ordering



Male AN Plugs

SIZE	P/N
3	XRP 980603
4	XRP 980604 *
6	XRP 980606
8	XRP 980608
10	XRP 980610
12	XRP 980612
16	XRP 980616 *



Female AN Caps

SIZE	P/N
3	XRP 992903
4	XRP 992904
6	XRP 992906
8	XRP 992908
10	XRP 992910 *
12	XRP 992912
16	XRP 992916



Stat-O-Seals

SIZE	P/N
1/2"	XRP 890208
9/16"	XRP 890209
5/8"	XRP 890210
3/4"	XRP 890212
7/8"	XRP 890214
1"	XRP 890216



Flare Reducer

SIZE	P/N
12 Female to 8 Male	XRP 995012
6 Female to 10 Male	XRP 995013



Female - Male Adaptors

DESCRIPTION	P/N
AN8 F - AN 6 M	XRP 995008
AN 10 F - AN 8 M	XRP 995011 *
AN 16 F - AN 12 M	XRP 995017
AN 4 F - AN 6 M	XRP 995106
AN 6 F - AN 8 M	XRP 995108
AN 8 F - AN 10 M	XRP 995110 *
AN 10 F - AN 12 M	XRP 995112
AN 12 F - AN 16 M	XRP 995116
1/2" NPT - AN 8 M	BRP 5070

STEEL SPECIALTY FITTINGS



Steel AN -Straight

SIZE	P/N
AN3 - 1/8" NPT	XRP 481603
AN4 - 1/8" NPT	XRP 481604
AN10- 1/2" NPT	XRP 481610



Steel AN - NPT 45°

SIZE	P/N
AN3 - 1/8" NPT	XRP 482303
AN4 - 1/8" NPT	XRP 482304



Steel AN - NPT 90°

SIZE	P/N
AN3 - 1/8" NPT	XRP 482203
AN4 - 1/8" NPT	XRP 482204



Long Steel AN - NPT

SIZE	P/N
AN10 - 3/8" NPT	BRP 5065
AN10 - 1/2" NPT	BRP 5064
AN12 - 3/8" NPT	BRP 5067
AN12 - 1/2" NPT	BRP 5066



Steel AN Elbows

SIZE	P/N
AN6 - 45°(alum.)	XRP 900406
AN6 - 90°	KBP 225
AN 8 - 90°	KBP 226
AN10 - 90°	KBP 227

OTHER SPECIALTY FITTINGS



Brass NPT Nipple

SIZE	P/N
1/2" NPT	KBP 232



Steel Male AN Union

SIZE	P/N
AN3	TIL 73-815-3L



Oil Pressure Fitting

SIZE	P/N
1/8" NPT - AN4 (installs in engine)	BRP 5060



AN O-Ring -NPT Union

SIZE	P/N
AN9 O-Ring Male to 3/8" NPT Female	BRP 5027



Steel Straight Coupler


SIZE	P/N
AN3	XRP 900133
AN4	XRP 900144

Gauge Fitting



DESCRIPTION	P/N
1/8" NPT Female to AN4 Male	XRP 705004
1/8" NPT Female to AN3 Male	XRP 705003

Fuel Pressure Fittings W/ 1/8" NPT



DESCRIPTION	P/N
AN6 Male to AN6 Female	XRP 700195 *
AN8 Male to AN8 Male	XRP 700196
AN10 Male to AN10 Male	XRP 700201



Brass Straight

SIZE	P/N
4	XRP 240004
6	XRP 240006
8	XRP 240008
10	XRP 240010



Steel 90°

SIZE	P/N
6	XRP 249006
8	XRP 249008
10	XRP 249010



Brass Male NPT


THREAD SIZE	HOSE SIZE	P/N
1/8" NPT	4	SFP 125-4A
1/4" NPT	6	XRP 260006
3/8" NPT	6	XRP 260066
3/8" NPT	8	XRP 260008
1/2" NPT	8	XRP 260088
1/2" NPT	10	XRP 260010

NOTE: If a part number has an * beside it, it means this part comes in black as well! Just add BB to the end of the part number when ordering!

Example: XRP 105520 * would be XRP 105520BB when ordering

POWER STEERING HOSES

Pre-Made Power Steering Hoses



DESCRIPTION	P/N
46" Power Steering Pressure Hose for Profile Steel Box (AN 6 ends) has 1 straight AN6 fitting and 1 45° AN6 fitting	BRP 577
52" Power Steering Pressure Hose for GME/Profile Aluminum box AN6 ends) has 1 straight AN6 fitting and 1 45° AN6 fitting	BRP 578-1
AN 10 Power Steering Return Hose and Fitting Kit	BRP 582

BRP 582 Includes:

1 - KBP 225
1 - XRP 231210
1 - XRP 239010
1 - XRP 230006
1 - XRP 239006
1.5 ft- XRP 340006
4 ft- XRP 340010

see page 8 for more power steering hoses

Re-usable Power Steering Hoses & Fittings

DESCRIPTION	P/N
AN 6 Bulk High Pressure Hose (sold per foot)	XRP 510006
Straight AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 500006
45° AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 504506
90° AN6 High Pressure screw on fitting for XRP 510006 hose	XRP 509006



ALUMINUM WELD IN BUNGS



AN Female

SIZE	P/N
10	BRP 5000
12	BRP 5001
16	BRP 5071



AN Male

SIZE	P/N
4	BRP 5002
6	BRP 5003
8	BRP 5004
10	BRP 5005
12	BRP 5006
16	BRP 5007
20	BRP 5008



Female NPT

SIZE	ALUM	STEEL
1/8" NPT	BRP 4995	
1/4" NPT	BRP 4996	
3/8" NPT	BRP 4997	
1/2" NPT	BRP 4998	BRP 4998S
3/4" NPT	BRP 4999	
1" NPT	BRP 4991	



Weld In Bungs

SIZE	P/N
1/2"-20 Fine Weld Bung	BRP 4990
1 1/2" - 12 Weld Bung (for BRP 563F cap)	BRP 5012
1 1/2" - 12 Bung and Cap Assembly	BRP 5013
1 1/2" - 12 Cap RED	BRP 563F
1 1/2" - 12 Cap BLACK	BRP 563FBK
1 1/2" - 12 Cap PLAIN	BRP 563FP

PLASTIC AN CAPS & PLUGS



AN Female Cap

SIZE	No. Per Pkg	P/N
3	20	ALL 50801
4	20	ALL 50802
6	20	ALL 50803
8	20	ALL 50804
10	10	ALL 50805
12	10	ALL 50806
16	10	ALL 50807

AN Male Plug

SIZE	No. Per Pkg	P/N
3	20	ALL 50811
4	20	ALL 50812
6	20	ALL 50813
8	20	ALL 50814
10	10	ALL 50815
12	10	ALL 50816
16	10	ALL 50817


Cap Or Plug Kit

DESCRIPTION	P/N
Plastic Cap Kit	ALL 50800
Plastic Plug Kit	ALL 50810
Aluminum Cap Kit	ALL 50820
Aluminum Plug Kit	ALL 50830


Kit includes 5 of each size
 from -3 to -16.

THREAD SIZES

AN THREAD SIZES



NPT THREAD SIZES



CRATE ENGINE AND COMPONENTS



MORE THAN JUST POWER.

DIRT Sportsman
Crate Engines

DESCRIPTION	P/N
GM 602 Crate Engine	GMP 88869602

This list provides all necessary parts to install a crate engine.

QTY	DESCRIPTION	P/N	QTY	DESCRIPTION	P/N
FUEL DELIVERY SYSTEM			FLYWHEEL		
1	Fuel pump (comes with gasket)	CAR M4891 or ALL 40266	1	Chevy flywheel for crate engine BERT	BER 311-NC-EXT
1	GM fuel pump block plate	BRP 356	1	Bolt kit for flywheel to crankshaft	BRP 328
1	GM fuel pump push rod	COM 4616 or GMP 3704817	1	Long chevy dowel pins (pair)	BRP 293
2	AN8-1/4" NPT adaptor fitting	XRP 981607	1	Chevy flywheel for WINTERS	WIN 63844-18
1	AN8 90 Degree push on fitting	XRP 249008	1	Flywheel shims	WIN 62321
1	AN8 Straight female push on fitting	XRP 230008			
2	Blue push on hose	XRP 340008			
1	Holley carburetor log	BRP 5045 or BRP 5045BK			
1	Holley carburetor	HOL 4777 or HOL 0-80541-1	BELTS AND PULLEYS		
1	Open hole carb spacer	BRP 372	1	Serpentine Pulley System (includes belts)	BRP 1442 / BRP 1442BK
1	Fuel pump block plate gasket	FEL 5182	1	7MM Pulley System (includes belts)	BRP 9274-1
2	Open hole carb spacer gasket	MRG 54	SEE PAGE 144 FOR 7MM PULLEY COMPONENTS LIST		
1	Carb linkage adaptor kit	BRP 370			
1	Throttle rod complete	BRP 410R-3	POWER STEERING SYSTEM		
1	Carburetor Stud Kit	MRG 62 or MOR 37960	1	Power steering pump mount	BRP 268 / BRP 268BK
			1	Serpentine power steering pump w/pulley	BRP 581
				OR with 7MM pulley	BRP 9288
IGNITION SYSTEM			OPTIONAL ALTERNATORS - 7 MM PULLEYS		
1	MSD Digital Rev Control	MSD 8727CT	1	Alternator Pulley - 7MM	BRP 9273
8	Spark plugs	NGK TR5	1	Powermaster Alternator	PWM 8172-BR
1	Spark plug wires	MOR 72407 or MSD 31249	1	Alternator mounting kit	BRP 9068 / 9068BK
			1	Alternator 7MM Belt	BRP 9287
OIL SYSTEM			OPTIONAL ALTERNATORS - V BELT PULLEYS		
1	Oil pressure adaptor fitting	BRP 5060	1	Powermaster alternator w/v-belt pulley	PWM 8172
1	Oil filter	FRA HP4 or WIX 51060R	1	Alternator mounting kit	BRP 9068 / 9068BK
1	Oil filter adaptor	BRP 552	1	Alternator V Belt	BRP 937-1
7	Driven Oil XP3 10w30 OR	JGP 00306	OPTIONAL ALTERNATORS - SERPENTINE PULLEYS		
7	Champion Racing Oil 10w30	CHO 4363H	1	Powermaster alternator w/serp pulley	PWM 8172-172
			1	Alternator mounting kit BRP 9068 9068BK	BRP 9068 9068BK
			1	Alternator serpentine belt	BRP 947
COOLING SYSTEM					
1	Water pump	STE 13103	EXHAUST		
1	1-1/2" Upper rad hose	BRP 9345 / 9345RD	1	Headers (comes with bolts and gaskets)	SCH 1122BCM / SCH1122BUCM
1	1-3/4" Lower rad hose	BRP 9344 / 9344RD	2	Mufflers (3" inlet and outlet)	BEY MUF3.0DL
2	Upper Radiator Hose Clamps	KBP 60	1	Muffler installation kit	BEY DMTPK-3U
2	Lower Radiator Hose Clamps	KBP 62	1	Headers (comes with bolts and gaskets)	BEY 602-DL
1	3/4" Pipe plug for water pump	XRP 993206			
1	2" Fan spacer	BRP 1012 / 1012BK			
1	17" Steel fan	ALL 30103	AIR FILTER		
1	17" Nylon Fan	ALL 30094	1	Air filter housing	ALL 26094
			1	Filter element 14" X 5"	RAN 1405 or K-N E3760
EXPANSION TANK			1	Filter pre-filter for 14" X 5" element	OUT 10-1004-01
1	Expansion Tank	FIN 003	2	Breather - 1 3/8"	ALL 36204 / 36205
2 feet	AN 10 Push On Hose For Expansion Tank	XRP 340010			
2	90° AN 10 Push On Fittings For Expansion Tank	XRP 239010			
1	AN 10 to 3/4" NPT Fitting for Expansion Tank	XRP 981613			

WEGNER W16 AND COMPONENTS



WEG W16

DESCRIPTION

P/N

W16 Complete Engine

WEG W16

W16 Accessory Kit(See Below)

WEG KIT

Engine comes complete with pulleys, fuel pump, distributor, spark plugs and wires.

The kit listed below is all items needed to complete the installation assuming you have a carburetor and MSD 7600 ignition box and coil as well as fan, fan spacer, radiator hoses and power steering pump.

WEG KIT - COMPLETE INSTALLATION KIT FOR W16 ENGINE (comes with the following):

QTY	DESCRIPTION	P/N
FUEL DELIVERY SYSTEM		
1	Carb Studs	MRG 62
1	Throttle Rod	BRP 9518
1	AN 10 to 3/8" NPT for Fuel Pump	XRP 981611
1	AN 8 to 3/8" NPT for Fuel Pump	XRP 981608
IGNITION SYSTEM		
1	6' Cable Lead from MSD Box to Distributor	MSD 8860
1	Universal Coil Wire	TAY 45409
OIL SYSTEM		
1	Oil Filter Adaptor Mounting Bracket	BRP 9498
1	Oil Filter Adaptor With Fittings (BRP 557)	BRP 9514
1	W16 Engine To Oil Filter Line (AN 10)	BRP 9512
EXHAUST - THREE OPTIONS ----->		
WEG KIT		
1	Headers (comes with bolts and gaskets)	SCH 1124VYLS1
2	Mufflers (3" inlet and outlet)	BEY MUF3.ODL
2	Exhaust Elbows	SCH 3032
2	Muffler Adaptors for W16	BRP 9510

QTY	DESCRIPTION	P/N
FLYWHEEL		
1	LS Flywheel	BER CT525-005
1	.048" LS Flywheel Shim	BRP 9499
1	Flywheel Bolts For W16 Engine (package of 6)	ARP 330-2802
BELTS AND PULLEYS		
1	3 Rib Sepentine Power Steering Belt	BRP 947-3
	Note: all other belts/pulleys/mounts come with engine	
ENGINE MOUNTS		
1	Front Engine Mount	BRP 9494
4	Metric Hex Bolt 10MM X 40MM for Bellhousing	BOL 10-1.50X40M
COOLING SYSTEM		
1	Swivel Water Neck	ALL 30170
1	Inline Rad Filler Top Hose	MOR 63730
WEG KITBEY		
	BEY DMSBTY-LS-S2-3	SCH 1124VYLS3
	BEY MUF3.ODL	
	BEY NEDMTPK-W16	
	BRP 9510	
WEG KITHENRY		
		HEN DMMS4W

WEGNER W16 REPLACEMENT PARTS

FUEL DELIVERY SYSTEM	
Holley 4150 Series 650 CFM Carburetor	HLV 0-80541-1
Fuel Log	BRP 5045BK
Carb Linkage Adaptor	BRP 370
Open Hole Carburetor Gasket	MRG 54
4 Hole Carburetor Gasket	MRG 55
Replacement Fuel Pump	EDE 1715
Replacement 1" Aluminum Carb Spacer	WEG CS
IGNITION SYSTEM	
MSD 7600 RPM Ignition Box	MSD 64316
MSD Coil	MSD 8222
MSD Coil Mounting Bracket	MSD 8213
Spark Plugs (8 required)	NGK BR7EF or NGK BR9EF
Replacement Distributor for W16 Engine	WEG DIST
Replacement Distributor Cap for WEG DIST	MSD 8431
Replacement Distributor Rotor for WEG DIST	MSD 8467
OIL SYSTEM	
Oil Filter	WIX 51060R or FRM HP4
ALTERNATOR	
Replacement Alternator (no pulley)	PWM 8132
VALVE COVER GASKETS	
Replacement Valve Cover Gaskets	FEL VS50504R

BELTS AND PULLEYS	
Replacement 5 Rib Serpentine Belt	BRP 9519
Replacement Water Pump Pulley	WEG WA0291
Replacement Power Steering Belt	BRP 947-3
Replacement Lower Pulley	
POWER STEERING SYSTEM	
Replacement Power Steering Pulley Mount Hub	WEG WA031
Replacement Power Steering Pulley (6 1/2")	WEG WA0354
Replacement Power Steering Pump (no pulley)	BRP 579 (steel)
Replacement Power Steering Pump (no pulley)	KRC 10096000 (alum)
EXHAUST	
Replacement Copper Exhaust Gasket (Round Port)	SCE 4119
Replacement Exhaust Gasket (Round Port)	SCH 01780
Replacement Exhaust Gasket (D-Port)	SCH 01783
AIR FILTER	
Air Filter Housing	ALL 26094
Air Filter Element 14" X 4"	KNE E3750
Outerwears Pre Filter	OUT 10-1002-01 or OUT 10-1014-01
COOLING SYSTEM	
Lower Radiator Hose	BRP 9344 / 9344RD
Upper Radiator Hose (needs to be cut)	BRP 9345 / 9345RD
Replacement Water Pump Cartridge for W16	STE STE50003
Water Temperature Sending Unit	LON 52-43252

BICKNELL ENGINE MOUNTS

Rear Engine Plates

DESCRIPTION	ALUMINUM P/N	STEEL P/N
Mid-Rail (2000 to present) Rear Aluminum Engine Plate (fits small and big block chevy, Ford SVO and Chrysler)	BRP 292 (9#)	BRP 292S (31#)
Downtube Rear Engine Plate (fits small and big block chevy)	BRP 301	

Front Engine Plates

DESCRIPTION	P/N
Small Block Chevy Front Plate - Wet Sump	BRP 312

Steel Side Engine Mounts

DESCRIPTION	P/N
Left Solid Mount - Small Block & Big Block Chevrolet	BRP 304
Right Solid Mount - Small Block & Big Block Chevrolet	BRP 305
Left Mount - Small Block Ford (SVO)	BRP 306
Right Mount - Small Block Ford (SVO)	BRP 307
Left Rubber Mount - Small Block & Big Block Chevrolet	BRP 298L
Right Rubber Mount - Small Block & Big Block Chevrolet	BRP 298R

Aluminum Front 1/2" Plates

DESCRIPTION	P/N
Small Block Chevrolet Right Front Aluminum Plate	BRP 325
Big Block Chevrolet Right Front Aluminum Plate (comes with spacer block)	BRP 327

Engine Plate Spacers and Dowel Pins

DESCRIPTION	P/N
2" Long Round Spacer	BRP 482
4" Long Round Spacer	BRP 704
6" Long Round Spacer	BRP 749-6
2" Thick Spacer Block	BRP 315-1BK
2" Long Chevrolet Dowel Pins (sold in pairs)	BRP 293
Ford Dowel Pins (sold in pairs)	BRP 294

DESCRIPTION	P/N
Engine Lift Plate - Spread and Square Bore Carb Flanges	ALL 10123




BRP 315-1BK


BRP 482



ENGINE DOWEL PINS



BRP 292



BRP 312



BRP 307

BRP 304

BRP 298R



ALL 10123

BRP 325

CHEVY ENGINE MOUNTS

Stock Engine Mounts

DESCRIPTION	P/N
Steel Chevrolet Front Engine Mounts (sold in pairs)	AFC 80651
Lightweight Steel Chevrolet Front Engine Mount (sold each)	ALL 38100
Rear Steel Engine Mounts (sold in pairs)	AFC 80652



CYLINDER LEAK DOWN GAUGES

DESCRIPTION	P/N
BRP cylinder leak down gauge	BRP 9238
BRP liquid filled cylinder leak down gauge	BRP 9238L



BRP 9238

BRP 9238L

INTAKE MANIFOLDS



BRO HV-1000

Small Block Chevrolet Intake Manifolds

DESCRIPTION	P/N
Brodix SBC Intake (DIRT Spec Intake) Also fits Brodix -8, -10, -11, -11X and track 1 cylinder heads. Uses FEL 1206 gasket	BRO HV-1000

BRODIX ALUMINUM SPEC HEADS

Chevrolet DIRT 358 Spec Head (sold each)

DESCRIPTION	P/N
DIRT Spec Head Bare Not Machined - No Hardware	BRO SPCHMS-UPG
DIRT Spec Head Bare Machined - No Hardware	BRO SPCHMSP-M-UPG

NOTE: Above heads do not come with valves, springs, guide plates, seals, rocker arms or studs.

BRO SPCHMSP-M-UPG HAS THE FOLLOWING UPGRADES:

- Intake matched to FEL 1206
- Competition valve job (seats machined)
- Upgraded manganese valve guides honed to size
- Surface ground - Angle milled to proper 64CC

Replacement Brodix Spec Head Parts

DESCRIPTION	P/N
Brodix 2.05 Intake Valves for Spec Head (sold each)	BRO BR60015
Brodix 1.60 Exhaust Valve for Spec Head (sold each)	BRO BR81022
Brodix Valve Spring for Spec Head (sold each)	BRO GA1000

DRY SUMP TANK & MOUNT



SAL OT624S-RH



ART 500103

DESCRIPTION	P/N
Saldana Dry Sump Tank - 24" Tall C 6" Round 12 quart capacity - has 1 X 3/4" NPT Inlet and 1 X 3/4" NPT Outlet and 3/4" NPT Vent in top	SAL OT624S-RH
Dry Sump Mount (comes with 2 clamps) - mounts in LR of BRP Chassis - Fits Saldana and Art's Round Tanks	BRP 556
Replacement Clamp (sold each)	BRP 556C
Self Adhesive Oil Pan / Dry Sump Tank Heater (5" X 7") 400 watt	MOR 23996
Dry Sump Vent Can - 3/8" NPT Inlet	ALL 36108
Replacement Saldana Dry Sump Tank Drain Plug plus O-Ring	XRP 981410
Replacement O-Ring For XRP 981410	NIA 116
AN 16 In-Line Return Filter (comes with 75 micron stainless filter)	PTR 09-0439
Dirt Modified Left Side Aluminum Oil Lines With AN 16 return filter mount (AN 16 return filter sold separately)	ART 2010F
Art's 2 Piece Dry Sump Tank - 24" tall X 6" Round with 12 quart capacity (has AN 16 inlet and outlet - self venting)	ART 500103



PTR 09-0439



BRP 556C



BRP 556



MOR 23996



ALL 36108



ART 2010F

OIL COOLERS



DESCRIPTION	P/N
BRP Lightweight Oil Cooler - 5 3/4" X 11" (2 X 1/2" NPT)	TRU L7B
BRP Lightweight Oil Cooler - 8" X 11" (2 X 1/2" NPT)	TRU M7B
BRP Lightweight Oil Cooler - 11" X 11" (2 X 1/2" NPT)	TRU H7B
Griffin Oil Cooler - 15" x 6-1/2" x 3-1/4" (has 2 X 1/2" NPT Female, & 2 X AN12 Male Fittings)	BSC 500-30416
Oil Cooler Mount (2 <i>Required</i>) - Used to Mount Oil Cooler to BRP 447 Inner Side Bar Hoop	CHA134
Griffin Oil Cooler Mount for left wing (mounts cooler to BRP 447 and BRP 7100 inner side bar hoops)	CHA227

OIL FILTERS



DESCRIPTION	WIX	FORD	FRAM
Ford / Chrysler			FRA HP1
GM	WIX 51060R	FOR FL12A	FRA HP4
Large GM with Adaptor			FRA HP6A

OIL FILTER MOUNTS & ADAPTORS



Remote Oil Filter Mounts

DESCRIPTION	P/N
Remote Oil Filter Mount for HP1 style Oil Filter	BRP 555
Remote Oil Filter Mount for HP4 style Oil Filter	BRP 557
Remote Oil Filter Mount for HP6 style Oil Filter	BRP 559
Small Block Chevy Block Mount for BRP 557/BRP 555 Remote Oil Filter Mount	BRP 550

BRP 555/557/559 have 2 AN10 O-Ring Outlets, 1 X AN 10 O-Ring Inlet, and 1 X 1/8"NPT Pressure Outlet

Replacement Filter Adaptor Fitting

DESCRIPTION	P/N
Replacement Fitting for BRP 555 (adapts oil filter to housing)	BRP 555F
Replacement Fitting for BRP 557 (adapts oil filter to housing)	BRP 557F
Replacement Fitting for BRP 559 (adapts oil filter to housing)	BRP 559F

Oil Filter Adaptor with Bypass (Oil Cooler)

DESCRIPTION	P/N
Small Block Chevy Oil Filter Mount (has 1/2" NPT Inlet and Outlet for plumbing oil cooler) - Uses HP 4 Style Oil Filter	BRP 558
GEN 6 Big Block Chevy Oil Filter Mount (has 1/2" NPT Inlet and Outlet for plumbing oil cooler) - Uses HP 4 Style Oil Filter	BRP 567
Ford Oil Filter Mount (has 1/2" NPT Inlet and Outlet for plumbing oil cooler) - Uses HP 1 Style Oil Filter	BRP 561

Oil Filter Adaptor

DESCRIPTION	P/N
Small Block Chevy Oil Filter Adaptor (no bypass)	BRP 552



DRIVEN RACING OIL



BORN FROM JOE GIBBS RACING

DRIVEN
DRIVEN TO WIN RACING OIL®

DESCRIPTION

P/N

XP0 - Synthetic 0W5 Racing Oil	JGP 00406
XP1 - Synthetic 5W20 Racing Oil	JGP 00006
XP2 - Synthetic 0W20 Racing Oil	JGP 00206
XP3 - Synthetic 10W30 Racing Oil	JGP 00306
XP6 - Synthetic 15W50 Racing Oil	JGP 01006
XP9 - Synthetic 10W40 Racing Oil	JGP 03206
BR30 - 5W30 Break In Oil	JGP 01806
BR - 15W50 Break In Oil	JGP 00106
GO - 75W110 Synthetic Gear Oil	JGP 00630
HR4 - Synthetic 10W30 Hot Rod Oil	JGP 01506

Note: Also available by the case of 12

CHAMPION RACING OILS



CHO 4270H

CHO 4309H

CHO 4350H

CHO 4363H

CHO 5460H

CHO4312H

Champion Racing Oil

DESCRIPTION

P/N

0W30 Break In Oil - 1 quart	CHO 4270h
15W50 Synthetic Racing Oil - 1 quart	CHO 4309h
15W50 Synthetic Muscle Car Oil - 1 quart	CHO 4350h
10W30 Synthetic Racing Oil - 1 quart	CHO 4363h
75W90 Synthetic Gear Oil - 5 Gallon Pail	CHO 4312d
75W90 Synthetic Gear Oil - 1 quart	CHO 4312h
0W20 Full Synthetic Karting Oil - 1 quart	CHO 5460h
0W20 Full Synthetic Karting Oil - 1 gallon	CHO 5460g

Note: Also available by the case of 12



Champion Racing Oil Cleaners / Degreasers / Other Fluids

DESCRIPTION

P/N

Carburetor Cleaner - 11 oz.	CHO 4121k
Engine Degreaser - 14.5 oz.	CHO 4123i
Brake Cleaner - 15 oz.	CHO 4125i
Brake Fluid - DOT 4 - 12 oz.	CHO 4059k
Power Steering Fluid - 1 quart	CHO 4182h
Penetrating Oil - 9 oz.	CHO 4244
Cold Blue Water Additive - 16 oz.	CHO 4290i

Note: Also available by the case of 12



CHO 4121K

CHO 4123i

CHO 4125i

CHO 4059K

CHO 4182H

CHO 4244

REAR END & TRANSMISSION OIL



Rear End Oil

DESCRIPTION	P/N
Champion Racing Oil 75W90 Synthetic Gear Oil (5 Gal)	CHO 4312D
Champion Racing Oil 75W90 Synthetic Gear Oil (1 quart)	CHO 4312H
DMI Racing Oil 75W90 Gear Oil (1 quart)	DMI BULLDOG1
DMI Racing Oil 75W90 Gear Oil (5Gal)	DMI BULLDOG5
Joe Gibbs Synthetic 75W110 Gear Oil (1 quart)	JGP 00630
Torco Synthetic 75W90 Gear Oil (1 quart)	TRC A257590
Torco Synthetic 75W140 Gear Oil (1 quart)	TRC A257514

Transmission / Power Steering Oil

DESCRIPTION	P/N
Torco MTF Manual Transmission Fluid (1 quart)	TRC A200022
Sweet Power Steering Fluid (1 quart)	SWE 301-30178
Champion Oil Power Steering Fluid (1 quart)	CHO 4182H


BREATHERS

3" Diameter X 2" High

DESCRIPTION	P/N
1/2" Vent X 3" Diameter	KNE 62-1140
1" Vent X 3" Diameter	KNE 62-1170

2" Diameter X 1 1/2" High

DESCRIPTION	P/N
3/8" Vent X 2" Diameter	KNE 62-1000
1/2" Vent X 2" Diameter	KNE 62-1010
1" Vent X 2" Diameter	KNE 62-1040



Clamp On Breathers

DESCRIPTION	P/N
1 3/8" Clamp-On - No Shield	ALL 36204
1 3/8" Clamp-On - With Shield	ALL 36205
1 1/2" Clamp-On - No Shield	ALL 36202
1 1/2" Clamp-On - With Shield	ALL 36203

Breather Sock

DESCRIPTION	P/N
Vent Filter Breather Sock	ALL 36208



ALL 36208 - Sock Only

REAR END OIL PUMP



DESCRIPTION	P/N
Tilton Rear End Pump - 12V with 3/8" NPT inlet and outlet	TIL 40-524
Replacement Seal Kit	TIL 40-902



WHEEL BEARING GREASE

DAT
NCRG16



DAT NCRG16J



DAT
NCRG1

Did You Know...


Nanoceramic racing grease is used to pack wheel bearings. It has extremely low friction, and resists extreme temperatures. It is made for high temp / high load applications like those associated with racing!

DESCRIPTION	P/N
16 oz. Jar Nanoceramic Grease	DAT NCRG16J
16 oz. Tube Nanoceramic Grease	DAT NCRG16
1 oz. Syringe Nanoceramic Grease	DAT NCRG1


BERT GEN II TRANSMISSIONS




DESCRIPTION	P/N
GEN II Lightweight Modified Transmission (33.5 pounds) - NO SHIFTER	BER SG-1200
Standard Shifter Assembly	BER SG-1210
Remote Shifter Assembly	BER 078SG
Replacement Shifter Cable Only	BER 078-1C




GEN II MAIN BODY EXPLODED VIEW




GEN II TAIL SECTION EXPLODED VIEW



BER SG-1000-20 FORK SUB ASSEMBLY



BER SG-1000-10-10 SUB ASSEMBLY



BERT GEN II TRANSMISSION PARTS LIST

GEN II MAIN BODY EXPLODED VIEW

ITEM	P/N	DESCRIPTION	ITEM	P/N	DESCRIPTION
1	BER SG-1029	Reverse Gear	23	BER SG-1037	Front Cover Stud X 4
2	BER SG-1031	Reverse Bearing (comes with SG-1061)	24	BER SG-1156	5/16" Flat Washer X 4
2B	BER SG-1061	3 /16" Steel Ball	25	BER SG-1052	Shaft Seal CRWA1-R
3	BER SG-1017	Selector Fork	26	BER SG-1258	5/16"F Nylock Nut X 4
4	BER SG-1030-02	Bert Band (comes with SG 1030-01)	27	BER SG-1006	Sun Gear Selector
4B	BER SG-1030-01	Band Anchor	28	BER SG-1033	Band Anchor Stud
5	BER SG-1076	Double Row Chain	29	BER SG-1064	Servo AN Adaptor
6M	BER SG-1002	Input Shaft For Modified	30	BER SG-1063	1/4" NPT Magnetic Drain Plug X 2
6L	BER SG-1003	Input Shaft For Late Model	31	BER SG-1019	Band Anchor Shaft
7	BER SG-1056	1/2"F Nylock Nut	32	BER SG-1078	Piston Return Spring
8	BER SG-1079	O-Ring - 3/4" OD X 1/16" Wall	33	BER SG-1020	Servo Cover
9	BER SG-1032	Carrier Thrust Support Bearing	34	BER SG-1066	#10 Flat Head Allan Bolt X .750" X 4
9B	BER SG-1060	5/16" Steel Ball	35	BER SG-1065	Servo Bleed Adaptor (comes with SG-1067)
10	BER SG-1027	Reverse Gear Shaft (Comes with SG-1034)	36	BER SG-1081	O-Ring
11	BER SG-1038	O-Ring Casting	37	BER SG-1018	Servo Piston
12	BER SG-1028	Reverse Idle Gear	38	BER SG-1077	3/32" O-Ring X 2
13	BER SG-1001	Main Casting	39	BER SG-1082	Stud O-Ring X 4
14	BER SG-1000-20	Front Fork Sub Assembly	40	BER SG-1039	Front Cover Gasket
15	BER SG-1057	Needle Bearing X 2	41	BER SG-1004	Front Cover
16	BER SG-1021	Thrust Washer X 4	42	BER SG-1012	Sun Gear
17	BER SG-1068	Breather	43	BER SG-1069	Needle Bearing
18	BER SG-1000-10-10	Carrier Sub Assembly	44	BER SG-1009	L and R Carrier
19	BER SG-1054	O-Ring - 9/16" OD X 1/16" Wall	45	BER SG-1007	Carrier Crown
20	BER SG-1022	Front Fork Support Screw	46	BER SG-1058	Needle Bearing
21	BER SG-1080	External Retaining Rings, 5160-137 X 2	47	BER SG-1067	Servo Bleed Adaptor Plug
22	BER SG-1053	Input Shaft Bearing	48	BER SG-1016	Sun Gear Thrust Ring
			49	BER SG-1011	Carrier Support

GEN II TAIL SECTION EXPLODED VIEW

ITEM	P/N	DESCRIPTION	ITEM	P/N	DESCRIPTION
1	BER SG-1150	Shaft Seal	13	BER SG-1202	Modified Output Shaft
2	BER SG-1102	Shifter Rod	14	BER SG-1250	Deep Groove Ball Bearing
3	BER SG-1017	Selector Fork	15	BER SG-1251	Shaft Seal CRWA1-R
4	BER SG-1157	7/16"C X 3/8" Set Screw X 2	16	BER SG-1021	Thrust Washer
5	BER SG-1056	1/2"F Nylock Nut	17	BER SG-1160	Internal Retaining Ring
6	BER SG-1155	5/16"C X 1 1/2" Hex Bolt X 4	18	BER SG-1101	Gear Selector
7	BER SG-1154	5/16"C X 2" Hex Bolt	19	BER SG-1252	3/8"F X 1 1/2" Hex Bolt
8	BER SG-1051	Lockwasher X 5	20	BER SG-1253	3/8" Lockwasher
9	BER SG-1156	Flat Washer X 5	21	BER SG-1213	Rear Yoke Washer
10	BER SG-1201	Modified Tail Housing	22	BER 053-HD-K	Modified Rear Yoke
11	BER SG-1035	Detent Plunger	23	BER SG-1203	Output Shaft Spacer
12	BER SG-1158	Detent Spring			

BER SG-1000-20 FORK SUB ASSEMBLY

ITEM	P/N	DESCRIPTION
1	BER SG-1023	Shifter Rod
2	BER SG-1075	Internal Retaining Ring
3	BER SG-1025	Shifter Rod Spring Washer
4	BER SG-1073	Compression Spring
5	BER SG-1026	Shifter Rod Spring Compressor
6	BER SG-1024	Shifter Rod Spring Holder
7	BER SG-1072	1/4"C X 1/4" Set Screw
8	BER SG-1074	10-32 X 1/2" Flat Head Capscrew

BER SG-1000-10-10 SUB ASSEMBLY

ITEM	P/N	DESCRIPTION
1	BER SG-1070	1/4"F X 1 3/4" Hex Bolt X 4
2	BER SG-1071	1/4" Lockwasher X 4
3	BER SG-1010	Carrier Washer Plate
4	BER SG-1008	Planet Carrier
5	BER SG-1015	Planet Thrust Washer X 4
6	BER SG-1014	Planet Shaft X 4
7	BER SG-1059	Needle Bearing (.091") X 64
8	BER SG-1013	Planet Gear X 4



BERT MOZ TRANSMISSIONS

DESCRIPTION

DIRT Mod Aluminum Transmission (44 pounds)

P/N


BER MOZ



BERT MOZ TRANSMISSION PARTS LIST

ITEM	P/N	DESCRIPTION	ITEM	P/N	DESCRIPTION
1	BER 001	Main Casting	41	BER 041	Shifting Fork Direct Drive
2	BER 002	Rear Cover (Open Drive)	43	BER 043	Snap Ring Idler Gear
2	BER 002C	Rear Cover (Closed Drive)	44	BER 044	Reverse Idler Gear
3	BER 003	Tail Housing (Late Model)	45	BER 045	Cage Needle Bearing
4	BER 004L	Side Cover (Late Model)	46	BER 046	Snap Ring (Late Model)
4	BER 004M	Side Cover (Modified)	47	BER 047	Reverse Idler Shaft
5	BER 005	Front Seal Cover (Short Input)	48	BER 048	Woodruff Key
6	BER 006	Front Seal Cover (Long Input)	49	BER 049	Shifter Rod Seal (2)
7	BER 007	Drive Flange	50	BER 050	Snap Ring Modified
8	BER 008	Input Modified*(8Z)	51	BER 051	Output Bearing (Modified)
9	BER 009Z	Input Late Model*(9Z)	52	BER SG-1251	Rear Oil Seal
11	BER 011Z	Direct Slider*(11Z)	53	BER 053-HD-K	Yoke (Open Drive)
12	BER 012	Output Modified	53	BER 053-C	Yoke (Closed Drive)
13	BER 013	Output Late Model	54	BER 054	Rear Yoke Washer
14	BER 014	Counter Shaft Locking Washer	55	BER 055	Bolt 3/8"F X 1 1/4"
15	NIA 210	O Ring	56	BER 056	Output Bearing (Late Model)
16	BER 016	Counter Shaft	57	BER 057	Snap Ring (Late Model)
18	BER 018	Thrust Needle Roller	58	BER 058	Hex Socket Cap Screw 7/16"C X 1 1/4"
19	BER 019	Thrust Washer (A) .030" (B) .060" (C) .090"	59	BER 059	Cap Screw 7/16"C X 1 1/4"
20	BER 020	Cage Needle Roller (3/4")	60	BER 060	Extension Bushing
21	BER 021	Front Counter Gear	61	BER 061	Piston
22	BER 022	Spring Counter	62	BER 062	Break Cup 1 3/8"
23	BER 023	Rear Counter Gear	63	BER 063	Break Cup Extender
24	BER 024	Push Sleeve	64	BER 064	Spring
25	BER 025	Push Sleeve Key	65	BER 065	Rear Oil Seal
26	BER 026	Clutch Disk (6 required)	66	BRK 15-1511	Clutch Master
27	BER 027	Steel Clutch (5 required)	67	BER 067	Interlock Pin
28	BER 028	Button Head Screw 5/16"C X 1/2"	68	BER 068	Filling Plug
29	BER SG-1052	Front Oil Seal	69	BER 069	Output Spacer
30	BER 030	Bolt 5/16"C X 1"	70	BER 070	Clutch Spacer
31	BER 031	Snap Ring	71	BER 071	Fork Retaining Pin
32	BER 032	Front Input Bearing	72	BER 072	Magnetic Plug
33	BER 033	Air Vent	73	BER 073	Drain Plug
36	BER 036Z	Low & Direct Shifting Rod	74	BER 074	Cage Needle Bearing
37	BER 037	Reverse Shifting Rod	75	BER 075	Reverse Shifting Fork
38	BER 038	Detent Ball	76	BER 076	Frost Plug 3/4
39	BER 039	Detent Spring	77	BER 077	Shifter detent Ball (Modified)
40	BER 040	Detent Spring High-Gear	78	BER 078-M	Shifter Assembly

BERT MOZ TRANSMISSION SHIFTER PARTS



DESCRIPTION	P/N
Basic Overhaul kit for BER MOZ (GEN 1) transmission - Includes 6 X BER 026, 1 X BER 021; 2 X BER 049; 1 X BER 052; 1 X BER 062; 1 X BER 071; 2 X BER 076; 1 X NIA 210	BER 090

Gen 1 Shifter Parts


DESCRIPTION	P/N
BERT Shifter Assembly (comes complete with rod ends and side cover)	BER 078-M
Replacement Reverse Shifter Handle	BER 080-B
Replacement High/Low Shifter Handle	BER 080-A
Replacement Reverse Link (between rod end and shifter handle)	BER 078-B
Replacement High/Low Link (between rod end and shifter handle)	BER 078-A
Replacement Shifter Knob	BRP 907
Replacement Clutch Master Cylinder	BRK 15-1511
Replacement Clutch Handle	BRP 4420-1

Use **TRC A200022CE** MTF Transmission Fluid

WINTERS TRANSMISSIONS



DESCRIPTION	P/N
Winters Aluminum Modified Transmission (38 pounds)	WIN 60150
Replacement Shifter Assembly (comes complete with rod ends)	WIN 60115S
Economy Rebuild Kit - Includes gaskets, o-rings, clutches & disks	WIN 62824-2
Complete Rebuild Kit - Includes gaskets, o-rings, all bearings, clutches, and steel disks.	WIN 62825-2



REPLACEMENT PARTS LIST

ITEM	P/N	DESCRIPTION
1	WIN 61745	Transmission Case, Aluminum
1	WIN 61745M	Transmission Case, Magnesium
2	WIN 62155	Gasket
3	WIN 61843	Rear Cover, Aluminum
3	WIN 61843M	Rear Cover, Magnesium
4	WIN 62105	Shuttle Pin
5	WIN 67398	Detent Ball
6	WIN 62333	Detent Spring Top
7	WIN 68031	3/8-16 Jam Nut, Detent Screw
8	WIN 68030	3/8-16 x 1" Detent Screw
9	WIN 62332	Detent Spring, Side
10	WIN 62156	Gasket, Side Cover
11	WIN 62157	Side Cover, Shorty
12	WIN 67127	5/16 Washer
13	WIN 68034	5/16-18 x 3/4" HHCS
14	WIN 61911	Shift Yoke, Low/Neutral/Direct
15	WIN 67837	5/16-24 x 1/2" SHSS
16	WIN 61691	Shift Yoke, Reverse
17	WIN 68027	1/4-28 x 1/2" SHSS
18	WIN 62212	Shift Shaft, Reverse
19	WIN 62211	Shift Shaft, Low/Neutral/Direct
20	WIN 67259	Seal, Shift Shaft
21	WIN 61741	Sliding Gear
22	WIN 67686	Retaining Ring, Bearing
23	WIN 67685	Retaining Ring, Output Shaft
24	WIN 67556	Bearing, Output Shaft
25	WIN 67695	Retaining Ring
26	WIN 67568	Intermediate Main & Rear Shaft Bearing
27	WIN 62373	Aluminum Spacer
28	WIN 67262	Rear Seal
28	WIN 67262V	Rear Seal, Viton
32	WIN 68036	Street Elbow, 1/8 NPT
33	WIN 61845	Push Rod

ITEM	P/N	DESCRIPTION
34	WIN 61906	Piston Thrust Washer
35	WIN 61844	Piston
36	WIN 67482	O Ring, Piston
37	WIN 68024	Breather
38	WIN 65313	Bleeder
39	WIN 65314	Adapter, Bleeder
40	WIN 68042	Compression Fitting
41	WIN 67811	Washer
42	WIN 67117	7/16-14 x 1 1/4" HHCS
43	WIN 68304	Retaining Ring, Core Plug
44	WIN 68000	Core Plug
45	WIN 61991	Main Shaft
46	WIN 67555	Bearing, Input Shaft
47	WIN 67682	Retaining Ring Input Bearing
48	WIN 67256	Seal, Seal Plate
48	WIN 67256V	Seal, Seal Plate, Viton
49	WIN 67483	O Ring, Seal Plate
50	WIN 61744	Seal Plate
51	WIN 67195	5/16-18 x 3/4" 12pt
52	WIN 61739-02	Input Shaft, 22 Spline
53	WIN 67481	O Ring, Reverse Shaft
54	WIN 67992	Roll pin, Reverse Shaft
55	WIN 61743	Reverse Counter Shaft
56	WIN 68303	Retaining Ring
57	WIN 67563	Needle Bearing
58	WIN 61742	Reverse Idler Gear
59	WIN 67480	Counter Shaft O-Ring
60	WIN 67991	Roll Pin, Counter Shaft
61	WIN 61737	Counter Shaft
62	WIN 67560	Thrust Washer
63	WIN 67562	Thrust Bearing
64	WIN 61734-36	Clutch Pack Hub
65	WIN 61736	Clutch Pack Spacer
66	WIN 67591	Needle Bearing
67	WIN 61912	Clutch Spring

ITEM	P/N	DESCRIPTION
68	WIN 61847	Clutch Spring Spacer
69	WIN 67687	Retaining Ring
70	WIN 61853	Clutch Disk, Friction
71	WIN 61852	Clutch Disk, Steel
72	WIN 61735	Clutch Gear
73	WIN 67559	Needle Bearing
74	WIN 62354	Spacer
75	WIN 67585	Thrust Washer
76	WIN 61740	Flange
77	WIN 67990	Core Plug
78	WIN 67676	Retaining Ring, Core Plug
79	WIN 65856	Flange Yoke
80	WIN 67152	3/8-24 x 7/8" 12pt
81	WIN 68033	5/16-18 Jam Nut
83	WIN 62637B	Shift Knob (Black)
84	WIN 68040	5/16-18 x 5/8" BHCS
85	WIN 62168	Shift Arm, Low/Neutral/Direct
86	WIN 62306	Linkage Pin
87	WIN 68301	Clip, Linkage Pin
88	WIN 62401	Shift Linkage, Low/Neutral/Direct
89	WIN 68302	Clip, Clevis Pin
90	WIN 62307	Clevis Pin
91	WIN 67580	Heim End
92	WIN 68032	Jam Nut, Heim End
93	WIN 62356	Spacer
94	WIN 62169	Shift Arm, Reverse
95	WIN 62402	Shift Linkage, Reverse
96	WIN 68019	Shoulder Bolt
97	WIN 68013	Wave Washer
98	WIN 68035	Plug, Fill
99	WIN 67874	Plug, Drain
100	WIN 68052	Case Plug
101	WIN 68025	Cap Plug

INBOARD BELLHOUSINGS



BER 300-CF-NFC



BER 303



BER 306



BER 304



BER 308



BER 309

DESCRIPTION	P/N
BERT Inboard Bellhousing (No Flywheel or crank Flange)	BER 300-CF-NFC
BERT Replacement Idler Gear with bushing	BER 303
BERT Replacement Idler Bushing	BER 304
BERT Replacement Idler Gear Shaft	BER 306
BERT Replacement Idler Spring	BER 308
BERT Replacement Idler Flat Washer	BER 309
BERT Replacement Extra Long Grease Fitting	BER 310
BERT Crate Sprint Engine External Drive Kit	BER 372-NC-EXT
Winters Inboard Bellhousing - (comes with flywheel and crank flange)	WIN 62844
Winters Replacement Idler Gear	WIN 62344
Winters Replacement Idler Bushing	WIN 62204
Winters Replacement Idler Shaft	WIN 62685
Winters Replacement Idler Spring	WIN 62341
Winters Replacement Idler Washer	WIN 62815

CRANK FLANGES/FLYWHEELS

Note: Always use Anti-Seize compound when using BRP 330



BER 311-NC-EXT



BRP 330



BRP 336



BER CT-525-005

DESCRIPTION	P/N
Aluminum Chevy Crank Flange - BERT Transmission	BRP 330
Ford Crank Adaptor (uses Chevy crank flange/flywheel)	BRP 335
Bert Steel 2 piece Flywheel	BER 370
Bert Aluminum Fly Wheel Shim	BER 324
Steel Chevy Crank Flange - BERT Transmission	BER 007
Steel New Style Crank Flange (with dowel)- BERT Transmission	BER 007-NC
602 Crate Engine Crank Flange/Flywheel (1 piece) BERT Trans.	BER 311-NC-EXT
Aluminum Chevy Crank Flange - WINTERS Transmission	BRP 336
Winters Steel Flywheel	WIN 62479-A
Steel Chevy Crank Flange - WINTERS Transmission	WIN 62348-18
602 Crate Engine Crank Flange/Flywheel (1 piece) WINTERS Trans.	WIN 63844-18
Late Small Block Chevy 18 Spline Aluminum Crank Flange	WIN 62350-18A
602 Crate Engine Flywheel Shims (sold each)	WIN 62321 / BER 324NC
LS(W16) style engine adaptor (adapts Winters trans to WIN 62348-18)	WIN 64976
Also requires 6 WIN 68938 Metric Bolts	WIN 68938
Metric Bolts for WIN 64976 (6 required)	BRP 328
Chevy Flywheel Bolts (Pack of 6) 7/16" F X 1 1/4" Allen Bolts	BRP 9373
Supermodified Crank Flange (adapts NEAPCO N2-2-329 U Joint Flange)	BER CT-525-005
Crank Flange for CT-525 and W16	

WINTERS DRIVESHAFTS & PARTS



WIN
5038AS-32



WIN 3213



WIN 3655M

DESCRIPTION	P/N
20" Driveshaft 32 Spline	WIN 5991-20
32 Spline Drive Yoke - Aluminum	WIN 5038AS-32
32 Spline Slip Yoke - Aluminum	WIN 4865-32
Front Seal for WIN 5038AS-32	WIN 7204-32-01
U-Joint Strap Kit	WIN 3213
U-Joint w/o Grease Fitting	WIN 6847
32 Spline Steel Rear End Yoke	WIN 3536

DESCRIPTION	P/N
10 Spline Drive Yoke w/Integral Spacer	WIN 3533
10 Spline Drive Yoke - Aluminum	WIN 5038AS
Driveshaft Connector U-Bolt (sold as a pair)	WIN 3655M
U-Bolt Assembly	WIN 6999
Seal for 10-10 Coupler	WIN 7242
Bearing for 10-10 Coupler	WIN 7531
Snap Ring Internal 10-10 Coupler	WIN 7657

STRANGE DRIVESHAFTS & PARTS

1310 Style 32 Spline Drive Shafts

DESCRIPTION	P/N
19-3/8" Driveshaft Only	STG DDM103-20
19-3/8" Driveshaft Assembly	STG DKM203
21-3/8" Driveshaft Only	STG DDM104A
21-3/8" Driveshaft Assembly	STG DKM205
23-3/8" Driveshaft Only	STG DDM105A
Billet Steel Bert Transmission Yoke	STG DYM205
Billet Steel Quick Change Pinon Yoke	STG DYM225
Billet Steel 32 Spline Slip Yoke	STG DYM235
U-Bolt Strap Kit for 1310 (pair)	STG U1612HD
U-Joint for 1310 Driveshaft Yokes	STG U1644



STG DDM103-20

1350 Style 32 Spline Drive Shafts

DESCRIPTION	P/N
17.6" Driveshaft Only	STG DDM100
17.6" Driveshaft Assembly	STG DKM200
19.6" Driveshaft Only	STG DDM102
19.6" Driveshaft Assembly	STG DKM202A
21.6" Driveshaft Only	STG DDM104
21.6" Driveshaft Assembly	STG DKM204A
23.6" Driveshaft Only	STG DDM105
Billet Steel Bert Transmission Yoke	STG DYM200
Billet Steel Quick Change Pinion Yoke	STG DYM220
Billet Steel 32 Spline Slip Yoke	STG DYM230
32 Spl Billet Slip Yoke for 1350 U-Joints	STG DYM230A
U-Bolt Strap Kit for 1350 (pair)	STG U1610HD
U-Joint for 1350 Driveshaft Yokes	STG U1649



STG DYM205



STG DYM230A



STG U1612HD

BRP 16 SPLINE GUNDRILLED DRIVESHAFTS



BRP 4044

DESCRIPTION	P/N
16"	BRP 4040
18" (engine back)	BRP 4042
20" (std engine location)	BRP 4044

DESCRIPTION	P/N
22"	BRP 4046
24"	BRP 4048

YOKES & U - JOINTS



BRP 509



BRP 332



BRP 512

BRP 513



BRP 9246

DESCRIPTION	P/N
16 Spline Steel Yoke (2.05#)	BRP 509
16 Spline Steel Yoke Machined (1.4#)	BRP 510
Solid U Joint	BRP 512
U-Bolts come with nuts and lock washers (sold per pair)	BRP 513
BRP Billet Aluminum U-Bolt (sold in packs of 2)	BRP 9246
Aluminum Sprint Car U Joint Flange	BRP 332
4 Bolt Steel Drive Yoke	WIN 65856
3/8"-24 F. x 7/8" 12 Point Yoke Bolt (sold each - requires 4)	WIN 67152

DRIVESHAFT COVERS



BRP 9020



BRP 1645



BRP 9020-3



BRP 9020-4

Did You Know...

BRP 1645 and BRP 9020 driveshaft covers fit rubber floor cars and standard floor cars. The BRP 1644 yoke cover will only fit GEN 1 transmissions.

DESCRIPTION	P/N
Driveshaft Cover For Winters/Bert Transmission (GEN 1)	BRP 1645
Driveshaft Cover for Bert GEN II Transmission (fits std or engine back)	BRP 9020
Bolt On Strap For GEN II Transmission with conventional shifter (fills hole)	BRP 9020-3
Bolt On Strap For GEN II Transmission with remote shifter (fills hole)	BRP 9020-4

SHIFTER EXTENSIONS



BRP 9054

DESCRIPTION	P/N
3" Shifter extension kit (comes with mounting bolts)	
Used for driver back chassis - Fits Winters and Bert Gen I	BRP 9054

STARTERS



TP 3NEM



PWM 9529



AFC 64200


Inboard Starters

DESCRIPTION	P/N
Powermaster 200 ft/lb Inboard Starter	PWM 9529
Total Power 3HP Inboard Starter (sealed to keep moisture out)	TP 3NEM
Total Power Replacement Solenoid (fits Total Power Starters Only)	TP PS508
Starter Drive / Clutch Assembly (fits Total Power Starters Only)	TP 5502
2.6 HP - 2.0 kW Internal Mount Big Block Starter	BER 332

Conventional Starters

DESCRIPTION	P/N
Afco Conventional Starter (Block Mount)	AFC 64200

FLEXPLATES



DESCRIPTION	P/N
153 Tooth Internally Balanced Flexplate (early)	QTR 509121
Chevy Long Pilot Bushing	COL C-360-PB
Stamped Steel Clutch Fork	LEF 075-1406
153 Tooth External Balance Flexplate - 1 Pc Rear Seal - Single 10 3/4" Bolt Pattern	ALL 26836

BRP SHIFTER BALL



DESCRIPTION	P/N
2" Billet Aluminum Shifter Ball - Red Anodized (3/8"C threads)	BRP 9057

QUARTER MASTER CLUTCHES & PARTS



V Drive Clutches

DESCRIPTION	SPLINE	DIAMETER	P/N
2 Disc Early Chevy (2 piece Rear Main)	1 1/8" X 10	7.25"	QTR 298108
2 Disc Externally Balanced for Crate Engines	1 1/8" X 10	7.25"	QTR 298103ZZ



Pro Series Replacement Clutch Discs

DESCRIPTION	SPLINE	DIAMETER	P/N
2 Disc Friction Pack	1 1/8" X 10	7.25"	QTR 226080
3 Disc Friction Pack	1 5/32" X 26	5.5"	QTR 325090
3 Disc Friction Pack	1 1/8" X 10	5.5"	QTR 325080

Floater Plate

DESCRIPTION	P/N
Pro Series 5.5" Clutch Floater Plate	QTR 105506

Flexplates

DESCRIPTION	P/N
Early Chevy, 2 Piece Rear Main Seal, 153 Teeth	QTR 509121
Early Chevy, 2 Piece Rear Main Seal, 153 Teeth - Lightweight	QTR 509180

Hydraulic Release Bearings

DESCRIPTION	P/N
710 Series Hydraulic Release Bearing Assembly, 2.00" Contact	QTR 710100
Bearing Assembly, Street, 10.5 & Larger, Flat Face	QTR 721100

Release Bearing Seal Kits

DESCRIPTION	P/N
Seal Kit for 710 Series Hydraulic Release Bearings	QTR 710101
Seal Kit for 721 Series Hydraulic Release Bearings	QTR 721101
Seal Kit for 730 Series Hydraulic Release Bearings	QTR 730101




EXHAUST GASKETS

FEL-PRO®**SCHOENFELD**
HEADERS

FEL 1404


DESCRIPTION	P/N
SBC Small Race - 1.50" X 1.50"	FEL 1404
SBC Square Port - 1.55" - Steel Core Laminate	FEL 1405
SBC "D" Shaped 1.50" X 1.63" - Brodix Spec Head	FEL 1406
SBC Brodix Spread Port 1.81" Diameter	FEL 1409
BBC 1.94" Round Port	FEL 1411
BBC 2.13" Round Port	FEL 1412
SBC 1.34" Oval Race	SCH 01510
BBC 2" Round Race	SCH 02510
SBC Crate Engine D Port	SCH 01560
SBC Brodix Spec Head	SCH 01570
W16 / LS Exhaust Gasket	SCH 01780
SBC 602 Crate Upswept Gasket	SCH 01562
W16 / LS Copper Exhaust Gasket	SCE 4119

CARBURETOR GASKETS



DESCRIPTION	P/N
Holley 4150 / 4777 Open Hole Gasket - Mr Gasket	MRG 54
Holley 4150 / 4777 Open Hole Gasket - Fel Pro	FEL 1900
Holley 4150 / 4777 4 Hole Gasket - Mr Gasket	MRG 55
Rochester 2 Barrel (Large Base) - Mr Gasket	MRG 52
Holley 2 Barrel 350 / 500 CFM - Mr Gasket	MRG 49

BOWL / METERING BLOCK GASKETS

Holley

HLY 108-89-2



HLY 108-83-2

DESCRIPTION	P/N
Blue Metering Block Gasket (sold in packs of 2)	HLY 108-89-2
Blue Bowl Gasket (sold in packs of 2)	HLY 108-83-2
Red Metering Block Gasket (sold each)	BLP 5401R
Red Bowl Gasket (sold each)	BLP 5400R
Carburetor Rebuild Kit - 650 CFM (4777)	HLY 37-485
Carburetor Rebuild Kit - 650 CFM HP (80541)	HLY 37-933
Carburetor Rebuild Kit - 500 CFM (4412)	HLY 37-474

MISCELLANEOUS GASKETS



FEL 2104



ALL 87230



FEL 2303



FEL 1904

DESCRIPTION	P/N
SBC Water Pump Gasket (sold each)	ALL 87230
Chevy Thermostat Housing Gasket	MRG 740
Air Cleaner Gasket with Steel Core 5 1/8" Diameter	FEL 2104
Re-Usable Quick Change Cover Gasket	FEL 2303
Re-Usable Metal Quick Change Sprint Cover Gasket	WIN 6729HD
2 Barrel Holley Carb Gasket	FEL 1904



HEAD GASKETS



FEL 1003

DESCRIPTION	P/N
SBC Steel Wire Ring - 4.166 Bore	FEL 1003
SBC 400 with Steel Wire Ring - 4.190 Bore	FEL 1004
SBC 400 - 4.20 Bore X .041"	FEL 1034
SBC .039" Thick - 4.080 Bore	FEL 1043
BBC Steel Wire Ring - 4.370 Bore X .039"	FEL 1027
SBC 4.200" Bore X .040"	FEL 1144


INTAKE GASKETS



FEL 1204

DESCRIPTION	P/N
DART 180 Heads	FEL 1204
SBC Small Race 1.28" X 2.09"	FEL 1205
SBC Medium Race 1.34" X 2.21"	FEL 1206
SBC Steel Core 1.310 X 2.100	FEL 1206S-3
SBC Large Race 1.38" X 2.28"	FEL 1207
SBC 1/8" - 1.25" X 1.90" to 1.40" X 2.30"	FEL 1245


VALVE COVER GASKETS



FEL 1628

DESCRIPTION	P/N
SBC 7/32" Cork Rubber	FEL 1603
SBC 5/16" Steel Laminate	FEL 1604
SBC Blue Moulded Rubber with Steel Core	FEL 1628
BBC 5/16" Cork Rubber	FEL 1630
SBC 5/16" Thick Cork (Pair)	MRG 179
SBC Vortex Silicone Rubber (FOR 602 CRATE ONLY)	FEL VS50088R
L-S Series Silicone Rubber (FOR USE ON W16)	FEL VS50504R

OIL PAN GASKETS



FEL 1882

DESCRIPTION	P/N
SBC Thick Front Seal - LH Dipstick	FEL 1803
SBC One Piece Oil Pan Gasket	FEL 1882

FUEL PUMP GASKETS



DET 15010



FEL 5182

DESCRIPTION	P/N
Chevy Fuel Pump	DET 15010
Chevy Fuel Pump Block Plate	FEL 5182

BATTERIES



TP 1500



TP 1200



GNB DT-700

TOTAL POWER

DESCRIPTION	P/N
Total Power 1500 CA / 800 CCA 12V Racing Battery - weighs 31# (Dimensions - 9 7/8"L X 5 1/4"W X 6 7/8"T) Can Be Shipped	TP 1500
Total Power 1200 CA / 700 CCA 12V Racing Battery - weighs 24# (Dimensions - 7 3/4"L X 5 1/4"W X 6 7/8"T) Can Be Shipped	TP 1200
GNB 810 CA / 700 CCA 12V Battery - Weighs 29# (Dimensions - 8.75"L X 6.75"W X 8.25"H) Cannot Be Shipped	GNB DT-700

BATTERY CABLES



BRP 5107-1



TP CK-BRP-01

Top Post Battery Cable Kits

DESCRIPTION	P/N
Top Post 52" Positive Battery Cable	BRP 5107-1
Top Post 12" Negative Battery Cable	BRP 5107
20" Starter to Master Switch Cable	BRP 5107-2

NOTE: SEE PAGE 138 FOR BATTERY DISCONNECTS

Total Power Battery Cable Kits

DESCRIPTION	P/N
Total Power Battery Cable Kit - includes 52" positive cable, 12" ground cable, and 20" master switch to starter cable	TP CK-BRP-01
Total Power Engine Ground Kit - includes 8" cylinder head ground, 12" starter ground and 20" engine ground cables	TP GK-BRP-02

NOTE: SEE PAGE 138 FOR BATTERY DISCONNECTS



GAU 6010

GAU 6011

BRP Battery Cable Kits with Quick Disconnects

DESCRIPTION	P/N
Battery Side Cable Kit With Disconnect - Hooks up to Battery only and requires GAU 6011 to complete	GAU 6010
Car Side Cable Kit With Disconnect - Harness for car side only and requires GAU 6010 to complete	GAU 6011

NOTE: SEE PAGE 138 FOR BATTERY DISCONNECTS

BATTERY POSTS



TP 23-01264



TP TP-671532



TP TP-71532

DESCRIPTION	P/N
Total Power Battery Posts (Includes positive and negative)	TP 23-01264
Battery Terminal Cover Set (comes with 1 black and 1 red cover)	TP TP-671532
Red Battery Terminal Cover (sold each)	TP TP-71532

NOTE: SEE PAGE 138 FOR BATTERY DISCONNECTS

BATTERY BOXES / HOLD DOWNS



ALL 76100



BRP 1541


DESCRIPTION	P/N
Standard Style Battery Box With Hold Down	ALL 76100
Battery Hold Down for 2000 to present Bicknell Chassis	BRP 1541
Weld in Battery box for TP1200 (9" X 7")	CHA 63-9X7
Weld in Battery Box for TP 1500 (10.25" X 7")	CHA 63-10.25X7

**MSD
IGNITION****MSD IGNITION BOXES**

DESCRIPTION	P/N
MSD Ignition Box with fixed 7600 Rev Chip - DIRT 358 Legal	MSD 64316
MSD Ignition Box with Soft Touch Rev Control - Interchangeable Chips	MSD 6425
MSD 6ALN Ignition Box	MSD 6430
Pro Stock / Sportsman Soft Touch Rev Control	MSD 87286
Pro Stock / Sportsman Digital Rev Control	
Mandatory for DIRTcar as of 1/1/2016	MSD 8727CT
Ignition Cable for MSD 87286 or MSD 8727CT	MSD ASY26434
Lexan Chip Cover For MSD 87286 (keeps rev chip in place)	BRB 10

MSD IGNITION PARTS

DESCRIPTION	P/N
MSD Pro Billet Distributor - Chevy V8 with Locked Out Timing	MSD 85501
High Vibration Ignition Coil - does not come with mount (use MSD 8213)	MSD 8222
Replacement Rotor - Fits most MSD Billet and Pro Billet Distributors	MSD 8467
Replacement Chevy Cap for Most MSD Billet and Pro Billet Distributors	MSD 8433
Coil Mount for MSD 8222	MSD 8213
Blue Blaster HVC Coil - comes with mounting hardware	MSD 8252
Bronze Chevy Distributor Gear - MSD Distributor	COL C-350-MSD
Stock Chevy Bronze Distributor Gear	COL C-350
Distributor Extension Cable (green/purple trigger wire)	MSD 8860
Universal Coil Wire Assembly	MOR 73235
Distributor Advance Kit	MOR 72300
MSD 3000 Rev Chip	MSD ASY10177
MSD 6000 Rev Chip	MSD ASY11216
MSD 6200 Rev Chip	MSD ASY11533
MSD 7600 Rev Chip	MSD ASY11545
GM HEI Distributor Cap	ACD D336X
GM HEI Distributor Rotor	ACD D448X

SPARK PLUGS & WIRES**Spark Plug Wires**

DESCRIPTION	P/N
Moroso SBC Under Header - HEI Style	MOR 72407
MSD SBC Over Valve Cover - HEI Style	MSD 31359
MSD SBC Under Header - HEI Style	MSD 31249


Spark Plugs

DESCRIPTION	P/N
Autolite # AR52 - Brodix Spec Head	AUT AR52
NGK Crate Engine Spark Plug	NGK TR5
NGK Sprint Engine Spark Plug	NGK R5671A-9
NGK Extended Tip	NGK R5674-8
NGK Projected Tip	NGK R5674-9
NGK Short Tip	NGK R5673-8
NGK Brodix Spec Head - Flat Tip	NGK R5671A-9
NGK Brodix Spec Head - Extended Tip	NGK R5672A-8
NGK Brodix Spec Head - Extended Tip Cold Plug	NGK R5672A-9
W16 / LS Engine Spark Plug	NGK BR7EF

WEATHER TIGHT CONNECTORS

DESCRIPTION	P/N
MSD Weather Tight Connector - 6 Pin Square Plug	MSD 8180
MSD Weather Tight Connector - 2 Pin Square Plug	MSD 8184
MSD Weather Tight Connector - 6 Pin Flat Plug	MSD 8170
2 pin Weather Tight Plug for BRP 9153 & BRP 9300 Helmet Fan (can be used for other connections)	BRP 9157

WIRING HARNESSES



NOTE: TO HOOK UP A TYPICAL MSD 6425 IGNITION BOX, A GAU 6001 IS REQUIRED TO MOUNT IN THE CAR. THEN A GAU 6003 AND GAU 6000 IS REQUIRED TO ADAPT TO THE GAU 6001 HARNESS.

DESCRIPTION	P/N
2 Pin MSD Coil Wiring Harness	GAU 6000
Car Side MSD Wiring Harness	GAU 6001
MSD Adaptor Harness (adapts GAU 6001 to MSD 64316 ignition box)	GAU 6002
MSD Adaptor Harness (adapts GAU 6001 to MSD 6425 ignition box)	GAU 6003
MSD Adaptor Harness (adapts GAU 6001 to MSD 6430 ignition box)	GAU 6004
MSD Adaptor Harness (adapts GAU 6001 to MSD 8727CT ignition box)	GAU 6005
Stock MSD Wiring Harness for MSD 64316	MSD ASY25452

Did You Know...

The GAU line of wiring harnesses are designed to hook right up to GAU 5104-01 dash panels, making them quick and easy to wire! The adaptor harnesses allow 1 car side harness (GAU 6001) to hook up to any MSD box. Switching between 7600 small block box and open rev box is quick and easy!

BRP PRE-WIRED DASH PANELS



DESCRIPTION	P/N
BRP Pre-Wired Dash - includes oil pressure / water temp. / sending units and switches)	GAU 5104-01
BRP Pre-Wired Dash With MSD Harness - includes oil pressure / water temp. / sending units / switches / GAU6001 car harness	GAU 5110-01

Dash Accessories

DESCRIPTION	P/N
5 Lug Terminal Strip	GAU 360-1261
Sealed Starter Remote Button with 20" Pre-Wired Leads	GAU 5091
22" Remote Starter Switch (spring loaded switch)	GAU 5092
Dash Wiring Harness Only	GAU 5104-01-W
Fire Wall Rubber Grommet Set - Qty 36 Pieces (1/2" to 1-1/4" OD & 1/4" to 5/8" ID)	ALL 18360
Electrical Outlet Socket - 3 Prong Male Socket	ALL 76430
Replacement MIL SPEC Momentary Toggle Switch for BRP Dash	QUA 360-1209MIL-SPEC
Replacement MIL SPEC Toggle Switch for BRP Dash	QUA 360-1210MIL-SPEC
Replacement LED Bulb for gauges	QUA 310-2000

SWITCHES



DESCRIPTION	P/N
Toggle Switch with Flip Cover	LON 45470
Toggle Switch	REB 52-160-1470
Magneto Toggle Switch or Replacement Switch for BRP 5104 Dash	GAU 5090
Starter Push Button	REB 52-160-1485
Sealed Starter Remote Button with 20" Pre-Wired Leads	GAU 5091
Momentary Toggle Switch	LON 52-45462

MASTER DISCONNECT SWITCHES



DESCRIPTION	P/N
Battery Master Disconnect Switch with Alternator (4 terminals)	LON 52-45780
Total Power Sealed Master Battery Switch with Alternator (switch is sealed internally at stem and connections for a moisture resistant seal)	TP 75904-01
Battery Master Disconnect Switch - No Alternator (2 terminals)	AFC 85268
Heavy Duty Master Disconnect Switch - 125 AMP	LON 45782
Alternator Jumper Wire For Battery Master Switch	GAU 6020



DESCRIPTION	P/N
Battery Master Disconnect Switch Guard for TP 75904-01	BRP 9467
Battery Master Disconnect Switch Guard for REB 160-1500 / AFC 85268	BRP 9468
Red Battery Terminal Cover (sold each)	TP TP-71532

Did You Know...

The battery master disconnect guards are machined from billet aluminum! They are super strong and resist rocks and flying debris. No more worrying about the car shutting off!

REPLACEMENT GAUGES

2 5/8" Autogage Gauges

DESCRIPTION	P/N
Mechanical Oil Pressure - 0 - 100 psi	ATM 2312
Mechanical Fuel Pressure - 0 - 15 psi	ATM 2311
Mechanical Water Temperature - 140° - 280°F	ATM 2313
Mechanical Oil Temperature - 140° - 280°F	ATM 2314

2 5/8" Autometer Gauges

DESCRIPTION	P/N
Mechanical Oil Pressure - 0 - 100 psi	ATM 3421
Mechanical Fuel Pressure - 0 - 15 psi	ATM 3413
Mechanical Water Temperature - 140° - 280°F	ATM 3431
Mechanical Oil Temperature - 140° - 280°F	ATM 3441

2 5/8" Autometer Liquid Filled Gauges

DESCRIPTION	P/N
Mechanical Oil Pressure - 0 - 100 psi	ATM 5421
Mechanical Fuel Pressure - 0 - 15 psi	ATM 5411
Mechanical Water Temperature - 140° - 280°F	ATM 5431
Mechanical Oil Temperature - 140° - 280°F	ATM 5441

2 5/8" Autometer Glow In Dark Gauges

DESCRIPTION	P/N
Mechanical Oil Pressure - 0 - 100 psi	ATM 4521
Mechanical Fuel Pressure - 0 - 15 psi	ATM 4511
Mechanical Water Temperature - 140° - 280°F	ATM 4531
Mechanical Oil Temperature - 140° - 280°F	ATM 4541

2 5/8" Quantum Gauges (dash panels)

DESCRIPTION	P/N
Mechanical Oil Pressure - 0 - 100 psi	GAU 5101
Mechanical Fuel Pressure - 0 - 15 psi	GAU 5109
Mechanical Water Temperature - 140° - 280°F	GAU 5102
Mechanical Oil Temperature - 140° - 280°F	GAU 5103

1 1/2" Autometer Liquid Filled Gauges

DESCRIPTION	P/N
Mechanical Fuel Pressure - 0 - 15 psi	ATM 2172

DESCRIPTION	P/N
1/8" NPT Female to AN 4 Male Gauge Adaptor	XRP 705004
1/8" NPT Female to AN 3 Male Gauge Adaptor	XRP 705003



ATM 2312



ATM 3421



ATM 5421



ATM 4521



GAU 5101



ATM 2172

TACHOMETERS



ATM 6809



QRP 611-6001



TEL TACH



TEL OTP

Mechanical Tachometers

DESCRIPTION	P/N
3 3/4" Face Tachometer - Remote Recall, 0 - 10,000 RPM Std Ignition	ATM 6601
5" Face Tachometer - Non Remote Recall, 0 - 9,000 RPM Std Ignition	ATM 6809
Quick Car 5" Face Memory Tachometer - 0 - 10,000 RPM STD Ignition	QRP 611-6001

Digital Tachometers

DESCRIPTION	P/N
Digital Tachometer (works on all ignition systems) 3 1/8" X 3 1/8" X 1"	TEL TACH
0 - 10,000 RPM - displays highest RPM only	
Digital Tachometer (works on all ignition systems) 3 1/8" X 3 1/8" X 1"	TEL OTP
0 - 10,000 RPM - displays 4 high / 4 low RPM's + overall high (9 total)	
Replacement wiring harness for TEL TACH / TEL OTP	TEL 1001

Did You Know...

Both TEL TACH and TEL OTP come complete with mounting brackets, wiring harness and instruction booklet on how to hook up to ignition systems. These tachs work with MSD, and magneto type ignition systems.

GAUGE PANELS



ALL 80091



ALL 80092

Gauge Panels

DESCRIPTION	P/N
2 Gauge Panel - Oil Pressure/Water Temp with Lights	ALL 80090
3 Gauge Panel - Oil Pressure/Water Temp/Oil Temp with Lights	ALL 80091

REBCO SWITCH PANELS



REB 150-3440

Switch Panels - HEI & MSD Ignitions

DESCRIPTION	P/N
Push Button with Switch	REB 150-3400
Push Button with Switch and Pilot Light, also has 2 Accessory Switches w/ Pilot Lights	LON 52-44881

WARNING LIGHTS



DESCRIPTION	P/N
Oil Pressure Warning Light Kit - 20 psi Sending Unit with Red Light	REB 52-1401280
Oil Temperature Warning Light Kit - 275° Sending Unit with Blue Light	REB 140-1315
Fuel Pressure Warning Light Kit - 3 psi Sending Unit with Clear Light	LON 52-40250
Water Temperature Warning Light Kit - 230° Sending Unit with Amber Light	LON 52-40150
Replacement Amber Light Only	LON 52-41803
Replacement Blue Light Only	LON 52-41805
Replacement Clear Light Only	LON 52-41801
Replacement Red Light Only	LON 52-41802
Water Pressure Warning Kit (below 4 psi)	ALL 80250

REPLACEMENT SENDING UNITS



DESCRIPTION	P/N
Adjustable Fuel Pressure Sending Unit - 3 psi (adjustable + or - 2 psi)	LON 52-43020
Oil Pressure Sending Unit - 20 psi	LON 52-43080
Water Temperature Sending Unit - 230° - 1/2" NPT	LON 52-43250
Water Temperature Sending Unit - 230° - 3/8" NPT	LON 52-43252
Oil Temperature Sending Unit - 275°	LON 52-43350
1/2" NPT Adaptor for Water Temperature Gauge	QRP 611-900

BRAKE GAUGES AND PANELS



DESCRIPTION	P/N
Brake bias panel with 1 1/2" liquid filled gauges	ALL 80170

DESCRIPTION	P/N
Quick check brake pressure gauge (screws into bleed screw)	WIL 260-0966

SBC WATER PUMP SPACERS



BRP 6099

DESCRIPTION	P/N
1/8" Thick Water Pump Spacer (sold in packs of 2 with 4 gaskets)	BRP 6098
1/4" Thick Water Pump Spacer (sold in packs of 2 with 4 gaskets)	BRP 6099
3/8" Thick Water Pump Spacer (sold in packs of 2 with 4 gaskets)	BRP 6100
1/2" Thick Water Pump Spacer (sold in packs of 2 with 4 gaskets)	BRP 6101
Replacement Water Pump Gaskets (sold in packs of 4)	BRP 6097

WATER PUMPS



STE 33103

ALL 31064

BRP 9244

DESCRIPTION	P/N
SBC Short Stage 3 Ultra High Flow Cast Aluminum Water Pump	STE 33103
SBC Short Stage 1 High Flow Cast Iron Water Pump	STE 13103
SBC Short Cast Aluminum Water Pump	ALL 31105
SBC Water Pump Block Plates (sold in pairs) used in transporting engine	BRP 9244
BBC Water Pump Block Plates (sold in pairs) used in transporting engine	BRP 9245
Water Pump Pulley Shim Kit	ALL 31064

FANS & FAN SPACERS



ALL 30094

ALL 30103

AFC 80183

JRP WP-9104-17-H3

ALL 30101

15" Fans

DESCRIPTION	P/N
15" Steel 6 Blade Fan (3.60#)	ALL 30102
15" Aluminum 6 Blade Fan (2.65#)	ALL 30096
15" Ultra Light Nylon 6 Blade Fan (0.58#)	ALL 30092
15" Hustler Steel 3 Blade Fan (1.80#)	JRP WP-9104-15-H3

17" Fans

DESCRIPTION	P/N
17" Steel 6 Blade Fan (3.90#)	ALL 30103
17" Aluminum 6 Blade Fan (3.10#)	ALL 30097
17" Ultra Light Nylon 6 Blade Fan (0.65#)	ALL 30094
17" Hustler Steel 3 Blade Fan (1.85#)	JRP WP-9104-17-H3

18" / 19" Fans

DESCRIPTION	P/N
18" Steel 4 Blade Fan (3.94#)	AFC 80183
18" Steel 4 Blade Fan (4.09#)	ALL 30105
19" Steel 4 Blade Fan (4.12#)	ALL 30101

Billet Aluminum Fan Spacers

DESCRIPTION	RED P/N	BLACK P/N
5/8" Fan Spacer	BRP 1014	BRP 1014BK
1" Fan Spacer	BRP 1009	BRP 1009BK
1 1/2" Fan Spacer	BRP 1010	BRP 1010BK
2" Fan Spacer	BRP 1012	BRP 1012BK
2 1/2" Fan Spacer	BRP 1013	BRP 1013BK
3" Fan Spacer	BRP 1015	BRP 1015BK
3 1/2" Fan Spacer	BRP 1017	BRP 1017BK
4" Fan Spacer	BRP 1019	BRP 1019BK
Replacement Adaptor (adapts 5/8" shaft water pumps to 3/4")	BRP 950S	

Did You Know...
BRP fan spacers fit 5/8" & 3/4"
water pumps and come with all
mounting hardware



BRP 1017

BRP 950S

BRP 1012BK

RAD CAPS AND BILLET NECKS



ALL 30136

BRP 5125

BRP 5126

BRP 6093

DESCRIPTION	P/N
21-25# Lever Type Radiator Cap	ALL 30131
22# Radiator Cap	ALL 30136
29-31# Radiator Cap	LON 75265
Billet Aluminum Rad Neck for Rad Cap (Weld On)	BRP 5125
Small Base Aluminum Rad Filler Neck (Weld On)	BRP 5125-1
Barb Fitting for Aluminum Rad Neck (1/8" NPT X 3/8" I.D. Hose)	BRP 5126
Billet Aluminum 1 1/2" Rad Neck (Weld On)	BRP 6092
Billet Aluminum 1 3/4" Rad Neck (Weld On)	BRP 6093
Brass Fitting For Radiator Neck - 1/8" NPT to 1/4" hose end	BRP 4993

RADIATORS & COOLING


EXPANSION TANKS

NEW PRODUCT



DESCRIPTION	P/N
Surge Tank Neck With Rad Cap Neck	BRP 570
Over Flow Catch Can	BRP 568
Art's Remote Surge / Overflow Recovery Tank (mounts on right side of car)	ART1006041
Art's Standard Height Expansion Tank - right side outlet	ART 100401
SBC Short Expansion Tank - right side outlet	FIN 003
BBC Short Expansion Tank - right side outlet (with 18° cylinder head/intake clearance)	FIN 007
Low Profile Expansion Tank	ART 58037L
W16 Expansion Tank	ART RYR1T
W16 Hardware Kit for ART RYR1T	ART RYR1K
Modified Surge / Overflow Tank (Mounts beside radiator on right side)	BRP 9576

LATE MODEL RADIATORS



Afco Aluminum Radiators

DESCRIPTION	WIDTH	HEIGHT	THICKNESS	P/N
Aluminum Chevy	27 1/2"	19"	2 1/4"	AFC 80101N
Aluminum Chevy	31"	19"	2 1/4"	AFC 80102N



DIRTCar RADIATORS



Pat's Rad Aluminum Radiator

DESCRIPTION	WIDTH	HEIGHT	THICKNESS	FAN SHROUD	P/N
Aluminum Crossflow - No Rad Cap (Top Right and Bottom Right)	23"	23"	3 3/4"	SBC- ART FS7 BBC- ART FS6	PAT 1
Lightweight Crossflow - No Rad Cap (Top Right and Bottom Right)	22"	23"	3 1/4"	SBC- PAT FS5 BBC- ART FS6	PAT 5
Lightweight Crossflow - No Rad Cap with bung fitting for heater element	22"	23"	3 1/4"	BRB 7 for Aluminum 3" PATFS5 for Fiberglass 6"	PAT 5H
Lightweight Crossflow - No Rad Cap with bung fitting for heater element (Top Right and Bottom Right)	20"	21.5"	3"	MUST BE HAND MADE AT THIS TIME	PAT 14H




DESCRIPTION	P/N
400 Watt Radiator Heater Element (use with PAT 5H and PAT 14H)	PAT 16

NOSE SCREEN



DESCRIPTION	P/N
3/16" Stainless Steel Nose Screen - 1' X 3'	ALL 22270

DIRTCar RADIATOR SCREENS



DESCRIPTION	P/N
Front Radiator Screen Kit (comes complete with clamps and bolts)	BRP 9400
Replacement Clamp Bracket	BRP 9053BK
Honeycomb Radiator Protector - 19" X 26"	ALL 30158



THERMOSTAT HOUSINGS AND OUTLETS



DESCRIPTION	P/N
1 1/4" Thick Thermostat Spacer with 2 3/8"NPT Outlets	BRP 587
1" Thick AN16 Thermostat Housing with 2 3/8" NPT Outlets	BRP 589
AN 16 Water Outlet - No Swivel	BRP 583
Water Outlet Top For Radiator Cap	MOR 63465
AN 16 Water Outlet - Straight Swivel	BRP 1045
AN 20 Water Outlet - Straight Swivel	BRP 1047
AN 16 Water Outlet - 90° Swivel	BRP 1046
AN 20 Water Outlet - 90° Swivel	BRP 1048
Water Outlet Restrictor Kit	MOR 63440
90 Degree Swivel Water Neck 1-1/2" with O-Ring	ALL 30170
75 Degree Swivel Water Neck - 1-1/2" with O-Ring	ALL 30173
O-Ring for Swivel Outlet	ALL 99136

FAN SHROUDS

Fiberglass Fan Shroud for 17" Fans



DESCRIPTION	WIDTH	HEIGHT	THICKNESS	P/N
BBC Downflow Fan Shroud	22 1/2"	20 1/2"	3 3/4"	BRB 1
BBC Crossflow Fan Shroud	20"	22"	4"	ART FS6
SBC Crossflow Fan Shroud	20"	22"	6"	PAT FS5

Aluminum Fan Shroud for 17" Fans

DESCRIPTION	WIDTH	HEIGHT	THICKNESS	P/N
SBC/BBC Crossflow Fan Shroud	19 1/2"	22"	2"	BRB 7
4" Fan Shroud Extension For BRB 7				BRB 7-3
SBC Crossflow Fan Shroud				ART 4-17
BBC Fan Shroud				ART 2-17

4 PLY PREFORMED SILICONE RADIATOR HOSES



DESCRIPTION	RED P/N	BLACK P/N
SBC Lower Radiator Hose (lower right of radiator to pump) - 1 3/4" inlet and outlet X 24 3/4" long	BRP 9344RD	BRP 9344
SBC Upper Radiator Hose (top left of radiator to expansion tank) - 1 1/2" inlet and outlet X 21 3/4" long	BRP 9345RD	BRP 9345
BBC Lower Radiator Hose (lower right of radiator to pump) 1 3/4" Outlet, 2" Inlet X 21" Long	BRP 9346RD	BRP 9346
SBC or BBC Upper Radiator Hose (top right of radiator to expansion tank - 1 1/2" inlet and outlet X 19 1/4" long	BRP 9347RD	BRP 9347

AVAILABLE IN RED AND BLACK!

UNIVERSAL RADIATOR HOSES AND PLUGS



DESCRIPTION	P/N
Universal 1 1/2" Radiator Hose - 48" Long	GOO 58024
Universal 1 3/4" Radiator Hose - 48" Long	GOO 58028
1 1/2" Hose Plug Assembly (comes with 1 1/2" X 3" L hose, 2 KBP 28C, & BRP 6090-1 plug)	BRP 6090
1 3/4" Hose Plug Assembly (comes with 1 3/4" X 3" L hose, 2 KBP 32C, & BRP 6091-1 plug)	BRP 6091
1 1/2" Inline Filter	MOR 63730
Water Wetter	RED 80204
Champion Oil Cold Blue Water Coolant Additive	CHO 42901

HOSE CLAMPS



APROX. SIZE	P/N
5/16" - 9/16"	KBP 4C
1/2" - 7/8"	KBP 6C
1/2" - 1"	KBP 10C
5/8" - 1 1/8"	KBP 12C
3/4" - 1 1/2"	KBP 16C
7/8" - 1 5/8"	KBP 20C

APROX. SIZE	P/N
1 1/4" - 2"	KBP 24C
1 3/8" - 2 1/4"	KBP 28C
1 9/16" - 2 1/2"	KBP 32C
2 1/8" - 3 1/8"	KBP 40C
2 9/16" - 3 1/2"	KBP 48C
2 3/4" - 3 3/4"	KBP 52C

SIZE	APPLICATION	P/N
1.730" - 1.850"		KBP 59
1.750" - 2.250"	SBC / BBC Upper Radiator Hoses	KBP 60
2.040" - 2.165"		KBP 61
2.000" - 2.500"	SBC Both Ends - BBC Lower Radiator End Only	KBP 62
2.250" - 2.750"	BBC Water Pump End - Lower Hose	KBP 63



7MM PULLEY KITS

602 CRATE ENGINE 7MM PULLEY KIT



FOR 604 CRATE ENGINES, THE FOLLOWING IS REQUIRED:

- 1- BRP 6099 - water pump spacers
- 2- BRP 1631 - 1/8" p/s pump spacers
- (only need if using BRP 268BK - not needed if using BRP 9542)
- 1- BRP 9077 - 5/16" crank pulley spacer

Pulley Speed @ 6000 Engine RPM	35% Reduction	17% Reduction
Water Pump	3782 rpm	5091 rpm
Alternator	4457 rpm	6000 rpm
Power Steering	3900 rpm	5250 rpm

DESCRIPTION	P/N
7MM 602 CRATE ENGINE Pulley Kit - 35% REDUCTION	BRP 9274
7MM 602 CRATE ENGINE Pulley Kit - 17% REDUCTION	BRP 9274-1


FOR CIRCLE TRACK APPLICATIONS, BRP 9274-1 KIT IS RECOMMENDED.

Kit Components

DESCRIPTION	BRP 9274	BRP 9274-1
7MM Lower Crank Pulley	BRP 9270	BRP 9279
7MM Water Pump Pulley (no spacer)	BRP 9277	BRP 9277
7MM Alternator Pulley	BRP 9273	BRP 9273
Steel Power Steering Pump With 9272 Pulley Installed	BRP 9288	BRP 9288
Block Mount Power Steering Pump Bracket	BRP 268BK	BRP 268BK
OR, if 604 Crate, use this Power Steering Pump Bracket	BRP 9542	BRP 9542
Alternator Mount	BRP 9068BK	BRP 9068BK
Belt for Crank / Water Pump - 2 Required	BRP 9286	BRP 9289
Belt for Crank / Power Steering Pump - 1 Required	BRP 9286	BRP 9286
Belt for Water Pump / Alternator - 1 Required	BRP 9287	BRP 9287
Hex Drive Adaptor (allows turning motor over with socket)	BRP 9296	BRP 9296

NOTE: KITS INCLUDE ALTERNATOR BELT, MOUNT AND PULLEY.
THEY DO NOT INCLUDE THE ALTERNATOR.

358 SMALL BLOCK 7MM PULLEY KIT



Pulley Speed @ 7600 Engine RPM	35% Reduction	17% Reduction
Water Pump	4790 rpm	6448 rpm
Alternator	5645 rpm	7600 rpm
Power Steering	4940 rpm	6650 rpm

DESCRIPTION	P/N
358 (small block) 7MM Pulley Kit - 35% REDUCTION	BRP 9299
358 (small block) 7 MM Pulley Kit - 17% REDUCTION	BRP 9299-1

Kit Components

DESCRIPTION	BRP 9299	BRP 9299-1
7MM Lower Crank Pulley	BRP 9270	BRP 9279
7MM Water Pump Pulley	BRP 9276	BRP 9276
7MM Alternator Pulley	BRP 9273	BRP 9273
Steel Power Steering Pump With 9272 Pulley Installed	BRP 9288	BRP 9288
Block Mount Power Steering Pump Bracket	BRP 268BK	BRP 268BK
Alternator Mount	BRP 9068BK	BRP 9068BK
Belt for Crank / Water Pump - 2 Required	BRP 9286	BRP 9289
Belt for Crank / Power Steering Pump - 1 Required	BRP 9286	BRP 9286
Belt for Water Pump/Alternator (1 required)	BRP 9287	BRP 9287
Hex Drive Adaptor (use for turning motor over with socket)	BRP 9296	BRP 9296
1/8" Crank Pulley Spacer	BRP 9293	BRP 9293
1/8" Spacer Plate for Power Steering Bracket	BRP 270	BRP 270

NOTE: KITS INCLUDE ALTERNATOR BELT, MOUNT AND PULLEY.
THEY DO NOT INCLUDE THE ALTERNATOR.

SBC SERPENTINE PULLEY KITS



Pulley Speed @ 7600 Engine RPM	35% Reduction
Water Pump	5646 rpm

SBC No Power Steering Pump Kit

DESCRIPTION	P/N
35% Reduction Pulley Assembly Kit	BRP 1429

Kit Components

DESCRIPTION	BRP 1429
4 Rib Serpentine Belt	BRP 949-1
Water Pump Pulley	BRP 944
Crank Serpentine Pulley	BRP 952
.200" Thick Crank Pulley Spacer	BRP 953

SERPENTINE PULLEY KITS



Pulley Speed @ 7600 Engine RPM	35% Reduction	17% Reduction
Water Pump	5646 rpm	6514 rpm
Power Steering	4649 rpm	5365 rpm

602 CRATE / SBC Head Mount Power Steering Pump Kit

DESCRIPTION	P/N
35% Reduction Pulley Kit	BRP 1435
17% Reduction Pulley Kit	BRP 1437

Kit Components

DESCRIPTION	BRP 1435	BRP 1437
SBC Head Mount Power Steering Pump Bracket Assembly	BRP 277	BRP 277
Power Steering Pump with BRP 951 Power Steering Pulley	BRP 581	BRP 581
6 Rib Serpentine Belt	BRP 949	BRP 949-2
Water Pump Pulley	BRP 950	BRP 950
Crank Serpentine Pulley	BRP 952	BRP 952-2
.200" Thick Crank Pulley Spacer	BRP 953	BRP 953

FOR 604 CRATE ENGINES, THE FOLLOWING IS REQUIRED:

- 1- BRP 6099 - water pump spacers
- 2- BRP 1631 - 1/8" p/s pump spacers
- 1- BRP 9077 - 5/16" crank pulley spacer

DESCRIPTION	P/N
Optional Idler Pulley Assembly	BRP 9429
Optional Lower Pulley Hex Drive (for turning engine over by hand)	BRP 9149



Pulley Speed @ 7600 Engine RPM	35% Reduction	17% Reduction
Water Pump	5646 rpm	6514 rpm
Power Steering	4649 rpm	5365 rpm

602 CRATE / SBC Block Mount Power Steering Pump Kit

DESCRIPTION	RED P/N	BLACK P/N
35% Reduction Pulley Kit	BRP 1436	BRP 1436BK
17% Reduction Pulley Kit	BRP 1438	BRP 1438BK


Kit Components

DESCRIPTION	BRP 1436	BRP 1438
SBC Block Mount Power Steering Pump Bracket Assembly	BRP 268	BRP 268
Power Steering Pump with BRP 951 Power Steering Pulley	BRP 581	BRP 581
6 Rib Serpentine Belt	BRP 949-3	BRP 949-3
Water Pump Pulley	BRP 950	BRP 950
Crank Serpentine Pulley	BRP 952	BRP 952-2
.200" Thick Crank Pulley Spacer	BRP 953	BRP 953

FOR 604 CRATE ENGINES, THE FOLLOWING IS REQUIRED:

- 1- BRP 6099 - water pump spacers
- 2- BRP 1631 - 1/8" p/s pump spacers
- 1- BRP 9077 - 5/16" crank pulley spacer

DESCRIPTION	P/N
Optional Idler Pulley Assembly	BRP 9429
Optional Lower Pulley Hex Drive (for turning engine over by hand)	BRP 9149



Note: Fan Spacer Not Included.

Pulley Speed @ 7600 Engine RPM	35% Reduction	17% Reduction
Water Pump	5646 rpm	6514 rpm
Alternator	7904 rpm	9120 rpm
Power Steering	4649 rpm	5365 rpm

602 CRATE / SBC Block

Mount Power Steering Pump With Serpentine Alternator Kit

DESCRIPTION	RED P/N	BLACK P/N
35% Reduction Pulley Kit	BRP 1440	BRP 1440BK
17% Reduction Pulley Kit	BRP 1442	BRP 1442BK

Kit Components

DESCRIPTION	BRP 1440	BRP 1442
SBC Block Mount Power Steering Pump Bracket Assembly	BRP 268	BRP 268
Power Steering Pump with BRP 951 Power Steering Pulley	BRP 581	BRP 581
6 Rib Serpentine Belt	BRP 949-3	BRP 949-3
Water Pump Pulley	BRP 946	BRP 946
Crank Serpentine Pulley	BRP 952	BRP 952-2
.200" Thick Crank Pulley Spacer	BRP 953	BRP 953
Alternator Mount	BRP 9068	BRP 9068
Powermaster 1 Wire Alternator - No Pulley	PWR 8172BR	PWR 8172BR
3 Rib Alternator Belt	BRP 947	BRP 947
Powermaster Alternator Pulley	BRP 991	BRP 991

FOR 604 CRATE ENGINES, THE FOLLOWING IS REQUIRED:

- 1- BRP 6099 - water pump spacers
- 2- BRP 1631 - 1/8" p/s pump spacers
- 1- BRP 9077 - 5/16" crank pulley spacer

DESCRIPTION	P/N
Optional Idler Pulley Assembly	BRP 9429
Optional Lower Pulley Hex Drive (for turning engine over by hand)	BRP 9149

SERPENTINE PULLEY KITS

602 CRATE / SBC

Block Mount Power Steering Pump With V Belt Alternator Kit

DESCRIPTION	RED P/N	BLACK P/N
35% Reduction Pulley Kit (Open Engine)	BRP 1426	BRP 1426BK
17% Reduction Pulley Kit	BRP 1427	BRP 1427BK

Kit Components

DESCRIPTION	BRP 1426	BRP 1427
SBC Block Mount Power Steering Pump Bracket Assembly	BRP 268	BRP 268
Power Steering Pump with BRP 951 Power Steering Pulley	BRP 581	BRP 581
6 Rib Serpentine Belt	BRP 949-3	BRP 949-3
Water Pump Pulley	BRP 950-1	BRP 950-1
Crank Serpentine Pulley	BRP 952	BRP 952-2
.200" Thick Crank Pulley Spacer	BRP 953	BRP 953
Alternator Mount	BRP 9068	BRP 9068
Powermaster 1 Wire Alternator	PWR 8172	PWR 8172
V Belt Alternator Belt	BRP 937-3	BRP 937-3

FOR 604 CRATE ENGINES, THE FOLLOWING IS REQUIRED:

- 1- BRP 6099 - water pump spacers
- 2- BRP 1631 - 1/8" p/s pump spacers
- 1- BRP 9077 - 5/16" crank pulley spacer
- 1 - BRP 9543 - 604 crate crank pulley



Pulley Speed @ 7600 Engine RPM	35% Reduction	17% Reduction
Water Pump	5646 rpm	6514 rpm
Alternator	8837 rpm	10,196 rpm
Power Steering	4649 rpm	5365 rpm

DESCRIPTION	P/N
Optional Idler Pulley Assembly	BRP 9429
Optional Lower Pulley Hex Drive (for turning engine over by hand)	BRP 9149



Fan Spacer Sold Separately

Pulley Speed @ 7600 Engine RPM	BRP 1422
Water Pump	5922 rpm
Alternator	7879 rpm
Power Steering	5365 rpm

SB Ford Head Mount Power Steering Pump Kit

DESCRIPTION	P/N
Ford Serpentine Head Mount Power Steering Pump Pulley Kit	BRP 1422

Kit Components

DESCRIPTION	P/N
SB Ford Head Mount Power Steering Pump Bracket Assembly	BRP 1421BK
Power Steering Pump with BRP 951 Power Steering Pulley	BRP 581
6 Rib Serpentine Belt	BRP 949-2
Water Pump Pulley	BRP 1425
Crank Serpentine Pulley	BRP 1420
SB Ford Alternator Kit (Some Modifications May be Necessary)	BRP 932

BBC Head Mount Power Steering Pump with Serpentine Alternator Kit

DESCRIPTION	RED P/N	BLACK P/N
BBC Serpentine Pulley Kit	BRP 1424	BRP 1424BK

Kit Components

DESCRIPTION	BRP 1424	BRP 1424BK
BBC Head Mount Power Steering Pump Bracket Assembly	BRP 7154	BRP 7154BK
Power Steering Pump with BRP 951 Pulley Installed	BRP 581	BRP 581
6 Rib Serpentine Belt	BRP 949	BRP 949
Water Pump Serpentine Pulley	BRP 9133	BRP 9133
Crank Serpentine Pulley	BRP 952-3	BRP 952-3
Alternator Mount	BRP 9069	BRP 9069BK
Powermaster 1 Wire Alternator - No Pulley	PWR 8172BR	PWR 8172BR
3 Rib Alternator Belt	BRP 947-1	BRP 947-1
Powermaster Alternator Pulley	BRP 991	BRP 991

Note" a 90° fitting is required if you are using an expansion tank so rad hose will clear alternator mount. Fitting P/N XRP 982288



Pulley Speed @ 7600 Engine RPM	BRP 1422
Water Pump	6512 rpm
Alternator	9117 rpm
Power Steering	5365 rpm

7 MM PULLEYS



SBC Lower Crank Pulleys

DESCRIPTION	P/N
35% Reduction SBC 7MM Lower Crank Pulley - 2.60" O.D.	BRP 9270
17% Reduction SBC 7MM Lower Crank Pulley - 3.50" O.D.	BRP 9279

604 Crate Crank Pulleys

DESCRIPTION	P/N
35% Reduction V-Groove Crank Pulley - 2.60" O.D.	BRP 9544
17% Reduction V-Groove Crank Pulley - 3.50" O.D.	BRP 9545

SBC Water Pump Pulleys

DESCRIPTION	P/N
SBC 7MM Water Pump Pulley - 3 1/2" Built In Fan Spacer	BRP 9271
SBC 7MM Water Pump Pulley - 2 1/2" Built In Fan Spacer	BRP 9275
SBC 7MM Water Pump Pulley - 3" Built In Fan Spacer	BRP 9276
SBC 7MM Water Pump Pulley - No Built In Fan Spacer	BRP 9277

Alternator Pulley

DESCRIPTION	P/N
4" O.D. - 7MM Alternator Pulley for Powermaster Alternator (.590 bore)	BRP 9273
2" O.D. - 7MM Alternator Pulley for Powermaster Alternator (.590" bore)	
- overdrives alternator by 75% (vs. BRP 9273) in low RPM situations	BRP 9341

Note: USE BRP 9341 Alternator Pulley in low RPM situations to increase alternator speed

Power Steering Pulley

DESCRIPTION	P/N
7MM Power Steering Pulley	BRP 9272

7 MM BELTS



DESCRIPTION	P/N
615MM X 7MM Belt - Use for the following: - BRP 9270 Lower Pulley and All Water Pump Pulleys (2 required) - Drives Power Steering From Crank (1 Required)	BRP 9286
730MM X 7MM Belt - Drives Alternator (with BRP 9273 Pulley) From Water Pump (1 Required)	BRP 9287
650MM X 7MM Belt - Use for BRP 9279 and all Water Pump Pulleys (2 required)	BRP 9289
825 MM X 7MM Belt - Use for BRP 9292 head mount power steering pump bracket	BRP 9290
690MM X 7MM Belt - Drives Alternator (with BRP 9341 Pulley) From Water Pump (1 Required)	BRP 9302

7MM PULLEY ACCESSORIES



DESCRIPTION	P/N
Hex Drive Adaptor for Turning Engine Over With Socket (fits BRP 9270 & BRP 9279 Lower Pulleys)	BRP 9286
Steel Power Steering Pump With BRP 9272 Pulley Installed	BRP 9288
Aluminum Power Steering Pump With BRP 9272 Pulley	KRC 9288
.125" Thick Crank Pulley Spacer	BRP 9293
Alternator Mounting Kit - Mounts to Water Pump	BRP 9068BK
.125" Spacer for BRP 268BK Power Steering Pump Mount	BRP 270
Block Mount Power Steering Pump Mount	BRP 268BK
17" Nylon Lightweight Fan	ALL 30094
One Wire Alternator - Pulley Not Included	PWR 8172-BR
Head Mount Power Steering Pump Bracket for Electric Water Pump	BRP 9292

7MM PULLEY MOUNTS



DESCRIPTION	P/N
SBC 7MM Block Mount Power Steering Pump Bracket	BRP 268BK
SBC 7MM Head Mount Power Steering Pump Bracket for electric water pumps	BRP 9292
SBC 7MM Alternator Mount Bracket	BRP 9068BK

SERPENTINE CRANK PULLEYS

Serpentine Crank Pulleys



DESCRIPTION	P/N
SBC 2.6" Diameter 6 Rib Serpentine Crank Pulley - 35% Reduction	BRP 952
SBC 3" Diameter 6 Rib Serpentine Crank Pulley - 17% Reduction	BRP 952-2
SBC 3.5" 6 Rib Serpentine Crank Pulley - No Reduction (1:1 ratio)	BRP 9150
BBC 3" Diameter 6 Rib Serpentine Crank Pulley	BRP 952-3
SB Ford 3.3" Diameter 6 Rib Serpentine Crank Pulley	BRP 1420
604 Crate 17% Reduction Serpentine Crank Pulley	BRP 9543
Crank Pulley Hex Adaptor (has 2 dowel pins to fit inside crank pulley and has 1 1/16" hex to allow engine to crank over with wrench)	BRP 9149

Serpentine Crank Pulley Spacers

DESCRIPTION	P/N
SBC 1.25" Thick Serpentine Crank Pulley Spacer	BRP 953-125
SBC .200" Thick Serpentine Crank Pulley Spacer	BRP 953
SBC .3125" Thick Serpentine Crank Pulley Spacer	BRP 9077
SBC .375" Thick Serpentine Crank Pulley Spacer	BRP 9081
SBC .500" Thick Serpentine Crank Pulley Spacer	BRP 9082
BBC .200" Thick Serpentine Crank Pulley Spacer	BRP 959

SERPENTINE WATER PUMP PULLEYS

Serpentine Water Pump Pulleys



DESCRIPTION	P/N
SBC/BBC 3 1/2" Diameter Serpentine Water Pump Pulley	BRP 950
SBC/BBC 3.85" Diameter Serpentine Water Pump Pulley	BRP 944
W16 Water Pump Pulley (5 rib)	WEG WA0291

Serpentine Water Pump Pulley with Alternator Drive

DESCRIPTION	P/N
SBC 3 1/2" Diameter Serpentine Water Pump Pulley with 4 1/2" Diameter V-Belt Alternator Drive	BRP 950-1
SBC 3 1/2" Diameter Serpentine Water Pump Pulley with 3 1/2" Diameter 4 Rib Alternator Drive	BRP 946
SBC 3.85" Diameter Serpentine Water Pump Pulley with 4 1/2" Diameter V-Belt Alternator Drive	BRP 944-1
SB Ford 3.85" Diameter Serpentine Water Pump Pulley with 3.825" Diameter V-Belt Drive	BRP 1425
BBC 3 1/2" Diameter Serpentine Water Pump Pulley with 3 1/2" Diameter 4 Rib Alternator Drive - Required for 9135 Mount	BRP 9133

SERPENTINE POWER STEERING PULLEYS

Serpentine Power Steering Pulleys



DESCRIPTION	P/N
4.25" Diameter 6 Rib Power Steering Pulley - .665" I.D.	BRP 951
Power Steering Pump with BRP 951 Serpentine Pulley	BRP 581
Aluminum Power Steering Pump with BRP 951 Serpentine Pulley	KRC 581
W16 6 1/2" Power Steering Pulley (No Hub)	WEG WA0354
W16 Power Steering Pulley Hub Only	WEG WA031

SERPENTINE ALTERNATOR PULLEYS

Serpentine Alternator Pulleys




DESCRIPTION	P/N
4 Rib 3.875" Diameter Delco Alternator Pulley	BRP 997
4 Rib 2.500" Diameter Delco Alternator Pulley (.670" bore)	BRP 990
4 Rib 2.500" Diameter Powermaster / Denso Alternator (.590" bore)	BRP 991
W16 Alternator Pulley	PWR 172

BRP 990 is supplied with BRP 992 Bushing (reducer bushing from .670" to .591")

1" O.D. SERPENTINE MANDRELS

Did You Know...

These drive mandrels fit the pulley combinations on page 150



Small Block Mandrels - 7/16" I.D. X 1" O.D.

DESCRIPTION	MANDREL	BOLT
2.4" Mandrel for BRP 952 and BRP 952-2	BRP 954	BRP 957
3.5" Mandrel for BRP 952 and BRP 952-2	BRP 955	BRP 958
4" Mandrel for BRP 952 and BRP 952-2	BRP 956	

Big Block Mandrels - 1/2" I.D. X 1" O.D.

DESCRIPTION	MANDREL	BOLT
2.4" Mandrel for BRP 952-3	BRP 954B	BRP 957B
3.5" Mandrel for BRP 952-3	BRP 955B	BRP 958B
4" Mandrel for BRP 952-3	BRP 956B	BRP 959B

Mandrel Accessories

DESCRIPTION	P/N
1/8" x 1/8" Keyway - 2" Long	BRP 970
7/16" Steel Small Block Mandrel End Cap	BRP 971
1/2" Steel Big Block Mandrel End Cap	BRP 971B
7/16" Aluminum Mandrel End Cap	BRP 978
1/2" Aluminum Mandrel End Cap	BRP 978-1

SEE PAGE 150 FOR ALL PULLEYS THAT STACK ON THESE 1" O.D. MANDRELS

SERPENTINE BELTS



DESCRIPTION	LENGTH	P/N
SBC 35% reduction - 4 Rib	Water Pump/Crank	24 1/2" BRP 949-1
SBC 35% Reduction - 6 Rib	Water Pump/Crank/Head Mount Power Steering	36 1/8" BRP 949
SBC 17% Reduction - 6 Rib	Water Pump/Crank/ Head Mount Power Steering	37 1/8" BRP 949-2
SBC 17% Reduction - 6 Rib	Water Pump/Crank/ Block Mount Power Steering	33 1/4" BRP 949-3
SBC 3 Rib Alternator Belt	Powermaster Alternator with BRP 9068 Mount	27 1/8" BRP 947
BBC 3 Rib Alternator Belt	Powermaster Alternator with BRP 9135 Mount	27 3/8" BRP 947-1
W16 3 Rib P/S Belt	W16 - Water Pump / Power Steering Only	31 5/8" BRP 947-3
W16 5 Rib Serpentine Belt	W16 - Crank / Water Pump / Alternator	49 5/8" BRP 9519

ALTERNATORS



DESCRIPTION	P/N
Powermaster 1 Wire Alternator - No Pulley	PWR 8172-BR
Powermaster 1 Wire Alternator with 2 7/8" V Pulley	PWR 8172
Powermaster 1 Wire Alternator with BRP 991 Serpentine Pulley	PWR 8172-172
Powermaster 1 Wire Alternator For W16 Engine - No Pulley	PWR 8132
Powermaster 1 Wire Alternator - XS Style - No Pulley	PWR 8168
Powermaster 1 Wire Alternator - 75 Amp - No Pulley	PWR 8182

Did You Know...

The alternator must be grounded in order to function properly. If you purchase a new alternator and it doesn't charge, it may just need to be grounded! For proper grounding, run a ground wire from the body of the alternator to a chassis ground.

ALTERNATOR MOUNTS



DESCRIPTION	RED P/N	BLACK P/N
Alternator Mount Assembly for GM Delco Alternator	BRP 941	
Alternator Mount Assembly for Powermaster Alternator	BRP 941-10	
SBC New Style Alternator Mount Assembly for Powermaster Alternator	BRP 9068	BRP 9068BK
BBC New Style Alternator Mount Assembly for Powermaster Alternator	BRP 9069	BRP 9069BK
BBC New Style Alternator KIT - Comes With Mount, Pulley & Belt	BRP 9135	BRP 9135BK

Note - Alternators Sold Separately

1" MANDREL GILMER COG PULLEYS



Cog Belts

DESCRIPTION	P/N
60 Tooth (22 1/2" X 1")	ALL 86132
64 Tooth (24" X 1")	ALL 86134
68 Tooth (25 1/2" X 1")	ALL 86136

1" Bore X 1" Wide Cog Pulleys For Mandrels

DESCRIPTION	P/N
15 Tooth Cog Pulley	BRP 981
16 Tooth Cog Pulley	BRP 983
17 Tooth Cog Pulley	BRP 984
19 Tooth Cog Pulley	BRP 985

5/8" Bore X 1" Wide Cog Pulleys For Dry Sump Pumps

DESCRIPTION	P/N
28 Tooth Cog Pulley	BRP 986
30 Tooth Cog Pulley	BRP 987
32 Tooth Cog Pulley	BRP 988
28 Tooth Pulley Guard	BRP 1007

5/8" Bore X 1 1/2" Wide Cog Pulleys For Dry Sump Pumps

DESCRIPTION	P/N
28 Tooth Cog Pulley	BRP 986-1
32 Tooth Cog Pulley	BRP 988-1

Stackable Pin Style 1" Wide Cog Pulleys

DESCRIPTION	P/N
16 Tooth Cog Pulley	BRP 1041
17 Tooth Cog Pulley	BRP 1042
3" Diameter Crank Mounted V Pulley - comes with Pins	BRP 1037
7/16" Hat Washer	BRP 1038
1/2" Hat Washer	BRP 1039

Uses BRP 952 or 952-2 Lower Pulleys

Cog Water Pump Pulleys


DESCRIPTION	P/N
28 Tooth Cog Pulley	BRP 1011
32 Tooth Cog Pulley	BRP 1011-32

1" MANDREL SERPENTINE PULLEY



DESCRIPTION	P/N
2.5" Serpentine Pulley for 1" Mandrel	BRP 948

1" MANDREL V BELT DRIVE PULLEYS



DESCRIPTION	P/N
3" Diameter Crank Mounted V Pulley - Drives Power Steering (comes with pins)	BRP 1037
5 1/2" Diameter Drive V Pulley for 1" Mandrel - 1/2" V Belt	BRP 989
3" Diameter Drive V Pulley for 1" Mandrel - 1/2" V Belt	BRP 994
3" Diameter Drive V Pulley for 1" Mandrel - 3/8" V Belt	BRP 994-1
3 1/4" Diameter Drive V Pulley for 1" Mandrel - 1/2" V Belt	BRP 995

1" MANDREL SPACERS



DESCRIPTION	P/N
1/4" Spacer	BRP 960
3/8" Spacer	BRP 961
1/2" Spacer	BRP 962
5/8" Spacer	BRP 963
3/4" Spacer	BRP 964
7/8" Spacer	BRP 965
1" Spacer	BRP 966
1 1/4" Spacer	BRP 967
Guide Washer	BRP 972

1" O.D. ALUMINUM CRANK DRIVE MANDRELS



DESCRIPTION	P/N
SBC Mandrel - 3 1/2" Long X 1" Diameter	BRP 976
SBC Mandrel - 4 1/2" Long X 1" Diameter	BRP 977
BBC Mandrel - 3 1/2" Long X 1" Diameter	BRP 979
BBC Mandrel - 4 1/2" Long X 1" Diameter	BRP 980
1/8" X 1/8" X 3 1/4" Key for 3 1/2" Mandrels	BRP 973
1/8" X 1/8" X 4 1/4" Key for 4 1/2" Mandrels	BRP 974
3/16" X 3/16" X 5/8 Key for SB	BRP 975

Mandrel Accessories

DESCRIPTION	P/N
1/8" x 1/8" Keyway - 2" Long	BRP 970
7/16" Steel Small Block Mandrel End Cap	BRP 971
1/2" Steel Big Block Mandrel End Cap	BRP 971B
7/16" Aluminum Mandrel End Cap	BRP 978
1/2" Aluminum Mandrel End Cap	BRP 978-1

1" O.D. 3 BOLT DRIVE MANDRELS



1" Drive Mandrels for BRP 1006/1006B Lower Pulleys

DESCRIPTION	P/N
SBC Drive Mandrel - 2 1/4" Long	BRP 942
SBC Drive Mandrel - 3 1/4" Long	BRP 943

SEE PAGE 150 FOR ALL PULLEYS THAT STACK ON THESE 1" O.D. MANDRELS

V BELT CRANK PULLEYS



DESCRIPTION	P/N
SBC 5 9/16" Diameter Single V Groove Crank Pulley	BRP 999
SBC 5 7/8" Diameter Double V Groove Crank Pulley	BRP 1001
SBC 5 9/16" Diameter Double V Groove Crank Pulley	BRP 1001-30
SBC 5 1/2" Diameter Double V Groove Crank Pulley	BRP 1006
BBC 5 1/2" Diameter Double V Groove Crank Pulley	BRP 1006B
BBC 6" Diameter Double V Groove Crank Pulley	BRP 1006B-6
Ford 5" Double V Groove Crank Pulley	BRP 1033
SBC 5" Double V Groove Crank Pulley	BRP 1034
SBC / BBC 3 Hole Crank Pulley Spacer	BRP 1035

Lower Pulley Spacers

DESCRIPTION	P/N
Lower Ford SVO Pulley Spacer .250" Thick	BRP 1030
Lower Ford SVO Pulley Spacer .375" Thick	BRP 1031
Lower SBC / BBC Pulley Spacer (makes a BRP1006 into BRP 1006B)	BRP 1006S

V BELT WATER PUMP PULLEYS



DESCRIPTION	MATCHING LOWER	P/N
7" Single Groove 15% Reduction Water Pump Pulley	BRP 999	BRP 1002
7" Double Groove 22% Reduction Water Pump Pulley	BRP 1001-30	BRP 1003
7 3/4" Double Groove 30% Reduction Water Pump Pulley	BRP 1001-30	BRP 1053
7" Double Groove 22% Reduction Water Pump Pulley	BRP 1006 / BRP 1006B	BRP 1004
7" Double Groove 15% Reduction Water Pump Pulley	BRP 1001	BRP 1050

V BELT POWER STEERING PUMP PULLEYS



BRP 996

DESCRIPTION	P/N
6" V Belt Power Steering Pulley - 1/2" Belt	BRP 996
6" V Belt Power Steering Pulley - 3/8" Belt	BRP 996-1
Power Steering Pump with BRP 996 Pulley Installed	BRP 580
Power Steering Pump with BRP 996-1 Pulley Installed	BRP 580-1

V BELT ALTERNATOR PULLEYS



BRP 998

DESCRIPTION	P/N
5" Diameter X .670" Bore Delco Alternator V Pulley	BRP 998
Adaptor to Fit BRP 998 V Pulley to Powermaster/Denso Alternator Dimensions - O.D. - 17mm/.670" I.D. 15mm/.591"	BRP 992
2 7/8" Diameter Powermaster Alternator V Pulley	PWR 181

WATER PUMP DRIVE PULLEYS



BRP 1032

DESCRIPTION	P/N
3 1/4" Diameter Water Pump Mounted V Pulley - Drives Alternator	BRP 1032
3 3/4" Diameter Water Pump Mounted V Pulley - Drives Alternator	BRP 1032-1

V BELTS



DESCRIPTION	LENGTH	P/N
V Belt for Delco Alternator using BRP 941 Mounting Assembly	33 5/8"	BRP 937
V Belt for Powermaster Alternator (BRP 941-10 and BRP 950-1)	26 5/8"	BRP 937-1
V Belt for Powermaster Alternator (BRP 941-10 and BRP 1032 pulley)	27 1/8"	BRP 937-2
V Belt for Powermaster Alternator (BRP 9068/9135 Mount with 2 7/8" Pulley)	27 5/8"	BRP 937-3

ALTERNATORS



PWR 8172-172



PWR 8172

DESCRIPTION	P/N
Powermaster 1 Wire Alternator - No Pulley	PWR 8172-BR
Powermaster 1 Wire Alternator with 2 7/8" V Pulley	PWR 8172
Powermaster 1 Wire Alternator with BRP 991 Serpentine Pulley	PWR 8172-172

Did You Know...

The alternator must be grounded in order to function properly. If you purchase a new alternator and it doesn't charge, it may just need to be grounded! For proper grounding, run a ground wire from the body of the alternator to a chassis ground.

ALTERNATOR MOUNTS



BRP 941-10



BRP 9068

DESCRIPTION	RED P/N	BLACK P/N
Alternator Mount Assembly for GM Delco Alternator	BRP 941	
Alternator Mount Assembly for Powermaster Alternator	BRP 941-10	
SBC New Style Alternator Mount Assembly for Powermaster Alternator	BRP 9068	BRP 9068BK
BBC New Style Alternator Mount Assembly for Powermaster Alternator	BRP 9069	BRP 9069BK
BBC New Style Alternator KIT - Comes With Mount, Pulley & Belt	BRP 9135	BRP 9135BK

Note - Alternators Sold Separately

BRP 9068/9068BK consists of:

- | | |
|----------------|-------------------|
| 6- BOL F006 | 4- BRP 9072 |
| 2- BOL F004 | 1- BRP 9073 |
| 1- BRP 9074 | 1- BRP 9071A / BK |
| 1- BOL 06LOCK | 1- BRP 9071B / BK |
| 2- BOL 064501C | |
| 1- BOL 061501C | |

BRP 9069/9069BK consists of:

- | | |
|----------------|-------------------|
| 4- BOL F006 | 2- BOL F004 |
| 2- BRP 9137 | 1- BRP 9086A / BK |
| 1- BOL 065001C | 1- BRP 9086B / BK |
| 2- BRP 9072 | |

CARBURETORS



HLY 0-4777



HLY 0-80541-1

DESCRIPTION	P/N
Holley 650 CFM 4 Barrel 4777 Carburetor	HLY 0-4777S
Holley 650 CFM 4 Barrel HP Carburetor	HLY 0-80541-1
Holley 500 CFM 2 Barrel Carburetor	HLY 0-4412S
1/4" C Air Cleaner Stud with 5/16" C HP Carb Adaptor	ALL 26056
5/16" C Air Cleaner Stud	ALL 26055



ALL 26056

See Page 134 For Carburetor Gaskets

CARBURETOR PARTS & TOOLS

Carb Jets

DESCRIPTION	P/N
Holley Carb Jets - Available from 58 - 98 (Sold per pair)	HLY 122- *
*Add jet size to end of part number	
Carb Jet Plate - Black Anodized	BRP 360

Power Valves

DESCRIPTION	P/N
Power Valve - 3.5 In. Hg	HLY 125-35
Power Valve - 4.5 In. Hg	HLY 125-45
Power Valve - 5.0 In. Hg	HLY 125-50
Power Valve - 5.5 In. Hg	HLY 125-55
Power Valve - 6.5 In. Hg	HLY125-65

Needle & Seats/Sight Plugs

DESCRIPTION	P/N
.110" Needle and Seat for 4777 Carburetor (sold each)	HLY 6-504
.120" Needle and Seat for HP Carburetor (sold in packs of 2)	HLY 6-518-2
Sight Plugs (sold in packs of 2)	HLY 26-13

See Page 134 For Bowl/Metering Block Gaskets

Carb Tools

DESCRIPTION	P/N
Carb Stand - Allows stacking and working on most 2 / 4 barrel carbs	BRP 9358
Holley Carb Float Adjusting Tool	BRP 9359



HLY 122-

HLY 125-35

HLY 6-504

HLY 26-13

BRP 360

BRP 9359

BRP 9358

Note: carb not included

CARBURETOR COVERS



REB 300-8900

ROD S6012

ALL 26042

DESCRIPTION	P/N
Standard Carburetor Cover	REB 300-8900
Aluminum Carburetor Cover	ROD S6012
Aluminum Carburetor Cover	ALL 26044
Carburetor Tuning Hat - Allows Adjustment While Engine is Running (Has Built In Filter)	ALL 26042

THROTTLE LINKAGES

Adjustable Throttle Linkages


DESCRIPTION	RANGE	P/N
18" Throttle Linkage (comes with rod ends)	19 1/8" - 19 7/8"	AFC 10175-18
21" Throttle Linkage (comes with rod ends)	22 1/8" - 22 7/8"	AFC 10175-21
24" Throttle Linkage (comes with rod ends)	25 1/8" - 25 7/8"	AFC 10175-24

Dirt Modified Throttle Linkages

DESCRIPTION	RANGE	P/N
SBC Throttle Rod Assembly (comes with rod ends)	14 3/8" - 15 3/8"	BRP 410R-3
BBC Throttle Rod Assembly (comes with rod ends)	16 3/8" - 17 3/8"	BRP 410R-4

Bare rods also available - SBC BRP 410R-14 BBC - BRP 410R-15

DESCRIPTION	P/N
Holley Carburetor Throttle Linkage Bushing Kit (with bolt & nut)	BRP 370



AFC 10175-18


BRP 410R-3

BRP 370

DESCRIPTION	
Idle Adjustment Kit	ALL 54154

THROTTLE RETURNS

MOR 64927



DESCRIPTION

P/N

Throttle Return Kit for Holley 4150/4777 Carburetors (comes with springs)	MOR 64927
Throttle Return Kit (comes with springs)	ROD S2083
Throttle Return Spring	BRP 379




BRP 379

FUEL LOGS



BRP 5044



BRP 5045

BRP 5045BK

DESCRIPTION

P/N RED

P/N BLACK

BRP Fuel Log - Has AN 8 Inlet, AN 4 Outlet for Gauge / Return (comes with carburetor fittings, and AN 4 cap if gauge isn't used)	BRP 5045	BRP 5045BK
1 1/2" Diameter X 16" Long Large Fuel Log (comes with the following: 2- BRP 5052, 1- XRP 981608, 1- XRP 981644, 1- XRP 992904)		BRP 5044
BRP Fuel Log For W16 Engine		BRP 9554

CARBURETOR FITTINGS



BRP 5053

BRP 5052

BRP 5049

BRP 5048

Aluminum Carb Fittings

DESCRIPTION

P/N RED

P/N BLACK

AN 6 Short (comes with aluminum crush washer)	BRP 5048	
AN 6 Long (comes with aluminum crush washer)	BRP 5049	
AN 8 Short (comes with aluminum crush washer)	XRP 700118	BRP 5052BK
AN 8 Long (comes with aluminum crush washer)	BRP 5052	
AN 8 Male to AN 8 Female Swivel		XRP 700199BB
AN 10 Long (comes with aluminum crush washer)		BRP 5053
Replacement Aluminum Crush Washers (sold in packs of 2)	BRP 5046A	

Did You Know...

A fuel pressure regulator is recommended on fuel pumps with 8 psi and greater pressure.

FUEL PUMPS / PUSH RODS

***SEE PAGE 135 FOR
REPLACEMENT GASKETS***

Fuel Pumps

DESCRIPTION

P/N

Carter SBC Cast Pump - 1/4" NPT Inlet & Outlet (no fittings)	CAR M4891
Pro Cam SBC 6 Valve 7 1/2 psi Pump - 1/2" NPT Inlet & Outlet (no fittings)	PRC 9351
Pro Cam SBC 6 Valve 15 psi Pump - 1/2" NPT Inlet & Outlet (no fittings)	PRC 9350
Pro Cam SBC 6 Valve 11 psi Pump - 1/2" NPT Inlet & Outlet (no fittings)	PRC 9350-1
Allstar SBC Cast pump - comes with AN8 fittings (7-8 psi)	ALL 40266

Fuel Pump Fittings

DESCRIPTION

P/N

AN 8 Male to 5/8" F Male With Brass Crush Washer	CAR 156-386
AN 10 Male to 5/8" F Male with Brass Crush Washer	CAR 156-385

Fuel Pump Pushrods

DESCRIPTION

P/N

Fuel Pump pushrod for crate engines - SBC with cast iron camshaft	COM 4616
Bronze Tip Fuel pump pushrod for SBC with steel camshaft	COM 4607



CAR M4891

PRC 9351

ALL 40266



CAR 156-386

FUEL PUMP BLOCK PLATES

BRP 356

BRP 357

BRP 358



DESCRIPTION

P/N

Small Block Chevy with Hole	BRP 356
Big Block Chevy No Hole	BRP 357
Small Block Chevy No Hole	BRP 358

FUEL PRESSURE REGULATORS



AFS 13205



ALL 40290



ATM 2172

DESCRIPTION

P/N

Fuel Pressure Regulator - Adjustable 5 - 12 psi (includes mount, no fittings)	
Has 3/8" NPT Inlet and Outlet with 1/8" NPT Gauge Port By Aeromotive	AFS 13205
Fuel Pressure Regulator - Adjustable 5 - 12 psi (includes mount, no fittings)	
Has 3/8" NPT Inlet and Outlet with 1/8" NPT Gauge Port By Allstar	ALL 40290
1 1/2" Fuel Pressure Gauge - 1/8" NPT inlet	ATM 2172
Inline AN8 Fuel Pressure Fitting	XRP 700196
Fuel Pressure Regulator - 4.5 to 9 psi - 10 AN & 8 AN Inlet / Outlets	HLV 12-843

TUBE STYLE FUEL FILTERS



Fuel Filter Assemblies

INLET	OUTLET	ELEMENT	P/N RED	P/N BLACK
1/2" NPT	1/2" NPT	PAPER	BRP 5032	
1/2" NPT	AN 8	PAPER	BRP 5032-8	BRP 5032-8BK
1/2" NPT	AN 10	PAPER	BRP 5032-10	BRP 5032-10BK
AN 6	AN 6	PAPER	BRP 5037	
AN 8	AN 8	PAPER	BRP 5038	BRP 5038BK
AN 10	AN 10	PAPER	BRP 5039	BRP 5039BK
AN 12	AN 12	PAPER	BRP 5040	BRP 5040BK
1/2" NPT	AN 10	STAINLESS	BRP 5031	BRP 5031BK
AN 8	AN 8	STAINLESS	ALL 40218 (BLUE IN COLOR)	

Replacement Parts

DESCRIPTION	P/N
1/2" NPT End Cap with O-Ring	BRP 5032C
AN 6 End Cap with O-Ring	BRP 5037C
AN 8 End Cap with O-Ring	BRP 5038C
AN 10 End Cap with O-Ring	BRP 5039C
AN 12 End Cap with O-Ring	BRP 5040C
Tension Spring	BRP 5041
Replacement O-Ring	BRP 5042
Replacement Red Anodized Body	BRP 5043
Replacement Paper Element (gasoline) 7 MICRON	BRP 5033
Replacement Stainless Steel Element (gasoline and alcohol) 63 MICRON	ALL 40222

TUBE STYLE FUEL FILTER MOUNTS




DESCRIPTION	P/N RED	P/N BLACK
Fuel Filter Mount For 1 1/4" Tubing	BRP 5034	BRP 5034BK
Fuel Filter Mount For 1 1/2" Tubing	BRP 5035	BRP 5035BK
Fuel Filter Mount For 1 3/4" Tubing	BRP 5036	

FRAM CANISTER STYLE FUEL FILTERS



DESCRIPTION	P/N
Canister Style Fuel Filter (comes with mounting bracket)	ALL 40250
Replacement Fuel Filter	ALL 40251

FUEL SHUT OFFS



DESCRIPTION	P/N
3/8" NPT Inlet and Outlet Brass Fuel Shut Off	KBP 215
1/2" NPT Inlet and Outlet Brass Fuel Shut Off	KBP 216
AN 8 Aluminum Fuel Shut Off	ROD S6470
AN 10 Aluminum Fuel Shut Off	ROD S6471

FUEL ADAPTOR FITTINGS



DESCRIPTION	P/N
AN 10 Female to AN 8 Male	XRP 995011
AN 8 Female to AN 10 Male	BRP 5051
AN 6 Female to AN 8 Male	XRP 995108

DESCRIPTION	P/N
AN 8 Female to AN 6 Male	XRP 995008
1/2" NPT Female to AN 8 Male	BRP 5070
AN 10 Female to AN 12 Male	XRP 995112

DESCRIPTION	P/N
AN 6 Male to AN 6 Female Swivel	XRP 700195
AN 8 Male to AN 8 Male	XRP 700196
Demon Carb Washers (5 pk)	XRP 700000

CARBURETOR SPACERS



Open Spacers

DESCRIPTION	P/N
3/16" Thick Aluminum Open Hole Spacer - Black Anodized	BRP 9091
1/4" Thick Aluminum Open Hole Spacer - Black Anodized	BRP 9092
1" Thick Aluminum Open Hole Spacer - Black Anodized	BRP 372
1" Thick Polymer Open Hole Spacer	ALL 25981

4 Hole Spacers

DESCRIPTION	P/N
1/4" Thick Aluminum 4 Hole Spacer - Black Anodized	BRP 9095
1" Thick Phenolic 4 Hole Spacer	CAN 85-150
1/2" Thick Phenolic 4 Hole Spacer - Used on Brodix 358 Spec Intake	CAN 85-152
1" Thick Aluminum 4 Hole Spacer with radius	BRP 9084

CARBURETOR ADAPTORS



DESCRIPTION	P/N
Aluminum 2 Barrel to 4 Barrel Adaptor	BRP 377
Aluminum Adjustable 2 Barrel to 4 Barrel Adaptor	BRP 375
Phenolic 2 Barrel GM Manifold to 2 Barrel Holley Carburetor	CAN 85-050
Aluminum Adjustable 2 Barrel Carburetor to 4 Barrel Manifold with Radiused bottom for Increased Horsepower	BRP 376
Tapered 4 Hole Carb Spacer - Fits Inside Intake (not Dirt Legal)	BRP 9083
Straight 4 Hole Carb Spacer - Fits Inside Intake (not Dirt Legal)	BRP 9084
5/8" Thick Open Hole Carburetor Insulator (Includes 2 BRP 9092 & 3 MRG 54)	BRP 9247
5/8" Thick 4 Hole Carburetor Insulator (Includes 2 BRP 9095 & 3 MRG 55)	BRP 9248

See Page 134 For Carburetor Gaskets

AIR FILTERS



DESCRIPTION	K&N FILTER	GREEN FILTER	RANDY'S
14" X 3" Air Filter Element	KNE E1650	GRN 2012	
14" X 4" Air Filter Element	KNE E3750	GRN 2030	RAN 1404
14" X 5" Air Filter Element	KNE E3760	GRN 2071	RAN 1405
14" X 6" Air Filter Element	KNE E3770	GRN 2160	RAN 1406
11" X 5" Air Filter Element	KNE E3680	GRN 2113	RAN 1105
11" X 6" Air Filter Element	KNE E3690	GRN 2350	
11" Extreme Top	KNE 66-1101		
14" Extreme Top	KNE 66-1401		
14" Extreme Top - Allstar Brand	ALL 26010		

PRE FILTERS



DESCRIPTION	BLACK	K&N FOAM
14" X 3"	OUT 10-1141-01	
14" X 4"	OUT 10-1002-01	KNE 25-3750
14" X 4" With High Flow Top	OUT 10-1014-01	
14" X 5"	OUT 10-1004-01	KNE 25-3760
14" X 5" With High Flow Top	OUT 10-1020-01	
14" X 6"	OUT 10-1026-01	KNE 25-3770
14" X 6" With High Flow Top	OUT 10-1160-01	
11" X 5"	OUT 10-1197-01	
11" X 6"	OUT 10-1199-01	
Regular Valve Cover Breather	OUT 10-1013-01	
Shielded Valve Cover Breather	OUT 10-1018-01	

AIR FILTER HOUSINGS



Air Filter Housings

DESCRIPTION	P/N
14" Sure Seal Top with Drop Base Bottom Assembly w/ 1/2" spacer	ALL 26094
14" Sure Seal Top Only	ALL 26090
14" Drop Base Bottom Only	ALL 26092
14" Drop Base Bottom Only - 1 1/2" Offset	ALL 26091
14" Sure Seal Top with Drop Base Bottom Assembly - 1 1/2" Offset	ALL 26095
14" Flat Top Only	KNE 85-6842
14" Flat Base Only	KNE 85-1541
11" High Flow Air Filter Top (with built in filter)	KNE 66-1101
14" High Flow Air Filter Top (with built in filter)	KNE 66-1401

Air Filter Housing Spacers

DESCRIPTION	P/N
1/2" Air Cleaner Spacer	ALL 26085
1" Air Cleaner Spacer	ALL 26086
1 1/2" Air Cleaner Spacer	ALL 26087
Air Filter O-Ring	ALL 26084


Air Filter Housing Nuts

DESCRIPTION	P/N
1/4" Air Filter Nut With O-Ring	BRP 380
5/16" Air Filter Nut With O-Ring	BRP 380-1

Air Filter Oil & Cleaner

DESCRIPTION	P/N
12.25 oz Can Air Filter Oil (sold each)	KNE 99-0516
32 oz Air Filter Cleaner	KNE 99-0621
128 oz Air Filter Cleaner	KNE 99-0635

FUEL LINE KITS



KBP 301

KBP 302A

DESCRIPTION	P/N
Complete AN 8 Fuel Line Kit For Dirt Modified Chassis (Brass Fittings) Contains the following: 8 ft- XRP 340008, 1- XRP 260088, 2- XRP 240008, 1- KBP 216, 1- XRP 991104, 1- XRP 249008.	KBP 301
Complete AN 10 Fuel Line Kit For Dirt Modified Chassis (Brass Fittings) Contains the following: 8 ft- XRP 340010, 1- XRP 260010, 2- XRP 240010, 1- KBP 216, 1- KBP 232, 1- XRP 249010.	KBP 302
Complete AN 8 Fuel Line Kit For Dirt Modified Chassis (Aluminum Fittings) Contains the following: 8 ft- XRP 340008, 1- XRP 239008, 3- XRP 230008, 1- XRP 981688, 1- XRP 991104, 1- KBP 216.	KBP 301A
Complete AN 10 Fuel Line Kit For Dirt Modified Chassis (Aluminum Fittings) Contains the following: 8 ft- XRP 340010, 1- XRP 239010, 3- XRP 230010, 1- XRP 981610, 1- XRP 991104, 1- KBP 216.	KBP 302A
Complete AN 10 Fuel Line Kit For Dirt Modified Chassis (Aluminum Fittings) Fuel Strap Mounted Fuel Filter - Contains the following: 10 ft- XRP 340010, 3- XRP 239010, 2- XRP 234510, 1- XRP 230010, 3- XRP 981610, 1- KBP 216.	KBP 303A

FUEL SAFE FUEL CELLS



FUE RB224

FUE RB224

- Options include:
- 24 gal capacity
 - Sportsman Bladder
 - Steel Fill Plate With Cap
 - AN 10 Pick Up
 - AN 8 Vent with check valve
 - Dipstick Installed

Uses BRP 1542
Or BRP 1540 Fuel Cell Straps

DESCRIPTION	P/N
Fuel Safe 24 Gallon Fuel Cell - with standard Dipstick Dimensions - 25" w X 16 3/4" d X 14 1/2" h	FUE RB224
Fuel Safe 24 Gallon Fuel Cell - with No Dip Fuel Stick Dimensions - 25" w X 16 3/4" d X 14 1/2" h	FUE RB224-1
Aluminum Fuel Cell Can (sold separately)	BRP 1598-24

Fuel Cell Accessories



FUE 1GAS17

FUE FL08

BRP 9070

FUE FS12

FUE FC250C

DESCRIPTION	P/N
Dipstick Assembly	FUE FL08
Standard Fuel Cell Straps for 24 gallon cells (sold in pairs)	BRP 1542
Standard Fuel Cell Strap for 24 gallon cell (sold each)	BRP 1542-2
Fuel Cell Straps for 32 gallon fuel cells (sold in pairs)	BRP 1543
Fuel Cell Strap for 32 gallon fuel cells (sold each)	BRP 1543-2
1" X 1" Fuel Cell Straps - DIRTcar Approved for Syracuse (sold in pairs)	BRP 1540
1 1/4" Fuel Cell Vent Adaptor - Adapts 1 1/4" vent to 3/8" NPT	BRP 9070
Small D-Shaped Flapper - 3.140" X 3.5" X 0.125"	FUE 1GAS17
1/2" Fuel Pick-up Screen - 31 Micron	FUE FS12
2-1/2" Screw-on Filler Cap	FUE FC250C

NO DIP FUEL STICK



BRP 9442

DESCRIPTION	P/N
No Dip Fuel Stick for 24 gal. Fuel Safe Cells	BRP 9442

CLEAR FUEL / VENT HOSE



DESCRIPTION	P/N
1" I.D. Clear Hose - sold by the foot	FUE CH100
1 1/4" I.D. Clear Hose - sold by the foot	FUE CH125
2 1/4" I.D. Clear Hose - 5 foot piece	ALL 40168-5
2 1/4" I.D. Clear Hose - 10 foot piece	ALL 40168-10
3" I.D. Clear Hose	FUE CH300
Flexible 2 1/4" Plastic Elbow	RJS 30156

QUICK FILL PARTS



ALL 40203

RRP R15-001

RRP R17-001-09

ALL 10102

BRP 1599

DESCRIPTION	P/N
Female Dry Break Valve	RRP R15-001
Male Dry Break Valve	RRP R17-001-09
Fuel Catch Can	ALL 10102
Spring Loaded Over Flow Vent Valve	ALL 40203
11 Gallon Dump Can	ALL 10100
Quick Fill 45° Fill Plate	FUE QF345
Dump Can Holder	BRP 1599

BRP PLASTIC FUEL CELLS



KBP 108B


CAPACITY US GAL.	BLADDER DIMENSIONS W X D X H	BARE BLADDER	COMPLETE BUDGET TOP & FOAM	ALUMINUM CASE*	STEEL CASE*
22 gal	24" X 24" X 9"	KBP 122	KBP 122B	BRP 1595	BRP 1595S
32 gal	25" X 17" X 18"	KBP 132	KBP 132B- No Foam	BRP 1598-32	N/A

* Fuel Cell Cases are Sold Separately - Add 1/2" to
to Fuel Cell Dimensions for Case Sizes.

DESCRIPTION	P/N
Complete 32 Gallon Fuel Cell with Aluminum Case	KBP 132B-C

Use BRP 1542 Fuel Cell Straps for 24 gallon, BRP 1543 For 32 gallon

PLASTIC FUEL CELL ACCESSORIES



KBP 100

KBP 88

KBP 95

FUE CP38

FUE 1GAS79

DESCRIPTION	P/N
Budget Top Assembly (Includes Inner Ring, Budget Base, and Budget Filler Cap) - Gasket sold Separately	KBP 95
Replacement Inner Ring	KBP 98
Replacement Budget Base	KBP 97
Replacement Budget Filler Cap	KBP 100
Replacement Gasket for KBP 100 Budget Filler Cap	KBP 100-1
Replacement 12 Bolt Gasket	FUE 1GAS79
45° Budget Quick Fill Assembly	KBP 88
3/8" Corner Pick-Up	KBP 240
1/2" Corner Pick-Up	KBP 241

FUEL CELL FOAM




DESCRIPTION	P/N
4" X 8" X 8"	KBP 99
12" X 16" X 4"	KBP 99-1

KBP Fuel Cell Foam Capacity

CELL	KBP 99	KBP 99-1
5 Gal	3	1
8 Gal	4	2
15 Gal	10	3
22 Gal	12	4

FUEL CELL GASKETS



DESCRIPTION	P/N
12 Bolt Round Gasket for Regular Cap (KBP 86 Base)	FUE 1GAS78
12 Bolt Round Gasket for Budget Cap (KBP 97 Base)	FUE 1GAS79
24 Bolt Oval Gasket	FUE 1GAS97
12 Bolt Oval Gasket	FUE 1GAS98

REGULAR 12 BOLT FILLER CAPS



KBP 86

KBP 101

RJS 30196

DESCRIPTION	P/N
Regular 12 Bolt Top Base (used on F-S RB224 Fuel Cells)	KBP 86
Regular 12 Bolt Fuel Cell Cap	KBP 101
Fuel Filler Cap Assembly - Fender Fill - Twist Lock Cap	RJS 30196

CHECK VALVES



KBP 70

DESCRIPTION	P/N
AN 6 Check Valve	KBP 70
Check Valve for 1" Hose	KBP 80

UPRIGHT DRAG FUEL CELL



JAZ 250-003-01

KBP 102

DESCRIPTION	P/N
Jaz Upright Drag Fuel Cell - 3 Gallon Capacity	JAZ 250-003-01
Flush Mount Top Assembly	KBP 102
Flush Cap Ring	KBP 91
Flush Cap Gasket	KBP 93

HEADERS / EXHAUST / MUFFLERS

Schoenfeld Headers



DESCRIPTION	P/N
602 Crate Engine - 1 5/8" Primary - 3" Collector - DIRTcar Legal	SCH 1122BCM
602 Crate Engine - 1 5/8" Primary - 3" Collector - Upswept - DIRTcar Legal	SCH 1122BUCM2
358 Brodix Spec Head - 1 3/4" to 1 7/8" Primary - 3 1/2" Collector	SCH 1124BV
358 Brodix Spec Head - 1 5/8" to 1 3/4" Primary - 3" Collector - DIRTcar Legal	SCH 1122BVSH-3
358 Brodix Spec Head - 1 5/8" to 1 3/4" Primary - 3" Collector - Upswept - DIRTcar Legal	SCH 1122BVUSH-3
W16 Tri-Y - DIRTcar Legal	SCH 1124VYLS3



SCH 83535

Schoenfeld Mufflers

DESCRIPTION	P/N
3 1/2" Inlet / 3 1/2" Outlet - 8" Long X 4" O.D.	SCH 83535
3" Inlet / 3" Outlet - 8" Long X 4" O.D.	SCH 83030
14" Muffler - 3 1/2" X 3 1/2" x 4 1/2" Taper Diameter	SCH 14272735-78
13" Micro Sprint - 2" Inlet 2-1/4" Outlet	SCH MS132022



BEY MUF3DL



Kits come complete with 2 collector elbows, and 2 tailpipes.



BEY DMTPQ-3

Beyea Headers

DESCRIPTION	P/N
602 Crate Engine - 1 5/8" Primary - 3" Collector - DIRTcar Legal	BEY NEDM602
602 Crate Engine - 1 5/8" Primary - 3" Collector - Upswept - DIRTcar Legal	BEY NEDMUS602-DL
358 Brodix Spec Head - 1 5/8" to 1 3/4" Primary - 3" Collector - Upswept	BEY NEDMDBUS-S1-DL
Open Small Block Tri-Y Header Upswept 1 5/8 x 1 7/8 x 3" Collector	BEY NEDMSBTYUA-D1-3
4 Into 1 SBC - 1 5/8" to 1 3/4" - 28" Tube Length - 3" Collector - DIRTcar Legal	BEY NEDMSB26-S1-3
W16 Tri-Y - DIRTcar Legal	BEY DMSBTY-LS-S2-3

Beyea Mufflers

DESCRIPTION	P/N
2 1/2" Inlet & Outlet Late Model Muffler with Turn Down - 6" Long	BEY MUF2.5
2 1/2" Inlet & Outlet Late Model Muffler with Turn Down - 6" Long	BEY MUF2.5DL
3" Inlet & Outlet - 8" Body X 4 1/2" O.D. (12 1/2" total length)	BEY MUF3DM
3" Inlet & Outlet - 8" Body X 4 1/2" O.D. (12 1/2" total length) - DIRTcar Legal	BEY MUF3.0DL
3 1/2" Inlet & Outlet - 8" Body X 4 1/2" O.D. (12 1/2" total length) - DIRTcar Legal	BEY MUF3.5DL

Beyea Tail Pipe Kits

DESCRIPTION	P/N
Tail Pipe Kit for 3" Collector (comes with 2 elbows and 2 tailpipes)	BEY DMTPK-3U
Tail Pipe Kit for 3 1/2" Collector to 3 1/2" Lower Elbow (comes w/2 elbows / 2 tailpipes)	BEY DMTPK-3-1/2U
Tail Pipe Kit for Crate Sportsman Headers (comes w/ 2 elbows / 2 tail pipes - FITS BEY NEDM602)	BEY NEDMTPK602-2.75
Tail Pipe Kit for Crate Sportsman RUSH SERIES LEGAL	BEY NEDMTPK602RUSH
Tail Pipe Kit for Crate Sportsman Headers (comes w/ 2 elbows / 2 tail pipes - FITS SCH 1122BCM)	BEY NEDMTPK602SCH
Upswept Tail Pipe Kit for Crate Sportsman - for use with Beyea Headers	BEY NEDMTPKUS602-BEY
W16 Exhaust Pipe Kit for Beyea Headers	BEY NEDMTPK-W16
Upswept Tail Pipe Kit for 358 Brodix Spec Head - for use with Beyea Headers	BEY NEDMTPKUS3-3.5-BEY
Replacement Tail Pipe Only	BEY NEDMTPE-3UL
Replacement Tabs for Tail Pipes	BEY TABS
Replacement Oval Tailpipe Tip Only - 3"	BEY DMTP-3O
Replacement Oval Tailpipe Tip Only - 3 1/2"	BEY DMTP-3.5O

Beyea Modified Torque Plate Inserts


DESCRIPTION	P/N
Torque Plate Insert Kit for 3" Collector	BEY DMTPQ-3
Torque Plate Insert Kit for 3 1/2" Collector	BEY DMTPQ-3.5-3

Henry's Tail Pipe Kits

DESCRIPTION	P/N
Schoenfeld Sportsman Cab Forward Exhaust - 3" Tail Pipe - Does Not Fit Beyea	HEN DMMS3CF-3
Schoenfeld Sportsman Upswept Exhaust - 3" Tail Pipe - Does Not Fit Beyea	HEN DMMS3U-3
Schoenfeld Sportsman Cab Forward Exhaust - 4" Tail Pipe - Does Not Fit Beyea	HEN DMMS3CF
Schoenfeld Sportsman Upswept Exhaust - 4" Tail Pipe - Does Not Fit Beyea	HEN DMMS3U
358 Modified Cab Forward Exhaust	HEN DMMS4CF
358 Modified Upswept Exhaust	HEN DMMS4U
W16 Exhaust - Mounts to Schoenfeld Headers - Includes Mufflers and Tail Pipes	HEN DMMS4W



SBC STREET STOCK HEADERS



Monte Carlo, Grand Prix, Cutlass, Regal

DESCRIPTION	P/N
1 5/8" Primary - 3" Collector	SCH 185
SBC Crossover	SCH 145
SBC 602 Crossover	SCH 145-CM2
602 Crate Engine - 1 5/8" Primary - 3" Collector	SCH 185CM2

MUFFLERS



DESCRIPTION	P/N
3 1/2" Inlet / 3 1/2" Outlet - 8" Long X 5" O.D.	EXT 30835
3" Inlet / 3" Outlet - 12" Long X 5" O.D.	EXT 31230
3 1/2" Inlet / 3 1/2" Outlet - 12" Long X 5" O.D.	EXT 31235

NOTE: SEE PAGE 161 FOR MUFFLER AND TAILPIPE HANGERS

ELBOWS & EXHAUST PIPES



DESCRIPTION	P/N
Turn Out - 3"	SCH 3025
30° Elbow - 3" 6 1/2" x 6 3/4"	SCH 3031
30° Elbow - 3" 15 1/2" X 6"	SCH 3032
3" Turn Down - 10" Length	SCH 3025
34° Elbow - Short Tri-Y - 3"	SCH 30310
42° Elbow - 3"	SCH 3042
45° Elbow - 3"	SCH 3045
90° Elbow - 3"	SCH 3090
Turn Out - 3 1/2"	SCH 3525
23° Turn Out - 3 1/2"	SCH 3523
30° Elbow - 3 1/2"	SCH 3531
45° Elbow - 3 1/2"	SCH 3545
90° Elbow - 3 1/2"	SCH 3590

DESCRIPTION	P/N
24" Long Straight - 3"	SCH 240030
36" Long Straight - 3"	SCH 360030
24" Long Straight - 3 1/2"	SCH 240035
36" Long Straight - 3 1/2"	SCH 360035
3 1/2" O.D. to 3" I.D. Reducer	SCH 3530
3" O.D. to 3 1/2" I.D. Expander	SCH 3035
3" I.D. to 2 1/2" O.D. Reducer	SCH 2530
2 1/2" I.D. to 3" Reducer	SCH 2530ID
W16 Adaptor from Header to Muffler - 3" to 3 1/2"	SCH 304535

GASKETS / PORT COVERS / BOLTS



Header Gaskets

DESCRIPTION	SCHOENFELD	FEL PRO	SCE
SBC 1 5/8" Port Gasket		FEL 1404	
SBC 1 3/4" Port Gasket	SCH 01510	FEL 1405	
SBC Crate Engine Gasket	SCH 01560		
SBC Crate Upswept Gasket	SCH 01562		
SBC Brodix Spec Head	SCH 01570	FEL 1406	
BBC Square Port Gasket	SCH 02510	FEL 1412	
18° BBC Head		FEL 1482	
18° BBC Spread Port		FEL 1409	
3/8" X 3/4" Hex Head Bolt	SCH 3000		
LS1 Round Port - W16 Gasket	SCH 0178		
LS3 - D Port - W16 Gasket	SCH 01783		
LS1 Round Port - Copper - W16 Gasket			SCE 4119

**See Page 135 for
More Header Gaskets**

Port Covers

DESCRIPTION	P/N
SBC Port Cover - Red	BRP 5148
SBC Port Cover - Black	BRP 5148BK
BBC Port Cover - Red	BRP 5127
FORD SVO Port Cover - Red	BRP 5132
18 Degree SBC	BRP 5149

*** Sold Individually ***

**PLAIN AND BLACK ALSO
AVAILABLE**

UNIVERSAL MUFFLER HANGERS



Complete Universal Muffler Mount Kits

DESCRIPTION	P/N
Universal Exhaust Hanger - Saddle Style (sold each) Fits 4 1/2" - 6" Mufflers - clamps to 1 1/2" tubing	BRP 9263
Universal Exhaust Hanger - Hanging Style (sold each) Fits 5" Mufflers - clamps to 1 1/2" tubing	BRP 9266
1 1/2" Aluminum Exhaust Clamp	BRP 9263A
Exhaust Mount Slotted Bar	BRP 9263B



Customizable Muffler Mounts

DESCRIPTION	P/N
1 1/2" Chassis Clamp	BRP 9470
1 1/4" Chassis Clamp	BRP 9471
5" Support Link	BRP 9472
7" Support Link	BRP 9473
Main Saddle (clamp not included) - SEE CLAMPS BELOW	BRP 9474

Muffler Clamps

DESCRIPTION	P/N
Muffler Clamp for 3" Pipe	SFP HC19-325
Muffler Clamp for 3 1/2" Pipe	SFP HC19-350
Muffler Clamp for 4" Pipe	SFP HC19-425
Muffler Clamp for 4 1/2" Pipe	SFP HC19-475
Muffler Clamp for 5" Pipe	SFP HC19-525

UNIVERSAL TAILPIPE HANGERS



DESCRIPTION	P/N
Universal Tailpipe Hanger (sold each) - will fit 3" round or oval tailpipes and mounts to 1 1/4" tubing	BRP 9324

ASSORTED BEND KIT



DESCRIPTION	P/N
1 5/8" Assorted Bent Tubing	SCH MB162
1 3/4" Assorted Bent Tubing	SCH MB175
1 7/8" Assorted Bent Tubing	SCH MB187
2" Assorted Bent Tubing	SCH MB200
2 1/8" Assorted Bent Tubing	SCH MB212



EXHAUST WRAP



DESCRIPTION	P/N
Insulating Wrap - 2" Wide X 50 Feet Long (Avg 100 feet needed)	LON 52-64870
Insulating Wrap - 2" Wide x 50 Feet Long - Woven Fiberglass	ALL 34246

INTERCOMP WIRELESS SCALES



PROFESSIONAL SW777RFX

- Fully Integrated RFX Wireless Technology
- Encryption Ensures Secure Wireless Communication
- USB & RS232 Output
- Certified to 0.1% Accuracy
- 1,500lb (700kg) Pad Capacity
- 6,000lb (2,800kg) System Capacity
- Stores 100 Chassis Setups
- Baseline Setup Recall
- Center of Gravity Calculation
- User Selectable Display Modes
 - Target Tune Feature
- Giant 0.5", Backlit, Display Characters
 - View Any Combination of Scale Pad Weight & Percentage
- 400 hr Average Battery Life in Pads



DESCRIPTION	P/N
Intercomp Professional Wireless Scale System Comes with 4 billet pads, all batteries & chargers, pad storage case, and USB cable for computer.	INT 170126-W

INTERCOMP WIRED SCALES



EZ WEIGH 500

- 1,500lb (700kg) Pad Capacity
- 6,000lb (2,800kg) System Capacity
 - Displays Setups to One Hundredth of a Percent
- Stores 100 Chassis Setups
 - Baseline Setup Recall
- User Selectable Display Modes
 - View ANY Combination of Scale Pad Weight & Percentage
- Center of Gravity Calculation
 - Target Tune Feature
- Certified to 0.1% Accuracy
 - RS232 Output
- Giant 0.5", Backlit, Display Characters

DESCRIPTION	P/N
Intercomp EZ Weigh Wired Scales Comes with billet pads, and cabled indicator	INT 170125

SCALE ACCESSORIES



INT 490197



CRP CHMS


DESCRIPTION	P/N
Intercomp Scale Pad Protective Case (22" X 18" X 16")	INT 490197
Intercomp Scale Pad Laser Leveling System - WORKS ON ALL SCALES	INT 102018
Scale Pad Safety Chock - Stops car from rolling off scales - works with any scale pad that is 15 1/4" X 15 1/4"	BRP 9323
Remote Chassis Ride Height Checker (has built in gauge)	BRP 9240
Frame Height Gauge (with scale pad height built in)	BRP 9364
Chassis Height Measuring System	CRP CHMS



BRP 9323



INT 102018



BRP 9240



BRP 9364

CASTER CAMBER GAUGES

Bubble Caster/Camber Gauge



LON 52-78260

DESCRIPTION	P/N
Aluminum Bubble/Caster Camber Gauge with Magnetic Adaptor - Comes with Plastic Case	LON 52-78260

Digital Angle Gauge



BRP 9316

INT 102144

DESCRIPTION	P/N
HD Digital Angle Gauge in aluminum housing	BRP 9316
Digital Angle Gauge	INT 102144

Dirt Modified / Sportsman Caster Gauge



BRP 9325

NOTE - DIGITAL ANGLE GAUGE SOLD SEPARATELY

DESCRIPTION	P/N
Camber Adaptor - Fits on Steering Arm of Dirt Modified - adapts to BRP 9316 (sold separately)	BRP 9325
HD Digital Angle Gauge in Aluminum Housing	BRP 9316

BILLET ALUMINUM AN WRENCHES



BRP 9434

DESCRIPTION	P/N
Complete double ended AN wrench set - AN 6 -16	BRP 9434
Double Ended AN 6 Wrench	BRP 9434-6
Double Ended AN 8 Wrench	BRP 9434-8
Double Ended AN 10 Wrench	BRP 9434-10
Double Ended AN 12 Wrench	BRP 9434-12
Double Ended AN 16 Wrench	BRP 9434-16

REAR END LASER ALIGNMENT KITS



BRP 9311

DESCRIPTION	P/N
Laser Rear End Checking Tool - Complete kit to check 3" tubes and quad lock rear ends (includes laser pointer)	BRP 9311
Laser String Tool - Pops onto Right Side Frame Rail to Allow Squaring Of Rear End (includes laser pointer)	BRP 9314
Replacement Laser Pointer For BRP 9311 / BRP 9314	BRP 9315

KART LASER ALIGNMENT KITS



BRP 9318

DESCRIPTION	P/N
Deluxe Kart Laser Alignment Kit - Includes 1- rear axle laser adaptor, 1- alignment mirror, 1- laser pointer, 1- BRP 9318 caster/camber gauge and plastic carrying case	BRP 9319
Standard Kart Alignment Kit - Includes 1- rear axle laser adaptor, 1- alignment mirror, 1- laser pointer and plastic carrying case	BRP 9320
Replacement Laser Pointer for BRP 9319 / BRP 9320	BRP 9315
Kart Digital Camber Gauge (comes with BRP 9316 and carrying case)	BRP 9318



BRP 9319



BRP 9320

TOE PLATES



DESCRIPTION	P/N
BRP Aluminum Toe Plates (2 per set)	BRP 9132

TIRE PRESSURE GAUGES

Digital Tire Pressure Gauges



DESCRIPTION	P/N
Digital Tire Pressure Gauge 0 - 99.99 psi	INT 360045
BRP Digital Pressure Gauge 0 - 150psi	BRP 9260

Intercomp Tire Pressure Gauges



DESCRIPTION	P/N
0 - 15 psi - 2" Face	INT 360062
0 - 15 psi - 4" Glow In Dark Face	INT 360058
0 - 30 psi - 4" Glow In Dark Face	INT 360059
0 - 60 psi - 4" Glow In Dark Face	INT 360060

Longacre Tire Pressure Gauge



DESCRIPTION	P/N
0 - 60 psi - 2" Face	LON 52-52004
0 - 60 psi - 2-1/2" Face	LON 52-52003
0 - 30 psi - 2" Face	LON 52-52024
0 - 15 psi - 2" Face	LON 52-52034
0-100 psi Temperature Compensated Gauge	LON 52-53050

TIRE TOOLS



DESCRIPTION	P/N
Intercomp Durometer	INT 360092
BRP Tire Humidity Gauge - comes with case	BRP 9328
BRP Tire Deflator (used to suck air out of tire)	BRP 9243
Tire Tread Depth Gauge	INT 360109
Billet Valve Core Stem Tool	LON 52-50270
Valve Core Tool	ALL 44030

BEAD BREAKERS

ALL 10106



DESCRIPTION	P/N
Wide Jaw Bead Breaker For 15" Wheels	ALL 10106

TIRE GRINDING DISCS

Grinding Discs



DESCRIPTION	P/N
7" 16 Grit Abrasive Tire Grinding Disc - (sold each)	ABR ID00861-0S
7" 16 Grit Abrasive Tire Grinding Disc - (5 pack)	ABR ID00861-0S5
7" Tac-A-Disc - (sold each)	ALL 44183
7" 16 Grit Ventilated Tire Grinding Disc - (sold each)	ALL 44182
8" "Traction Grabber" Tire Grinding Disc	BRT TG
6" "Traction Grabber" Tire Grinding Disc	BRT TG-6
8" 24 Grit Sanding Discs - felt backed (5 pack)	PCR 100-7112

All Discs Have A 7/8" Arbor Hole and fit most 7" Grinders and Buffers

TIRE GRINDERS & ACCESSORIES

Tire Grinder

DESCRIPTION	P/N
Variable Speed Tire Rotator / Grinder - 110V	DGR 1
Sportsman Tire Rotator / Grinder - 110V	DGR SPORTSMAN-II

Tire Grinder Attachments


DESCRIPTION	P/N
Tube Kit For DGR 1 Tire Grinder (sold separate from DGR 1) Bolts on to existing rotator to hold grinder	BRP 9375
Universal Aluminum Grinder Head Kit	BRP 9376

Air Dryers

DESCRIPTION	P/N
Portable Camair Air Dryer Unit	CAM CT-30P
Tune-Up Kit for CAM CT-30P (new style)	CAM DC-30
Replacement Hose	CAM DS-20
Humidity Indicator	CAM DS1-1
Tune Up Kit - (old style)	CAM TUK-10

Tire Rollout Fixture

DESCRIPTION	P/N
Fixture for Measuring Tire Roll Out (diameter)	BRP 9241
10' Tire Tape Measure	BRP 40



DGR 1



BRP 9241



BRP 40

BICKNELL DRY AIR SYSTEM



BRP 9527

Moisture in a racing tire is your enemy. It causes contamination, unwanted stagger and spring rate changes due to pressure build up. This new system uses a double filter consisting of a special AQUACHEK filter and a series of desiccant beads to double dry your compressed air.

DESCRIPTION	P/N
Compressed Air Dryer Assembly	BRP 9527
Replacement Aquacheck Filter	BRP 9527J
Replacement Dryer Silica Beads	BRP 9527K

TIRE SIPERS & GROOVERS

Van Alstine Tire Groover



VAN V100

DESCRIPTION	P/N
Heavy Duty Tire Groover	VAN V100
Replacement Blades	FLAT
# 3	VAN 3VF
# 4	VAN 4VF
# 5	VAN 5VF
# 6	VAN 6VF
# 8	VAN 8VF
# 10	VAN 10VF
# 12	VAN 12VF

* Replacement Blades Include 12 Blades *

Multi-Blade Tire Siper



ALL 10265

DESCRIPTION	P/N
Tire Siping Tool - Holds 2, 4, or 6 Blades	ALL 10265



ALL 12060

DESCRIPTION	P/N
Tire Marker - White	ALL 12060
Tire Marker - Yellow	ALL 12061

Van Alstine Tire Siper



VAN S-100

DESCRIPTION	P/N
Heated Siping Tool	VAN S-100
Replacement Blades	
24 pc blades	VAN SIPING-BLADE


Holds Up To 13 Blades!

Heated Single Blade Groover



HOO ID125

DESCRIPTION		P/N
Grooving Tool		HOO ID125
Replacement Blades		
SIZE	HEAD	BLADES
#2 - .090"	HOO IDHD02	HOO IDBL02
#3 - .125"	HOO IDHD03	HOO IDBL03
#4 - .215"	HOO IDHD04	HOO IDBL04
#5 - .290"	HOO IDHD05	HOO IDBL05
#6 - .375"	HOO IDHD06	HOO IDBL06



BRP 9355

DESCRIPTION	P/N
Chain Link Tread Pattern Traction Claw	BRP 9354
Block Tread Pattern Traction Claw	BRP 9355

TIRE IMPROVER



DESCRIPTION	P/N
Track Claw Tire Strengthener - 1 Gallon Can	ALL 78110
Fast Track Tire Improver - 1 Gallon Can	ALL 78103
Hot Lap Original Tire Treatment - 1 Gallon Can	PRB 7000TS
Hot Lap II Tire Treatment - 1 Gallon Can	PRB 6000
Pro Blend Tire Cleaner - 1 Quart	PRB 7050
Competitive Edge Tire Improver	ALL 78105

DRILLS & TAPS



FINE THREAD	LEFT HAND P/N	RIGHT HAND P/N
1/4"-28 UNF	BRT TO428L	ALL 11061
5/16"-24 UNF	BRT TO524L	
3/8"-24 UNF	BRT TO624L	ALL 11063
7/16"-20 UNF	BRT TO720L	

DESCRIPTION	P/N
1/8" Double Sided Drill Bit	BRT DED18

FINE THREAD	LEFT HAND P/N	RIGHT HAND P/N
1/2"-20 UNF	ALL 11065	ALL 11064
5/8"-18 UNF	ALL 11067	ALL 11066
3/4"-16 UNF	ALL 11069	ALL 11068

DESCRIPTION	P/N
3/16" Double Sided Drill Bit	ALL 1820A

CORDLESS IMPACT WRENCHES



14.4V - 3/8" Drive Cordless Impact

DESCRIPTION	P/N
ZNEX 14.4V - 3/8" Drive Cordless Impact Gun (comes with carrying case, charger, and 1 battery)	ZNX CI-3140

18.0V - 1/2" Drive Cordless Impact

DESCRIPTION	P/N
ZNEX 18.0V - 1/2" Drive Cordless Impact Gun (comes with carrying case, charger, and 1 battery)	ZNX CI-3181
Replacement 18.0V Battery	ZNX 382062
18V Charger	ZNX 382086

Pit Sockets

DESCRIPTION	P/N
Pit Socket .900" Deep with Spring for 1" Lug nut	BRP 2044
Replacement Spring	BRP 2046
12" Long Steel Pit Socket - for 1" Lug nut (orange)	ALL 10240
3 1/4" Long Pit Socket - for 1" Lug nut	ALL 10232
11" Super Socket - for 1" Lug nut (red)	ALL 10241

ROLLER CHANGE TOOL



DESCRIPTION	P/N
Bob's Tool - Makes Roller Changes Safe and Easy!	BRP 4399
Roller Change Tool - Attaches to most torsion arms for roller changes	BRP 9428

CLECOS & PLIERS / SAFETY WIRE & PLIERS



Clecós & Pliers

DESCRIPTION	P/N
Button Tool (sold each)	MOR 71600
Button Tool (sold each)	ALL 19400
1/8" Clecós (sold each)	LEF 101-19
3/16" Clecós (sold each)	LEF 101-20
Cleco Pliers (sold each)	ALL 18220

Safety Wire & Pliers

DESCRIPTION	P/N
Safety Wire Pliers	ALL 10120
360' Safety Wire	ALL 10121

STOP WATCHES



DESCRIPTION	P/N
Dual Split Stop Watch with MPH	ROB SC-606W

PIT JACKS



Aluminum Pit Jacks & Parts

DESCRIPTION	P/N
3 Pump Aluminum Low Profile Jack	BRU WARRIOR
Dirt Skirt For Aluminum Jack	BRU DS1
Dirt Wings For Aluminum Jack	BRU DIRT-WINGS
Warrior Jack 3 Pump Seal Kit	BRU BRI-036
Warrior Jack Release Valve	BRU BRI-078
Warrior Jack Caster Wheel	BRU BRI-159-1

Bert Air Jacks & Parts

DESCRIPTION	P/N
Bert Air Jack - Dirt Modified Front Jack	BER AJ-1000-F
Bert Air Jack - Dirt Modified Rear Jack	BER AJ-1000-R
Replacement Rubber Only (fits front or rear)	BER AJ-1022
In Car Air Kit (kit to plumb car for air jacks)	SFP JACKKIT

FUEL JUGS & FUNNELS



DESCRIPTION	P/N
5 Gallon Square Jug - Red	SCR 2000R
5 Gallon Square Jug - White	SCR 2000W
5 Gallon Square Jug - Blue	SCR 2000B
5 Gallon Square Jug - Red	VPF 3512
5 Gallon Square Jug - White	VPF 3522
5 Gallon Square Jug - Blue	VPF 3532
5 Gallon Round Jug - Red	VPF 3012
5 Gallon Round Jug - White	VPF 3022
14" Triangle Fuel Funnel	VPF 3081
Funnel Filter	VPF 3091
Replacement Cap for 5 Gallon Jugs	VPF 3042
Jug Spout	VPF 3053
Hand Siphon Fuel Drum Pump	ALL 40114

TRANSPONDERS & RACECEIVERS



NOTE: In order to use any transponder, you must have a subscription to www.mylaps.com. Upon purchasing transponder, you need to login to mylaps to activate the transponder. If you purchase a 1 year subscription, the transponder will stop working after 1 year unless you pay for another year of subscription.

Transponders

DESCRIPTION	P/N
Old Style Transponder Holder	AMB 2502
New Style Transponder Holder (rental transponder)	MYL 40R010CC
X2 Style Transponder Holder	MYL 40R407CC
X2 1 Year Rechargeable Transponder	MYL 10R601
X2 2 Year Rechargeable Transponder	MYL 10R602
X2 5 Year Rechargeable Transponder	MYL 10R605
Kit for Direct Wire Above Transponders	MYL 40R409CC
RC4 Hybrid Transponder (RC Cars)	MYL 10R078
X2 2 Year GO KART Transponder	MYL 10R642
Charger Kit for X260 Transponder	MYL 40R028

1 Way Radio Raceceivers

DESCRIPTION	P/N
Raceceiver - Comes with Clip and Batteries (no earpiece)	RCV 1600
Semi Pro Drivers Earpiece	RCV DEP
Mid Level Drivers Earpiece	RCV EP900R
Replacement Foam For Earpiece (sold in pairs)	RCV EPF
Replacement Radio Holder	RCV HOLSTER
Replacement Battery Cover	RCV BATTERYDOOR
Volume Control	RCV VOL100
2 Way Radio Raceceiver (ACE)	RCV SD1600

CLEANERS / MUDD OFF



DESCRIPTION	P/N
Plexus Plastic Cleaner - 13oz Spray Can	ALL 78200
Mud-X Helmet Cleaner	ALL 78232
Mudd Off Concentrate - Mix 1:12 with watery	MUD 11022

FIRE SUPPRESSION SYSTEMS

NEW PRODUCT


Safecraft's Model LM is completely automatic and can include a manual backup for added protection. Fast-acting thermal sensors attached to Safecraft's unique and flexible all-metal hose targets high-risk areas remotely located away from the cylinder. Multiple sensors with several temperature settings are also available along with various hose lengths.

Size: 10 lb (SFI-Certified)

SFC LM10-JGK-125-48-56 Agent: 3M™ Novec™ 1230 Fire Protection Fluid



CFS 48675096



SFC LT5-AAA

Safecraft Suppression Systems

DESCRIPTION	P/N
10 LB Novec 1230 Thermal Activation Kit - NO BRACKETS	SFC LM10-JGK-125-48-56
10 LB Novec 1230 Thermal Activation Kit - WITH BRACKETS	SFC LM10-JGG
10 LB Novec 1230 Pull Cable Activation - A	SFC LT10-JAA
3 LB Novec 1230 Complete System - Pull Cable Style	SFC LT3-JAA
5 LB Novec 1230 Complete System - Pull Cable Style	SFC LT5-JAA
10 Ft Aluminum 1/4" O.D. Tubing	SFC 54-2001
12 Ft Steel 1/4" O.D. Tubing	SFC 54-2002
Fire Extinguisher Push Knob Assembly	SFC 56-1420
3 LB Replacement Fire Bottle	SFC LT3-AA
Chassis Fire Bottle Mount - For 5 1/4" Safecraft Fire Bottles	BRP 9573


Cold Fire Suppression Systems

DESCRIPTION	P/N
2 Litre fire Suppression Kit	CFS 48675096
1 Litre (32 oz.) Refill Kit	CFS 48675075-32
7 Foot Distribution Tube	CFS 486-75070-7
Chassis Fire Bottle Mount - For 4 3/8" Cold Fire Bottles	BRP 9572


WINDOW NETS



ALL 10288



RJS 10001501



RQP 721005



RQP 723003



RQP 725005



ALL 10219

RJS 100021



BRP 5089

DESCRIPTION	P/N
18" X 24" Ribbon Net - Black - SFI 27.1	RJS 10000401
18" X 24" Ribbon Net - Blue - SFI 27.1	RJS 10000403
18" X 24" Ribbon Net - Red - SFI 27.1	RJS 10000404
18" X 24" Mesh Net - Black - Non SFI	RJS 10000501
Oblong Window Net - Black - SFI 27.1	RJS 10000201
Sprint / Midget / TQ - 4 Point Window Net - Black - Non SFI	RJS 10001401
Sprint / Midget / TQ - 2 Point Window Net - Black - Non SFI	RJS 10001501
18" X 24" Ribbon Net - Black - SFI 27.1	RQP 725005
18" X 24" Ribbon Net - Black - Non SFI	RQP 721005
18" X 24" Mesh Net - Black - Non SFI	RQP 723003
15" X 18" Ribbon Net - Black - SFI 27.1	RQP 726001
15" X 21" Ribbon Net - Black - SFI 27.1	RQP 726002
18" X 18" Ribbon Net - Black - SFI 27.1	RQP 726003
18" X 21" Ribbon Net - Black - SFI 27.1	RQP 726004
21" X 24" Ribbon Net - Black - SFI 27.1	RQP 726007
24" X 24" Ribbon Net - Black - SFI 27.1	RQP 726009
Triangle Window Net - Nylon - Black - NON SFI	RQP 727001
18" X 23" Drag Window Net - Black - SFI 27.1	RQP 729005
15" X 18" Hybrid Net - Adjustable Strap Mounts - Black	RQP 822001
18" X 24" Ribbon Net - Black - SFI 27.0	ALL 12085
Angled Window Net - Border Style - SFI 27.1	ALL 10288
Sprint Window Net - Triangle Wrap Around - SFI 37.1	ALL 10246
Window Net Bar - 26-1/2" x 1/2" Diameter - Spring Loaded	BRP 5089
Window Net Kit - Spring Loaded - Round Bar - 5/8" Dia. Tube	ALL 10219
Window Net Installation Kit - Buckle Style	RJS 100021

DRIVER RESTRAINTS

RJS 11000301



RQP 391002



RJS 11000801

DESCRIPTION	P/N
Arm Restraint Belts - SFI 3.3	RJS 11000301
Helmet Restraint - D Ring Installation	RJS 11000801
Arm Restraint - Non SFI	RQP 391002
Arm Restraint - Jr Dragster - Black - SFI 3.3 (pair)	RJS 11001701

ROLL BAR PADDING

Standard - 1 1/2" Tubing

DESCRIPTION	P/N
Black	BRP BLACK

Hi - Density

DESCRIPTION	P/N
Black	KIR 99031

Hi - Density SFI 45.1 - 1"

DESCRIPTION	P/N
Black - 7/8" to 1-3/8"	KIR 99021
Blue - 7/8" to 1-3/8"	KIR 99023
Black - 1-1/8" to 1-1/2"	ALL 14110
Black - 1-5/8" to 2"	ALL 14111
Black - 1-1/4" to 1-3/4"	ALL 14112

* All Roll Bar Padding Comes In 3 Foot Lengths*

SEAT BELTS & ACCESSORIES

Racequip Seat Belts

RaceQuip



Simpson Seat Belts

SIMPSON



RJS Seat Belts

RJS
RACING EQUIPMENT



Racequip Seat Belts

DESCRIPTION	P/N
5 Point - Latch & Link - Pull Down - Bolt-In/Wrap Around	RQP 711001
5 Point - Latch & Link - Pull Down - HANS ready	RQP 717007
5 Point - Cam Lock - Pull Down - Bolt-In/Wrap Around	RQP 741001
6 Point - Latch & Link - Pull Down - Bolt-In/Wrap Around	RQP 812002
6 Point - Latch & Link - Pull Down - HANS ready	RQP 818008

RJS Seat Belts

DESCRIPTION	P/N
5 Point - Latch & Link - Pull Down - Bolt-In	RJS 1127801
5 Point - Latch & Link - Pull Down - V-type - HANS ready	RJS 1139801
5 Point - Latch & Link - Pull Down - Bolt-In/Wrap Around	RJS 1142201
5 Point - Latch & Link - Pull Down - V-type - Wrap Around	RJS 1220902
5 Point - Latch & Link - Pull Down - Wrap Around	RJS 1220903

Simpson Seat Belts

DESCRIPTION	P/N
5 Point - Latch & Link - Pull Down - Bolt-In - HANS ready	SIM 29063/W30010BK
5 Point - Latch & Link - Pull Down - Wrap Around - HANS ready	SIM 29064BK-30010BK
5 Point - Latch & Link - Pull Down - Bolt-In	SIM 29073BK
6 Point - Latch & Link - Pull Down - HANS ready	SIM 6-POINT

Accessories



DESCRIPTION	P/N
Snap End Seat Belt Floor Mount Kit	RJS 140012
Harness Pads - Black - Flame Retardant	RJS 11001201
Harness Pads - Black - Flame Retardant	RQP 767001

RaceQuip

NOMEX SHOES

RJS
RACING EQUIPMENT

RACEQUIP MID TOP SHOE



RACEQUIP EURO CARBON SHOE



RJS MID TOP SHOE

ALL RACE SHOES
ARE SFI 3.3/5 RATED

Racequip Mid Top Shoes

DESCRIPTION	P/N
MID-TOP SHOE - SIZE 8.0	RQP 30300080
MID-TOP SHOE - SIZE 9.0	RQP 30300090
MID-TOP SHOE - SIZE 10.0	RQP 30300100
MID-TOP SHOE - SIZE 11	RQP 30300110
MID-TOP SHOE - SIZE 12	RQP 30300120
MID-TOP SHOE - SIZE 13	RQP 30300130

Racequip Euro Carbon Shoes

DESCRIPTION	P/N
EURO CARBON SHOE - SIZE 6.0	RQP 30500060
EURO CARBON SHOE - SIZE 6.5	RQP 30500065
EURO CARBON SHOE - SIZE 7.0	RQP 30500070
EURO CARBON SHOE - SIZE 7.5	RQP 30500075
EURO CARBON SHOE - SIZE 8.0	RQP 30500080
EURO CARBON SHOE - SIZE 8.5	RQP 30500085
EURO CARBON SHOE - SIZE 9.0	RQP 30500090
EURO CARBON SHOE - SIZE 9.5	RQP 30500095
EURO CARBON SHOE - SIZE 10.0	RQP 30500100
EURO CARBON SHOE - SIZE 10.5	RQP 30500105
EURO CARBON SHOE - SIZE 11.0	RQP 30500110
EURO CARBON SHOE - SIZE 11.5	RQP 30500115
EURO CARBON SHOE - SIZE 12.0	RQP 30500120

RJS Mid Top Shoes

DESCRIPTION	P/N
MID-TOP SHOE - SIZE 8.0	RJS 500020154
MID-TOP SHOE - SIZE 9.0	RJS 500020155
MID-TOP SHOE - SIZE 10.0	RJS 500020156
MID-TOP SHOE - SIZE 11	RJS 500020157
MID-TOP SHOE - SIZE 12	RJS 500020158
MID-TOP SHOE - SIZE 13	RJS 500020159
MID-TOP SHOE - SIZE 14	RJS 500020160

RJS
RACING EQUIPMENT

GLOVES

RaceQuip

RJS GLOVES



RACEQUIP SINGLE LAYER

RACEQUIP DOUBLE LAYER
w/ suede palms

RACEQUIP BASIC

RACEQUIP DOUBLE LAYER
w/ leather palms

RJS Single Layer

DESCRIPTION	P/N
Single Layer - Small	RJS 600020103
Single Layer - Medium	RJS 600020104
Single Layer - Large	RJS 600020105
Single Layer - XLarge	RJS 600020106

Racequip Basic

DESCRIPTION	P/N
Small - NON SFI	RQP 350002
Medium - NON SFI	RQP 350003
Large - NON SFI	RQP 350005
XLarge - NON SFI	RQP 350006

Racequip Double Layer
w/ leather palms

DESCRIPTION	P/N
Small - SFI 3.3/5	RQP 312002
Medium - SFI 3.3/5	RQP 312003
Large - SFI 3.3/5	RQP 312005
XLarge - SFI 3.3/5	RQP 312006

Racequip Double Layer
w/ suede palms

DESCRIPTION	P/N
X-Small - SFI 3.3/5	RQP 355001
Small - SFI 3.3/5	RQP 355002
Medium - SFI 3.3/5	RQP 355003
Large - SFI 3.3/5	RQP 355005
XLarge - SFI 3.3/5	RQP 355006
2XLarge - SFI 3.3/5	RQP 355007
3XLarge - SFI 3.3/5	RQP 355008

RJS Double Layer

DESCRIPTION	P/N
Double Layer - Large	RJS 600010105
Double Layer - XLarge	RJS 600010106

Racequip Single Layer

DESCRIPTION	P/N
Small - SFI 3.3/1	RQP 351002
Medium - SFI 3.3/1	RQP 351003
Large - SFI 3.3/1	RQP 351005
XLarge - SFI 3.3/1	RQP 351006

NECK BRACES

RJS Neck Braces

DESCRIPTION	P/N
360 Degree - Black - SFI 3.3	RJS 11000401
U Style - Black - SFI 3.3	RJS 11000501
U Style - Red - SFI 3.3	RJS 11000504

Racequip Neck Braces

DESCRIPTION	P/N
360 Degree - Black - NON SFI	RQP 333003
360 Degree - Red - NON SFI	RQP 333013
360 Degree - Blue - NON SFI	RQP 333023
360 Degree - Black - SFI 3.3	RQP 337007
360 Degree - Red - SFI 3.3	RQP 337017
360 Degree - Blue - SFI 3.3	RQP 337027

Youth Neck Braces

DESCRIPTION	P/N
360 Degree - Black	BRK 95-9550
360 Degree - Black - SFI 3.3	RQP 3370097



U STYLE

360°
STYLE

FIRE SUITS

RACEQUIP SINGLE LAYER SUITS



1 Piece - 110 Series - SFI 3.2A/1

Single Layer Fire Suits

DESCRIPTION	P/N
Black - Size Small	RQP 110002
Black - Size Medium	RQP 110003
Black - Size Medium-Tall	RQP 110004
Black - Size Large	RQP 110005
Black - Size XLarge	RQP 110006
Black - Size 2XLarge	RQP 110007
Black - Size 3XLarge	RQP 110008
Red - Size Small	RQP 110012
Red - Size Medium	RQP 110013
Red - Size Medium-Tall	RQP 110014
Red - Size Large	RQP 110015
Red - Size XLarge	RQP 110016
Red - Size 2XLarge	RQP 110017
Red - Size 3XLarge	RQP 110018
Blue - Size Small	RQP 110022
Blue - Size Medium	RQP 110023
Blue - Size Medium-Tall	RQP 110024
Blue - Size Large	RQP 110025
Blue - Size XLarge	RQP 110026
Blue - Size 2XLarge	RQP 110027
Blue - Size 3XLarge	RQP 110028

RaceQuip

RACEQUIP MULTI LAYER SUITS



1 Piece - 120 Series - SFI 3.2A/5

Multi Layer Fire Suits

DESCRIPTION	P/N
Black - Size Smallg	RQP 120002
Black - Size Medium	RQP 120003
Black - Size Medium-Tall	RQP 120004
Black - Size Large	RQP 120005
Black - Size XLarge	RQP 120006
Black - Size 2XLarge	RQP 120007
Black - Size 3XLarge	RQP 120008
Red - Size Small	RQP 120012
Red - Size Medium	RQP 120013
Red - Size Medium-Tall	RQP 120014
Red - Size Large	RQP 120015
Red - Size XLarge	RQP 120016
Red - Size 2XLarge	RQP 120017
Red - Size 3XLarge	RQP 120018
Blue - Size Small	RQP 120022
Blue - Size Medium	RQP 120023
Blue - Size Medium-Tall	RQP 120024
Blue - Size Large	RQP 120025
Blue - Size XLarge	RQP 120026
Blue - Size 2XLarge	RQP 120027
Blue - Size 3XLarge	RQP 120028

RJS
RACING EQUIPMENT

NOMEX UNDERWEAR

RaceQuip

RJS 8001400

RQP 433991

RQP 411992



RJS 8000800

RJS 800010004

RJS 800070003

Beleclavas

DESCRIPTION	P/N
White Slit Beleclava	RJS 8000800
White Beleclava	RJS 8001400
Black Single Layer Beleclava	RQP 433991
Black 2 Layer Beleclava	RQP 433992

Two Piece Underwear

DESCRIPTION	P/N
Nomex Underwear - Medium	RJS 800010004
Nomex Underwear - Large	RJS 800010005
Nomex Underwear - XLarge	RJS 800010006
Nomex Underwear - 2XLarge	RJS 800010007

Socks

DESCRIPTION	P/N
White Socks - Small	RJS 800070003
White Socks - Medium	RJS 800070004
White Socks - Large	RJS 800070005
White Socks - XLarge	RJS 800070006
Black Socks - Small (6-7)	RQP 411992
Black Socks - Medium (8-9)	RQP 411993
Black Socks - Large (10-11)	RQP 411995
Black Socks - XLarge (12-13)	RQP 411996
Black Socks - 2XLarge (14-15)	RQP 411997

HEAD AND NECK RESTRAINTS

HANS III MODEL



Third generation restraint features an all-new design with a hollow collar for reduced weight

ADJUSTABLE MODEL



Adjustable in 5 degree increments from 10 to 40 degrees.

PRO ULTRA MODEL



Hand made with high modulus carbon fiber.

Hans III Model

DESCRIPTION	P/N
Post Anchor - Youth - SFI	HAN DK16217.321SFI
Post Anchor - Size Medium - SFI	HAN DK14237.321SFI
Post Anchor - Size Medium - FIA	HAN DK14237.321FIA
Post Anchor - Size Medium - SAH Helmet - FIA/SFI	HAN DK14237.311FIA/SFI
Post Anchor - Size Medium - No Anchors - FIA/SFI	HAN DK14237.321FIA/SFI
Post Anchor - Size Large - SFI	HAN DK14247.321FIA
Post Anchor - Size Large - FIA	HAN DK14247.321FIA
Post Anchor - Size Large - FIA/SFI	HAN DK14247.311FIA/SFI
Post Anchor - Size Large - No Anchors - FIA/SFI	HAN DK14247.321FIA/SFI
Quick Clip - Youth - SFI	HAN DK16217.421SFI
Quick Clip - Size Medium - SA Helmet - SFI	HAN DK14237.411SFI
Quick Clip - Size Large - SFI	HAN DK14247.421SFI
Quick Clip - Size Large - SAH Helmet - SFI	HAN DK14247.422SFI

Adjustable Model

DESCRIPTION	P/N
Post Anchor - Size Medium - SAH Helmet - FIA/SFI	HAN DK13034.31FIA/SFI
Post Anchor - Size Medium - SA Helmet - FIA/SFI	HAN DK13034.32FIA/SFI
Post Anchor - Size Large - SA Helmet - SFI	HAN DK13044.32SFI
Post Anchor - Size Large - SA Helmet - FIA/SFI	HAN DK13044.32FIA/SFI
Quick Clip - Size Medium - SA Helmet - SFI	HAN DK13034.42SFI
Quick Clip - Size Large - SA Helmet - SFI	HAN DK13044.42SFI


Pro Ultra Model

DESCRIPTION	P/N
Post Anchor - Size Medium - SA/SAH Helmet	HAN DK13235.32FIA/SFI
Post Anchor - Size Large - SA/SAH Helmet	HAN DK13245.32FIA/SFI
Quick Clip - Size Medium - SA/SAH Helmet	HAN DK13235.42SFI
Quick Clip - Size Large - SA/SAH Helmet	HAN DK13245.42SFI

hans

HANS DEVICE SIZING CHART

Neck size is the starting point for fitting a HANS Device



You may fit several sizes - comfort is the deciding factor

Replacement / Accessory Components

DESCRIPTION	P/N
Hans Pro Post & Anchor Kit - SA Helmet - Black	HAN AK1132.12K
Hans Pro Post & Anchor Kit - SA Helmet - Blue	HAN AK1132.12B
Hans Pro Post & Anchor Kit - SA Helmet - Red	HAN AK1132.12R
Hans Pro Post & Anchor Kit - SA Helmet - Silver	HAN AK1132.12S
Gel Padding Kit	HAN K9010
Foam Padding Kit	HAN K9005
Draw String Bag	HAN 23909
Hans Baseball Hat	HAN HAT
Replacement Quick Clip - SAH Helmet	HAN AK1141.1



DRAW STRING BAG




HANS HAT



FOAM PADDING

HANS PRO
POST &
ANCHOR KIT

Available in Black, Blue, Red & Silver

REPLACEMENT
QUICK CLIP ATTACHMENT**Z-TECH SERIES 1A HEAD AND NECK RESTRAINT***Z-Tech Head and Neck Restraint*

DESCRIPTION	P/N
Z-Tech Series 1A Series Head and Neck Restraint - SFI 38.1	ZAM NT001003

ZTECH

Did You Know...

This model has fully adjustable width, arm angle and arm width allowing different body shapes and sizes and can be adjusted to different race vehicles

RACEQUIP HELMETS

RaceQuip



PRO 15 MODEL HELMET

MODEL	COLOR	YOUTH(SFI)	XX-SMALL	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE	2X-LARGE	3X-LARGE
PRO 15	GLOSS BLACK	RQP 2230093	RQP 273000	RQP 273001	RQP 273002	RQP 273003	RQP 273005	RQP 273006	RQP 273007	N/A
PRO 15	GLOSS WHITE	RQP 2231193	RQP 273110	RQP 273111	RQP 273112	RQP 273113	RQP 273115	RQP 273116	RQP 273117	RQP 273118
PRO 15	GLOSS STEEL	RQP 2236693	RQP 273660	RQP 273661	RQP 273662	RQP 273663	RQP 273665	RQP 273666	RQP 273667	N/A
PRO 15	FLAT BLACK	RQP 2239993	RQP 273990	RQP 273991	RQP 273992	RQP 273993	RQP 273995	RQP 273996	RQP 273997	RQP 273998
PRO 15	HOT PINK	RQP 2238893	RQP 273880	RQP 273881	RQP 273882	RQP 273883	RQP 273885	RQP 273886	N/A	N/A
PRO 15	CARBON GRAPHIC	N/A	RQP 273350	RQP 273351	RQP 273352	RQP 273353	RQP 273355	RQP 273356	RQP 273357	RQP 273358



PRO 15 SIDE AIR



PRO 15 TOP AIR



OPEN FACE



VESTA 15



VESTA 15 CARBON

MODEL	COLOR	YOUTH(SFI)	XX-SMALL	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE	2X-LARGE	3X-LARGE
PRO 15 SIDE	GLOSS WHITE	N/A	N/A	N/A	N/A	RQP 291113	RQP 291115	RQP 291116	N/A	N/A
PRO 15 SIDE	FLAT BLACK	N/A	N/A	N/A	RQP 293992	RQP 293993	RQP 293995	RQP 293996	RQP 293997	N/A
PRO 15 TOP	GLOSS WHITE	N/A	N/A	N/A	N/A	RQP 263113	RQP 263115	RQP 263116	N/A	N/A
PRO 15 TOP	FLAT BLACK	N/A	N/A	N/A	RQP 263992	RQP 263993	RQP 263995	RQP 263996	RQP 263997	N/A
OPEN FACE	GLOSS WHITE	N/A	N/A	N/A	RQP 253112	RQP 253113	RQP 253115	RQP 253116	RQP 253117	N/A
VESTA 15	GLOSS BLACK	N/A	N/A	N/A	RQP 283002	RQP 283003	RQP 283005	RQP 283006	RQP 283007	N/A
VESTA 15	PEARL WHITE	N/A	N/A	N/A	RQP 283112	RQP 283113	RQP 283115	RQP 283116	RQP 283117	N/A
VESTA 15	FLAT BLACK	N/A	N/A	N/A	RQP 283992	RQP 283993	RQP 283995	RQP 283996	RQP 283997	N/A
VESTA 15	CARBON FIBER	N/A	N/A	N/A	RQP 92139029	RQP 92139039	RQP 92139059	RQP 92139069	RQP 92139079	N/A

RACEQUIP HELMET SIZE CHART

HELMET SIZE	INCHES	CENTIMETERS	HAT SIZE
Youth***	20 to 20-7/8	51 to 53	6-3/8 to 6-5/8
XX-Small	20 to 20-1/2	51 to 52	6-3/8 to 6-1/2
X-Small	20-7/8 to 21-1/4	53 to 54	6-5/8 to 6-3/4
Small	21-5/8 to 22-1/16	55 to 56	6-7/8 to 7
Medium	22-7/16 to 22-7/8	57 to 58	7-1/8 to 7-1/4
Large	23-1/4 to 23-5/8	59 to 60	7-3/8 to 7-1/2
X-Large	24 to 24-3/8	61 to 62	7-5/8 to 7-3/4
2X-Large	24-13/16 to 25-3/16	63 to 64	7-7/8 to 8
3X-Large	25-1/2+	65+	8-1/8 +

*** Youth SFI Helmets have a smaller, lighter shell and are designed for lower speed youth racing. Measure with a cloth tape around the head about 1" above eyebrows. A snug fit is optimum. Use size in CM for best accuracy the largest measurement you get. Hat sizes are only a guideline and not the most accurate. Inches are rounded to the nearest 1/16. If you are between sizes you must go with the larger size. Add 1 to 1.5 cm for a head sock

HEAVY DUTY HELMET BAG - RQP 300003



* Soft fleece interior * Large, oversize design *
* Nylon handles * Wrap around bag *

Replacement Shields are available.
Please call us with your specific helmet model
for options and availability

BELL HELMETS

BR.1



Available in White or Matte Black

DOMINATOR 2



Available in White or Matte Black

GP3 CARBON



Carbon Fiber

GP3 PRO



Available in White or Matte Black

VADOR



Available in White or Matte Black

GTX.3 CARBON



Carbon Fiber

GTX.3 PRO



Available in White or Matte Black

K.1 PRO



Available in White or Matte Black

M.8 CARBON



Carbon Fiber

M.8 STANDARD



Available in White or Matte Black

RS7 STANDARD



Available in White or Matte Black

RS7 CARBON



Carbon Fiber

SPORT EV



Available in White or Matte Black

SPORT



Available in White or Gloss Black

SPORT MAG OPEN



Available in White, Orange or Black

BR.1 Accessories

DESCRIPTION	P/N
Chin Bar Louver Vent (V.10) - White	BEL 2070031
Chin Bar Louver Vent - Matte Black	BEL 2070032
Side Plate Kit - White	BEL 2070033
Side Plate Kit - Matte Black	BEL 2070034
Side Air Inlet (V.05) White	BEL 2070037
Side Air Inlet (V.05) Matte Black	BEL 2070038
Side Air Inlet (V.10) White	BEL 2070039
Side Air Inlet (V.10) Matte Black	BEL 2070040
Top Air (V.05) White - Fits 1-1/4" Hose	BEL 2070041
Top Air (V.05) Matte Blk - Fits 1-1/4" Hose	BEL 2070042
Top Quick Lock Nozzle (V.10) White	BEL 2022169
Top Air Vent - White	BEL 2022171
Top Air Vent - Matte Black)	BEL 2022172

Forced Air Nozzle Kits

DESCRIPTION	P/N
Forced Air Nozzle Kit (V.05)	BEL 2070061
Forced Air Nozzle Kit (V.05) 20 Degree	BEL 2070062
Forced Air Nozzle Kit (V.05) 45 Degree	BEL 2070063
Forced Air Nozzle Kit (V.05) 90 Degree	BEL 2029519
Forced Air Nozzle Kit (V.10)	BEL 2070065
Forced Air Adaptor - 90 Degree	BEL 2060067

K.1 Pro / GP.2 Accessories

DESCRIPTION	P/N
Top Air Kit (V.10) Clear	BEL 2070004
Top Air Kit (V.10) White	BEL 2070005
Top Air Kit (V.05) Clear	BEL 2070001
Top Air Kit (V.05) White	BEL 2070002
Top Air Kit (V.12) Carbon	BEL 2070003
Chin Bar Vent Plug (V.12) Black	BEL 2060015
Chin Bar Vent Plug (V.12) White	BEL 2060014
GP.2 Air Intake .200mm (V.10) White	BEL 2022184
GP.2 Air Intake .200mm (V.10) Clear	BEL 2022185

Miscellaneous

DESCRIPTION	P/N
Helmet Hose Adaptor - Small to Lrg Hose	BEL 2070066
Bell Fleece Helmet Bag - Black	BEL 2120012
Hans Pro Helmet Bag - Black	BEL 2120014
Self Adhesive Eyeport Foam Kit	BEL 2080002
Rear Helmet Spoiler - Large - Clear	BEL 2050001
Rear Helmet Wicker	BEL 2050002
Shield Sleeve / Cleaning Cloth - Black	BEL 2080013
Rubber Molding Kit (V.10) - Thin	BEL 2090001
Rubber Molding Kit (V.10) - Medium	BEL 2090002



Replacement Shields are available. Please call us with your specific helmet model for options and availability

BELL HELMETS (continued)

BR.1 Helmets

DESCRIPTION	P/N
White - Size Small (57)	BEL 1421001
White - Size Medium (58-59)	BEL 1421002
White - Size Large (60)	BEL 1421003
White - Size XLarge (61+)	BEL 1421004
Black - Size Small (57)	BEL 1421011
Black - Size Medium (58-59)	BEL 1421012
Black - Size Large (60)	BEL 1421013
Black - Size XLarge (61+)	BEL 1421014

Dominator Helmets

DESCRIPTION	P/N
White - Size 7-1/8 (57)	BEL 1312001
White - Size 7-1/4 (58)	BEL 1312002
White - Size 7- 3/8 (59)	BEL 1312003
White - Size 7- 1/2 (60)	BEL 1312004
White - Size 7- 5/8 (61)	BEL 1312005
White - Size 7 - 5/8 PLUS (61+)	BEL 1312006
Matte Black - Size 7-1/8 (57)	BEL 1312011
Matte Black - Size 7-1/4 (58)	BEL 1312012
Matte Black - Size 7- 3/8 (59)	BEL 1312013
Matte Black - Size 7- 1/2 (60)	BEL 1312014
Matte Black - Size 7- 5/8 (61)	BEL 1312015
Matte Black - Size 7 - 5/8 PLUS)	BEL 1312016

GP.3 Carbon Helmets

DESCRIPTION	P/N
Size 7-1/8 (57-)	BEL 1206001
Size 7-1/8 (57)	BEL 1206002
Size 7-1/4 (58)	BEL 1206003
Size 7-3/8 (59)	BEL 1206004
Size 7-1/2 (60)	BEL 1206006
Size 7-5/8 (61)	BEL 1206007
Size 7-5/8 (61+)	BEL 1206008

GP.3 Pro Standard Helmets

DESCRIPTION	P/N
White - Size 7-1/8 (57)	BEL 1313001
White - Size 7-1/4 (58)	BEL 1313002
White - Size 7-3/8 (59)	BEL 1313003
White - Size 7-1/2 (60)	BEL 1313004
White - Size 7-5/8 (61)	BEL 1313005
White - Size 7-5/8 (61+)	BEL 1313006
Matte Black - Size 7-1/8 (57)	BEL 1313011
Matte Black - Size 7-1/4 (58)	BEL 1313012
Matte Black - Size 7-3/8 (59)	BEL 1313013
Matte Black - Size 7-1/2 (60)	BEL 1313014
Matte Black - Size 7-5/8 (61)	BEL 1313015
Matte Black - Size 7-5/8 (61+)	BEL 1313016

GT5 Touring Helmets

DESCRIPTION	P/N
White - Size 7-1/8 (57)	BEL 2153143
White - Size 7-1/4 (58)	BEL 2153144
White - Size 7-3/8 (59)	BEL 2153145
White - Size 7-1/2 (60)	BEL 2153146
White - Size 7-5/8 (61)	BEL 2153147
White - Size 7-5/8 (61+)	BEL 2153148
Matte Black - Size 7-1/8 (57)	BEL 2153153
Matte Black - Size 7-1/4 (58)	BEL 2153154
Matte Black - Size 7-3/8 (59)	BEL 2153155
Matte Black - Size 7-1/2 (60)	BEL 2153156
Matte Black - Size 7-5/8 (61)	BEL 2153157
Matte Black - Size 7-5/8 (61+)	BEL 2153158

GTX.3 Carbon Helmets

DESCRIPTION	P/N
Size 7-1/8 (57-)	BEL 1207001
Size 7-1/8 (57)	BEL 1207002
Size 7-1/4 (58)	BEL 1207003
Size 7-3/8 (59)	BEL 1207004
Size 7-1/2 (60)	BEL 1207005
Size 7-5/8 (61)	BEL 1207006
Size 7-5/8 (61+)	BEL 1207007

K.1 Pro Helmets

DESCRIPTION	P/N
White - Size XXSmall (54-55)	BEL 1420001
White - Size XSmall (56)	BEL 1420002
White - Size Small (57)	BEL 1420003
White - Size Medium (58-59)	BEL 1420004
White - Size Large (60)	BEL 1420005
White - Size XLarge (61+)	BEL 1420006
Matte Black - XXSmall (54-55)	BEL 1420011
Matte Black - XSmall (56)	BEL 1420012
Matte Black - Small (57)	BEL 1420013
Matte Black - Medium (58-59)	BEL 1420014
Matte Black - Large (60)	BEL 1420015
Matte Black - XLarge (61+)	BEL 1420016

M.8 Carbon Helmets

DESCRIPTION	P/N
Size 7-1/8 (57-)	BEL 1208001
Size 7-1/8 (57)	BEL 1208002
Size 7-1/4 (58)	BEL 1208003
Size 7-3/8 (59)	BEL 1208004
Size 7-1/2 (60)	BEL 1208005
Size 7-5/8 (61)	BEL 1208006
Size 7-5/8 (61+)	BEL 1208007

M.8 Standard Helmets

DESCRIPTION	P/N
White - Size XXSmall (54-55)	BEL 1419001
White - Size XSmall (56)	BEL 1419002
White - Size Small (57)	BEL 1419003
White - Size Medium (58-59)	BEL 1419004
White - Size Large (60)	BEL 1419005
White - Size XLarge (61+)	BEL 1419006
White - Size 2XLarge (63-64)	BEL 1419007
White - Size 3XLarge (65-66)	BEL 1419008
White - Size 4XLarge (67-68)	BEL 1419009
Matte Black - XXSmall (54-55)	BEL 1419011
Matte Black - XSmall (56)	BEL 1419012
Matte Black - Small (57)	BEL 1419013
Matte Black - Medium (58-59)	BEL 1419014
Matte Black - Large (60)	BEL 1419015
Matte Black - XLarge (61+)	BEL 1419016
Matte Black - 2XLarge (63-64)	BEL 1419017
Matte Black - 3XLarge (65-66)	BEL 1419018
Matte Black - 4XLarge (67-68)	BEL 1419019

RS7 Carbon (with duckbill) Helmets

DESCRIPTION	P/N
Size 7-1/8 (57)	BEL 1204005
Size 7-1/4 (58)	BEL 1204006
Size 7-3/8 (59)	BEL 1204007
Size 7-1/2 (60)	BEL 1204009
Size 7-5/8 (61)	BEL 1204010
Size 7-5/8 (61+)	BEL 1204011

Sport EV Helmets

DESCRIPTION	P/N
White - Size Small (57)	BEL 1423001
White - Size Medium (58)	BEL 1423002
White - Size Large (59)	BEL 1423003
White - Size XLarge (60)	BEL 1423004
Matte Black - Size Small (57)	BEL 1423011
Matte Black - Size Medium (58)	BEL 1423012
Matte Black - Size Large (59)	BEL 1423013
Matte Black - Size XLarge (60)	BEL 1423014

Sport Helmets

DESCRIPTION	P/N
White - Size Small (57)	BEL 1424001
White - Size Medium (58-59)	BEL 1424002
White - Size Large (60)	BEL 1424003
White - Size XLarge (61+)	BEL 1424004
Gloss Black - Size Small (57)	BEL 1424011
Gloss Black - Size Med. (58-59)	BEL 1424012
Gloss Black - Size Large (60)	BEL 1424013
Gloss Black - Size XLarge (61+)	BEL 1424014
Orange - Size Small (57)	BEL 1424021
Orange - Size Medium (58-59)	BEL 1424022
Orange - Size Large (60)	BEL 1424023
Orange - Size XLarge (61+)	BEL 1424024

Sport Mag Helmets


DESCRIPTION	P/N
White - Size Small (57)	BEL 1426001
White - Size Medium (58-59)	BEL 1426002
White - Size Large (60)	BEL 1426003
White - Size XLarge (61+)	BEL 1426004
White - Size 2XLarge (63-64)	BEL 1426005
White - Size 4XLarge (67-68)	BEL 1426007
Gloss Black - Size Small (57)	BEL 1426011
Gloss Black - Size Med. (58-59)	BEL 1426012
Gloss Black - Size Large (60)	BEL 1426013
Gloss Black - Size XLarge (61+)	BEL 1426014
Gloss Black - Size 2XLrg (63-64)	BEL 1426015
Gloss Black - Size 3XLrg (65-66)	BEL 1426016
Gloss Black - Size 4XLrg (67-68)	BEL 1426017
Orange - Size Small (57)	BEL 1426021
Orange - Size Medium (58-59)	BEL 1426022
Orange - Size Large (60)	BEL 1426023
Orange - Size XLarge (61+)	BEL 1426024
Orange - Size 2XLarge (63-64)	BEL 1426025
Orange - Size 3XLarge (65-66)	BEL 1426026
Orange - Size 4XLarge (67-68)	BEL 1426027

Vador Helmets

DESCRIPTION	P/N
White - Size Small (57)	BEL 1422001
White - Size Medium (58-59)	BEL 1422002
White - Size Large (60)	BEL 1422003
White - Size XLarge (61+)	BEL 1422004
Matte Black - Size Small (57)	BEL 1422011
Matte Black - Size Med. (58-59)	BEL 1422012
Matte Black - Size Large (60)	BEL 1422013
Matte Black - Size XLarge (61+)	BEL 1422014



TEAR OFFS


R RACING OPTICS®

ULTRA•SHIELD
RACE PRODUCTS

Racing Optics (ROP) tear offs sold as 3 stacks of 10 tear offs per package (30 tear offs per package)
 Ultrashield (ULT) tear offs sold as 10 bags of 20 tear offs per bag (200 tear offs per box)

IMAGE	POST SPACING	HELMETS	ROP P/N	ULT P/N
A	11-1/2"	Simpson Voyager, Side Pro Elite	10201C	01201
B	11-1/2"	Simpson Matrix, Sx, Jr Shark, HJC Auto, OMP	10203C	01203
C	11-1/2"	Simpson RX, Super Bandit, Diamond Back, Raider	10204C	01204
D	12-3/8"	Bell BR1, M4, K1, Vortex, Sport, Sport EV, 276, 281, 288 Shield, Pyroprotect, G-Force, Racequip Pro15	10205C	01222
E	11-1/2"	Bell GTX.3, GTX.3 Carbon, GP.3, GP.3 Carbon, GT.5 Touring, SE03/SE05 Shield	10206C	01211
F	12-1/8"	Bell GTX.2, Dominator 2, GP.2, Star GP, Star Infusion, 287 Shield, Zamp FSA/RZ, K.1 Pro, M.8	10208C	01223
G	12-3/4"	Simpson Shark, VUDO, Invader, Valor, Sting Ray, Sidewinder, K10, Devil Ray, Air Enforcer, Voyager Evolution, Impact Air Draft, Super Sport, Spider, Wizard, Euro Sport, 1320, Voyager 2	10209C	01209
H	13"	Simpson Venator, Sparco RF-5W	10210C	01229
I	12-1/4"	Bell Vador, Racequip Vesta 15	10211C	01218
J	11-1/2"	Arai GP, Shoei Bike, Stand 21	10217C	
K	12-3/4"	Arai GP6, SK-6	10218C	01220
L	11-7/8"	Impact Vapor, Air Vapor, Charger, SuperCharger, Draft	10230C	01230
M	11-1/2"	Impact Champ, Nitro, Super Cyclone	10231C	
N	12-7/8"	Bell RS7, HP7, SE07 Shield	10237C	01227

*** DIMENSIONS SHOWN ARE POST SPACING CENTER TO CENTER ***

HELMET FANS AND ACCESSORIES

Helmet Fans and Accessories

DESCRIPTION	P/N
BRP Tornado Helmet Fan - comes with wiring & mounting hardware	BRP 9153
Foam Outer Pre-Filter for BRP Tornado	KNE 25-1480
Replacement Filter For Tornado Helmet Fan (BRP 9153)	ALL 36202
Replacement 2 Pin Weathertight Connector for BRP 9153 / 9300	BRP 9157
44" Hose - 1 1/4" Inlet & Outlet (fits PAR PUMP, BRP 9153, & BRP 9300)	PAR HOSE
BRP Storm Helmet Fan - comes with wiring & mounting hardware	BRP 9300
Replacement Filter for Storm Helmet Fan (BRP 9300 & PAR PUMP)	BRP 9301

NOTE: BRP 9153 / BRP 9300 come standard with mounts for 1 1/4" tubing. Optional mounting blocks for 1 1/2" (BRP 9451) and 1 3/4" tubing (BRP 9452) are also available.



BRP 9153
COMES WITH
HOSE



BRP 9300
COMES WITH
HOSE



RJS 11000601



BRP 9258

DESCRIPTION	P/N
Universal Helmet Skirt	RJS 11000601
Universal Tear Off Posts	ROP 9900
Helmet Hook for 1-1/4" tubing	BRP 9256
Helmet Hook for 1-1/2" tubing	BRP 9256
Helmet Hook for 1-5/8" tubing	BRP 9258
Helmet Hook for 1-3/4" tubing	BRP 9259

KIRKEY SEATS

Kirkey 38 Series
10-20° Layback Seat

SIZE	SEAT P/N	VINYL COVER P/N	TWEED COVER P/N
14"	KIR 38140	KIR 3814001	KIR 3814011
15"	KIR 38150	KIR 3815001	KIR 3815011
16"	KIR 38160	KIR 3816001	KIR 3816011
17"	KIR 38170	KIR 3817001	KIR 3817011
18 1/2"	KIR 38185	KIR 3818501	KIR 3818511
20"	KIR 38200	KIR 3820001	KIR 3820011

Black Vinyl or Black Tweed Seat Cover Available - Sold Separately

Kirkey 55 Series 18°
Layback Drag Seats

SIZE	SEAT P/N	COVER P/N
15"	KIR 55150	KIR 5515011
16"	KIR 55160	KIR 5516011
17"	KIR 55170	KIR 5517011
18.5"	KIR 55185	KIR 5518511
20"	KIR 55200	KIR 5520011

Kirkey 70 Series 20°
Layback Standard Seat

SIZE	SEAT w/ COVER P/N
14"	KIR 70140KIT
15"	KIR 70150KIT
16"	KIR 70160KIT
17"	KIR 70170KIT

Black Tweed Cover Sold as a Kit with Seat

SEAT
ACCESSORIES

Head Supports

DESCRIPTION	RIGHT P/N	LEFT P/N
Head Support	KIR 00100	KIR 00200
Cloth Cover Black	KIR 00111	KIR 00211

Shoulder Supports

DESCRIPTION	RIGHT P/N	LEFT P/N
Shoulder Support	KIR 00500	KIR 00600
Cloth Cover Black	KIR 00511	KIR 00611

Leg Supports

DESCRIPTION	RIGHT P/N	LEFT P/N
Leg Support	KIR 00300	KIR 00400
Cloth Cover Black	KIR 00311	KIR 00411

Lumbar Support

DESCRIPTION	P/N
Lumbar Support	KIR 99020



Seat Mounts

DESCRIPTION	P/N
Rear Seat Mount - Bolt On	KIR 99212
Side Seat Mount - Bolt On	KIR 99214

FITS 09, 16, 36, 38, 39, 41, & 47 Series Seats

Kirkey 79 Series 10° Layback
Modified / Sprint Car
Deluxe Full Containment Seat

SIZE	SEAT w/COVER P/N	SEAT COVER P/N
14"	KIR 79140KIT	KIR 7914011
14 1/2"	KIR 79145KIT	KIR 7914511
15"	KIR 79150KIT	KIR 7915011
15 1/2"	KIR 79155KIT	KIR 7915511
16"	KIR 79160KIT	KIR 7916011
17"	KIR 79170KIT	KIR 7917011

*NOTE - Available With Black Cover Only
Kit comes complete with cover

Kirkey 89 Series 10° Layback
Modified / Sprint Car
Intermediate Containment Seat

SIZE	SEAT w/COVER P/N	SEAT COVER P/N
14"	KIR 89140KIT	KIR 8914011
15"	KIR 89150KIT	KIR 8915011
16"	KIR 89160KIT	KIR 8916011
17"	KIR 89170KIT	KIR 8917011
18"	KIR 891800KIT	KIR 8918011

*NOTE - Available With Black Cover Only
Kit comes complete with cover



DESCRIPTION	P/N
89 Series Rear Seat Clamps - sold each - requires 2	MFG KIR011

DIRTCAR SEAT SPACERS



DESCRIPTION	P/N
DIRTcar Seat Plate (bolts to bottom of aluminum seat for protection)	BRB 49
1" Bottom Seat Spacer (pre-drilled and powder coated black)	CHA131
1 1/2" Bottom Seat Spacer (pre-drilled and powder coated black)	CHA132
2" Bottom Seat Spacer (pre-drilled and powder coated black)	CHA132-1



PANEL FASTENERS

Did You Know...

BRP cars require: 186 short buttons,
28 medium buttons, and 25 long
buttons.



DIAMETER	DESCRIPTION	MATERIAL	P/N SHORT GRIP LENGTH - .450"	P/N MEDIUM GRIP LENGTH - .500"	P/N LONG GRIP LENGTH - .650"
5/16"	Oval Head - Slotted Button	STEEL	BRB 99		
7/16"	Oval Head - Slotted Button	STEEL	BRB 100	BRB 101	BRB 102
7/16"	Oval Head - Slotted Button	ALUMINUM	BRB 100A	BRB 101A	BRB 102A
7/16"	Oval Head - Winged	STEEL		BRB 104	
7/16"	Large Oval Head - Slotted	STEEL	BRB BIG100	BRB BIG101	BRB BIG102
7/16"	Large Oval Head - Slotted	ALUMINUM	BRB BIG100A	BRB BIG101A	BRB BIG102A

SEE PAGE 166 FOR BUTTON DRIVERS

Buttons are Sold Individually or in Quantities 10, 25, 50 and 100.

PANEL FASTENER SPRINGS



DESCRIPTION	P/N
1 3/8" Center to Center Spring - use with 7/16" buttons	BRB 105
1" Center to Center Spring - use with 5/16" buttons - .275" Grip	BRB 114
1" Center to Center Spring - use with 5/16" buttons - .323" Grip	BRB 115

Springs are Sold Individually or in Quantities 10, 25, 50 and 100.

SELF EJECTING BUTTONS



DESCRIPTION	P/N
5/16" Self Ejecting Button	BRB 111
5/16" Winged Self Ejecting Button	BRP 111-1
7/16" Self Ejecting Button	BRB 113
Ludwig Clamp (sold in packs of 4)	ALL 18232

Buttons are Sold Individually or in Quantities 10, 25, 50 and 100.

PANEL FASTENER PLATES



DESCRIPTION	P/N
Steel Weld Plate for 5/16" Buttons - sold each	BRB 98
Standard Steel Weld Plate for 7/16" Buttons - sold each	BRB 107
Lightweight Steel Weld Plate for 7/16" Buttons - sold each	BRB 108L

Plates are Sold Individually or in Quantities 10, 25, 50 and 100.

GUSSETS AND CAPS



DESCRIPTION	P/N	DESCRIPTION	P/N
1/8" Steel Gusset (package of 10)	ALL 22194	Heavy Duty Weld On Dzus Plate & Spring	BRB 8210.075-6375
1/8" Steel Gusset (package of 25)	BRP 1550	Standard Weld On Dzus Plate & Spring	BRB 8210-6375
1/8" Steel Gusset (package of 100)	ALL 22194-100	Lightweight Dzus Plate & Spring	BRB 8225-6375
Aluminum Cap for 1 1/2" X .120" Wall Tubing (sold each)	BRP 700		
Aluminum Cap for 1 1/2" X .095" Wall Tubing (sold each)	BRP 702		
Plastic Cap for 1" X .095" Wall Tubing (sold each)	BRP CAPC32U1		
Plastic Cap for 1 1/4" X .095" Wall Tubing (sold each)	CHA177CAP		
Plastic Cap for 1 1/2" X .140" Wall Tubing (sold each)	CHA 100BOC		



TIE WRAPS




QTY - 100
14 1/4" Long

COLOR	P/N
Black	ALL 14125
Red	ALL 14127
Blue	ALL 14129
Yellow	ALL 14137

RIVETS

NOTE: ALL RIVETS COME IN BOXES OF 250

Rivets



BRB 1725

Did You Know...

"Ultimate" rivets are just like regular rivets, but they feature some of the latest technology to make them better! They don't require a backup washer, they are able to fill oversized holes, and have a large blind side foot print so the riveted materials stay tighter! Definitely a MUST in any racers toolbox!

1/8" SMALL HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
	BRB 1825				

3/16" SMALL HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1025	BRB 725	BRB 1925	BRB 825		BRB 925

3/16" SMALL HEAD "ULTIMATE" RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1025-URR	BRB 725-URR	BRB 1925-URR	BRB 825-URR	BRB 525-URR	BRB 925-URR

3/16" LARGE HEAD RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1225	BRB 1125	BRB 1525	BRB 1725	BRB 1425	BRB 1625

3/16" LARGE HEAD "ULTIMATE" RIVETS

WHITE	SILVER	BLACK	RED	BLUE	YELLOW
BRB 1225-URR	BRB 1125-URR				

BACKUP WASHERS

DESCRIPTION	P/N
Package of 500 3/16" Backup Washers	ALL 18202
Package of 500 1/8" Backup Washers	ALL 18200

ALUMINUM SHEETS



4' X 8' Sheet - .032" Thick

COLOR	P/N
White	BRB 920091

4' X 8' Sheet - .040" Thick

COLOR	P/N
White	BRB 920139
Black	BRB 920117

4' X 10' Sheet - .040" Thick

COLOR	P/N
White	BRB 920140
Red	BRB 920111
Black	BRB 920118
Yellow	BRB 920504

4' X 8' Sheet - .050" Thick

COLOR	P/N
White	BRB 920189M
Red	BRB 920292
Black	BRB 920294
Yellow	BRB 920416
Chevron Blue	BRB 920426
X-Red	BRB 920309

4' X 10' Sheet - .050" Thick

COLOR	P/N
White	BRB 920190M
Red	BRB 920293
Black	BRB 920295
Matte Silver	BRB 920212

4' X 12' Sheet - .050" Thick

COLOR	P/N
White	BRB 920208
Black	BRB 920296

4' X 8' Sheet - .063" Thick

COLOR	P/N
Tread Brite	BRB 920748

4' X 10' Sheet - .063" Thick

COLOR	P/N
Mill Finish	BRB 920240
Tread Brite	BRB 920749

ROLL AND SHEET PLASTIC

Sheet Plastic - 4' X 8' X .100" Thick

COLOR	P/N
White	ALL 22460
Black	ALL 22461
Red	ALL 22462
Chevron Blue	ALL 22464
Yellow	ALL 22466

Roll Plastic - 24" Wide X .070" Thick

COLOR	10' ROLL P/N	25' ROLL P/N	50' ROLL P/N
Black	ALL 22400	ALL 22401	ALL 22402
White	ALL 22405	ALL 22406	ALL 22407
Red	ALL 22410	ALL 22411	ALL 22412
Yellow	ALL 22425	ALL 22426	
Blue	ALL 22415	ALL 22416	

Did You Know...

NOTE- Roll plastic has a thickness of .070", while sheet plastic has a thickness of .100"

DUCT TAPE



COLOR	P/N
Red	ISC RT3001
Blue	ISC RT3002
Yellow	ISC RT3003
Black	ISC RT3004
Silver	ISC RT3005
White	ISC RT3006

COLOR	P/N
Orange	ISC RT3008
Purple	ISC RT3010
Pipe Thread Tape	ISC 950990

HOOD PIN KITS



ALL 18512



BRP 5130



BRP 5141



BRP 5138

DESCRIPTION	P/N
Steel Pin with 3/16" Flip Clip (kit of 2)	ALL 18512
Aluminum Pin with Hair Pin Clip (kit of 2)	BRP 5128
Aluminum Pin with 3/16" Flip Clip (kit of 2)	BRP 5129
Plain 1/2" Aluminum Pin Only (sold each)	BRP 5130
Chrome 3/16" Flip Clip Only (sold each)	BRP 5138
Chrome Hair Pin Clip (sold each)	BRP 5140
Scuff Plate Only (sold each)	BRP 5141
Hood Pin Jam Nut (sold each - 2 required)	BRP 784

MODIFIED / SPORTSMAN HOOD PIN KITS



BRP 9508B



BRP 9508A



BRP 5138

DESCRIPTION	P/N
Complete Hood Pin Kit - Includes front hold down flap, 4 pins, and 4 hood pin clips	BRP 9508
Replacement hood pin clip	BRP 5138
Replacement hood pin	BRP 9508A
Replacement front slip fit hold down	BRP 9508B

BALLAST CLAMPS / BALLAST WEIGHT



Round Tubing

DIAMETER	P/N RED	P/N BLACK
1"	BRP 5113	BRP 5113BK
1 1/8"	BRP 5114	BRP 5114BK
1 1/4"	BRP 5115	BRP 5115BK
1 1/2"	BRP 5117	BRP 5117BK
1 5/8"	BRP 5118	BRP 5118BK
1 3/4"	BRP 5119	BRP 5119BK



Square Tubing


COLOR	P/N
1 1/2" X 1 1/2" - Plain	BRP 5121
2" X 2" - Red	BRP 5122
2" X 3" - Red	BRP 5123



DESCRIPTION	P/N
Ballast Weight Bar (comes with red clamps) Bolts Between Rear Shock Towers	BRP 5112
Ballast Weight Bar (comes with black clamps) Bolts Between Rear Shock Towers	BRP 5112BK
Lead Ballast Weight (40 pounds)	BRP 5124-40

Did You Know...
All ballast mount clamps use
a 1/2" C bolt to mount lead.
They have tapped holes on both
clamp halves!

BICKNELL BODY MOUNTS



DESCRIPTION	STD	LW
RIGHT SIDE DOOR MOUNTS		
Right Straight Door Mount	BRP 7106S	BRP 7106SCM
Right 45° Door Mount	BRP 7106	BRP 7106CM
LEFT SIDE DOOR MOUNTS		
Left Straight Door Mount	BRP 7105S	BRP 7105SCM
Left 45° Door Mount	BRP 7105	BRP 7105CM
RIGHT QUARTER MOUNTS		
Standard Right Quarter Mount	BRP 7104	BRP 7104CM
Heavy Duty Right Quarter Mount	BRP 9592	
Syracuse Right Quarter Mount	BRP 7104SYR	
Spring Steel Quarter Panel Mount	BRP 7096 (2)	
Aluminum Angle Mount For Spring Steel	BRP 7097	
LEFT QUARTER MOUNTS		
Standard Left Quarter Mount	BRP 7103	BRP 7103CM
Heavy Duty Left Quarter Mount	BRP 7103HD	
Syracuse Left Quarter Mount	BRP 7103SYR	
Spring Steel Quarter Panel Mount	BRP 7096 (2)	
Aluminum Angle Mount For Spring Steel	BRP 7097	

NOTE - 2 spring steel and 1 angle iron required for each side.

NOTE - 2 spring steel and 1 aluminum angle mount is required for each side.

DESCRIPTION	P/N
ROOF MOUNTS	
Front Roof Mount	BRP 7108
Rear Roof Mount	BRP 7109
Front Roof Mount Extension	BRP 7112
NOSE MOUNTS	
STD Left Nose Mount (4" long)	BRP 7110
STD Right Nose Mount (1.75" long)	BRP 7110R
Offset Left Nose Mount (3" long)	BRP 7210
Offset Right Nose Mount (2.75" long)	BRP 7210R
Replacement Nose Mount Pocket (standard front nose)	MFG CHA106
Replacement Nose Mount Pocket (1 1/2" raised front nose)	MFG CHA106-1.5

SEE PAGE 187 FOR
TUBULAR BRACING DOOR
AND QUARTER PANEL
MOUNTS

BICKNELL CRASH GUARDS



DESCRIPTION	STD	STD CHROME	LW	LW CHROME
FRONT BUMPERS				
STD Front Bumper	BRP 464*	BRP 464C	BRP 464CM*	BRP 464CMC
STD Front Bumper - TALL	BRP 464T*	BRP 464TC	BRP 464TCM*	BRP 464TCMC
1 1/2" Raised Front Bumper	BRP 464-1.5*	BRP 464-1.5C	BRP 464-1.5CM*	BRP 464-1.5CMC
1 1/2" Raised Front Bumper - TALL	BRP 464T-1.5*	BRP 464T-1.5C	BRP 464T-1.5CM*	BRP 464T-1.5CMC
3" Raised Front Bumper	BRP 464-3*			
3" Raised Front Bumper - TALL	BRP 464T-3*			
REAR BUMPERS				
Rear Bumper	BRP 7111*	BRP 7111C	BRP 7111CM*	BRP 7111CMC
RIGHT SIDE BUMPERS				
Std Right Side Bumper	BRP 7101*	BRP 7101C	BRP 7101CM*	BRP 7101CMC
Heavy Duty Right Double Rail Bumper	BRP 7098*	BRP 7098C		
Double Rail Right Side Bar	BRP 7129	BRP 7129C		
LEFT SIDE BUMPERS				
Std Left Side Bumper	BRP 7102*	BRP 7102C	BRP 7102CM*	BRP 7102CMC
Heavy Duty Left Double Rail Bumper	BRP 7099*	BRP 7099C		
Double Rail Left Side Bar	BRP 7128	BRP 7128C		
INNER SIDE BAR MOUNTS				
Middle Inner Side Bar Hoop	BRP 447*		BRP 447CM*	
Rear Inner Side Bar Post	BRP 7100*		BRP 7100CM*	
Right Side Tie Bar (ties 447 to 7100)	BRP 7114*			
Left Side Tie Bar (ties 447 to 7100)	BRP 7113*			

Side Bar Collar - MFGCHA148

Color Codes

- 01 - White
- 02 - Red
- 03 - Black
- 04 - Blue
- 05 - Yellow
- 06 - X Red
- 07 - Silver
- 08 - Gray

*Powder Coated Crash Guards and Body Mounts
Also Available. Add Color Code to End Of Part Number.

EXAMPLE - BRP 7111-03


Rear Crash Guard Powder Coated Black

CRASH GUARD PINS




DESCRIPTION	P/N
Side Bar Quick Pin (sold each)	BRP 1527

Option 1



Bare Chassis
NO body mounts or bumpers

Option 1 Plus



Bare Chassis
with all mounts & care package
No Bumpers

Option 2



Option 2 - Chassis
with white body installed &
all bumpers & body mounts

Option 3

Chassis with white body installed, all bumpers & body mounts (OPTION 2)
& ALL PARTS LISTED BELOW IN KIT FORM

Option 3

Option 3 Std Parts List - PARTS AVAILABLE IN RED OR BLACK

QTY	PART#	Description
2	BRC 170-1526BK	Front Billet 1000 series Bicknell calipers
1	BRC 310-0085	Bicknell Premium brake balance bar assembly
1	BRC 190-0426	PREVENT Brake Line Kit with RF Control valve / includes all steel lines, flex hoses & fittings
<i>Option BRC 190-0425 brake line kit with No shut off</i>		
2	BRC 170-5010	Radial mount brake caliper for .810" brake rotor
2	BRP 9487	Radial mount bracket (9488 for 10.875" or 9487 for 11.75"
1	BRP 42L8K	Front Brake Line Guard
1	BRP 42R8K	Front Brake Line Guard
4	BRP 50	Rear Rotor Bolt Kit for Smart tube hubs 8 POINT BOLTS
2	BRP 65W	3/8" Waved Lite weight front Brake rotors
1	BRP 162BK	Steering Wheel Quick Release
4	BRP 181-1A	Slider Collars for T/A (Note : 4 used for 9115 rods)
1	BRP 209BK	Left Ford Steering Arm
1	BRP 211BK	Right Ford Steering Arm
1	BRP 215BK	Centre steering side mounts
2	BRP 263BK	Alum. Torsion Bar Stops
2	BRP 264B	Brass torsion bar bushings (Used only on 2 bearing torsion racks)
1	BRP 274-6BK	Center Mount
1	BRP 292	Rear motor Plate
1	BRP 304	Left side engine mount
1	BRP 325	Right front engine plate-----for SMALL BLOCK
<i>Option BRP 327 Big Block RF plate</i>		
1	BRP 408-3	Chassis Bolt Kit
1	BRP 410R-2	Gas Pedal rod
1	BRP 410R-3	Complete SMALL BLOCK throttle link kit to carb 14.375" to 15.375"
<i>Option BRP 410R-4 Big Block</i>		
1	BRP 411-3	Brake Pedal
1	BRP 4340-10BK	Brake Pedal Rod
1	BRP 414	Aluminum gas pedal
1	BRP 417S	STEEL Rubber floor slider plate
1	BRP 419	Front T/A Pick Up Slider Rod
1	BRP 424BL	Rubber Torque Arm Mount
<i>Option BRP 9425 Triple biscuit pick up</i>		
2	BRP 432	Torque arms -3 degree
<i>Option BRP 426 torque arms (ZERO DEGREE)</i>		
1	BRP 563B	Power Steering Reservoir
1	BRP 578-1	52" Power steering pressure line for PRO Gear
1	BRP 582	Power Steering Return Hose Kit
1	BRP 778	5/16 R.H. Jam Nut (gas pedal rod)
1	BRP 779	5/16 L.H. Jam Nut (gas pedal rod)
1	BRP 781	3/8 L.H. Jam Nut (brake Rod)
10	BRP 786	5/8 R.H. Jam Nut
10	BRP 787	5/8 L.H. Jam Nut
1	BRP 1150BK	Rear Panhard Rod
1	BRP 1210BK	Front Panhard Bar
2	BRP 1505BK	Front Axle Brackets
4	BRP 1533	Torsion Bearings (only require 2 on 2 bearing torsion racks)
4	BRP 1535	Torsion Spacers (only require 2 on 2 bearing torsion racks)
1	BRP 1598-24	24 GALLON FUEL CELL BOX
1	BRP 1623BK	Front Panhard Axle Mount
1	BRP 1626	Rear end STEEL Panhard mount
1	BRP 1646	Front Driveshaft Hoop
1	BRP 1647	Rear Driveshaft Hoop
20	BRP 2051AD	5/8 Course Wheel Nuts-----ALUMINUM
1	BRP 3005B	BIG BLOCK BEARS Solid Rear Axle
1	BRP 3060B	BIG BLOCK BEARS Solid Rear Axle
<i>Option BRP 3205G & 3260G Gundrill Strange axles</i>		
1	BRP 4403	Torsion Arm Safety Bolts
1	BRP 4549BK	Cockpit adjustable rear pan hard mount
1	BRP 4552	Panhard Support Bracket
2	BRP 4588	Front Aluminum Billet Large bearing light weight spindles
1	BRP 5032-10BK	#10 fuel filter
1	BRP 5112BK	Ballast weight bar kit with 4 ballast mounts
4	BRP 6225	Front and rear hub seals
4	BRP 6230	Large bearing Spindle nuts
1	BRP 7119-1X2	Tall cage window screen
1	BRP 9020	Transmission driveline cover guard for BERT 1200 transmission
1	BRP 9020-4	Transmission driveline COVER PLATE FOR SHIFTER HOLE
1	BRP 9044	9044 is GME right side steering center mount (9045 = Profile)
1	BRP 9047BK	Shock slider safety collars
1	BRP 9053BK	Front 1.25" rad mounts-----PACKAGE OF 2 PARTS
2	BRP 9060BK	Heavy duty rear shock sliders
2	BRP 9115	Slider rods for the rubber floor assembly
1	BRP 9143LBK	Front 1.5" shock mount with top stud shock mount
1	BRP 9143RBK	Front 1.5" shock mount with top stud shock mount
2	BRP 9327	Torsion bearing cover boots
1	BRP 9360	Left rear 7075 torsion arm
1	BRP 9361	Right rear 7075 torsion arm
2	BRP 9363	Front brake line axle clamps
2	BRP 9382REM	Front 3 Bolt hub with cap WITH REM BEARINGS (use BRP 65W 3 bolt rotor -----BRP 9384 adaptor
2	BRP 9383REM	Rear 5 Bolt Big Block WITH REM BEARINGS Billet hubs (use 9385 5 to 8 bolt adaptor with 9386 Floater kit)
1	BRP 9400	Front rad screen kit (includes 2 BRP 9053BK clamps)
1	BRP 9425	Triple biscuit torque arm center pick up
1	BRP 9508	Hood pin kit
1	BRP 9509	SHORT Heavy duty Pitman arm for quick steer gear-----OPTION 227BK
4	BRP RR25S	Front Chrome Moly radius rods
1	BRP RR 271/2 BK	Left Rear Radius Rod
1	BRP RR 28 BK	RIGHT Rear Radius Rod
1	BRP RR 48 1/2S	Tie rod-----CHROME MOLY
1	BRP RR 66BS	Drag Link Bent-----CHROME MOLY
1	BRP EC520C	Front Axle (POWDER PAINTED AXLES AVAILABLE)
1	BRP 9465	Left rear Quad lock birdcage-----degree forward timing
1	BRP 9466	Right rear Quad lock birdcage-----degree forward timing
2	BRP 9381	3 Bolt rear drive flange
2	BRP 9385	5 bolt to 8on7 brake rotor adaptor plate (can use BRP 9386 floater kit)
2	BRP 9386	BRAKE FLOATER KIT 8on7 (also requires BRP 9385)
2	BRP 9390	Front caliper bracket-----for BRP 4588 / 9215 with BRP 65W rotor using 9382 hub
2	BRP 9392	Front bearing preload spacer kit
2	BRP 9393	Rear bearing preload spacer kit
1	TRC A200022CE	TORCO Transmission fluid for BERT 1 LITRE
1	BER 300-CF-NFC	Inboard bellhousing-----NO FLYWHEEL-----NO COUPLER
1	BER 332	Big Block starter
1	BER SG-1200	Generation II open transmission-----no shifter
1	BER 078-SG	Remote shifter assembly for BER1200 tranny
1	BER 164-S	925 Torsion bar
1	BER 165-S	950 Torsion bar
1	BRE 1051R	5/16 R.H. Male Gas Rod
1	BRE 1051L	5/16 L.H.
1	BRE 1061L	3/8 L.H. Brake Rod
3	BRE 5101R	5/8-5/8 R.H. Male Rod end
3	BRE 5101L	5/8-5/8 L.H. Male Rod End
1	BRE 2101L	5/8-5/8 L.H. Male Prec. For Tie Rod End
1	BRE 2101R	5/8-5/8 R.H. Male Prec. For Tie Rod end
2	BRE 5081R	5/8-1/2 R.H. Male
2	BRE 5081L	5/8-1/2 L.H. Male
4	BRE 7101R	5/8-1/2 R.H. Male-----ALUMINUM
4	BRE 7101L	5/8-1/2 L.H. Male-----ALUMINUM
1	BRW 10M4AB	LEFT FRONT
1	BRW 12M5AB	RIGHT FRONT
1	BRW 13M3AB	LEFT REAR
1	BRW 14M3AB	RIGHT REAR
2	BRP 32BK	BEAD LOCK
2	BRP 32-2BK	SOLID MUD LOCK RING
4	BRP 41	VALVE STEM
3	CHO 4059K	600 degree brake fluid
1	CT1-412-SG-QL	4.86 DMI Magnesium center section & REM Super G R&P with Quad lock TUBES
<i>Option CT1-486-SG-QL</i>		
1	FUE RB224-1	24 Gallon fuel cell-----comes with filler top-----with BRP 9442 dip stick
3	XRP 340008	#8 Blue push lock cell vent hose
1	XRP 239008	90 Degree #8 Push lock fitting
1	KNE 62-1010	Vent Filter for Fuel cell
1	GAU 5110-01	Quantum O.P.N.T.J. Switches & Accessory Dash Panel With GAUK001 HARNESS INCLUDED
1	GAU 5091	Remote starter PUSH button for firewall
1	GAU 6000	2 pin MSD coil wiring harness
1	GAU 6004	Car wire harness to MSD 64316 box (removable chip style)
<i>Option GME GA591850NH 9:1 Aluminum quick steer gear-----USE 9509 OR 227BK pitman arm</i>		
<i>Option PROFILE PRO Aluminum gear (Use BRP 221BK in place of BRP 9509)</i>		
<i>Option PROFILE BOX190 Steel gear (Use BRP 221BK in place of BRP 9509)</i>		
1	MSD 6430	MSD 6ALN Big Block Ignition box-----Remote chip style
<i>Option MSD 64316 for 358</i>		
<i>Option MSD 8727CT for Sportsman 602 Crate</i>		
1	MSD 8252	Blue ignition coil
2	BSC 500-30416	Oil cooler
1	XRP 993205	1/2" Pipe plugs for oil cooler
1	CHA 227	Oil cooler Mount for left side rail
1	HO0 14131D300	Left front soft tire
1	HO0 14151D300	Right front soft tire
1	HO0 14176D300	Left rear SHORT tire 88" chalk
1	HO0 14229D300	Right rear TALL tire 95.5" chalk mark
<i>Option HO0 14229D400 Harder tire</i>		
1	KBP 303A	#10 Aluminum Fuel line kit-----Blue hose-----For filter on top of cell
1	KIR 00021	Steering Wheel Padding
2	KIR 99021	SRI High density roll bar padding
1	KIR 99150KIT	Kirkey 10 degree Fully contained 15" racing seat with Padding
1	CHA 132	Seat spacer 1.5" BOTTOM
1	LON 52-56801	15" Dished Steering Wheel
1	PAT 5	Pats CROSS FLOW LIGHT WEIGHT 18.6" radiator
1	BRB 7	Bicknell aluminum 2" deep fan shroud
1	LON 52-75265	29" to 31" Rad cap
1	PCR 310-2512-160MX	12" Front coil spring
1	PCR 310-2512-225MX	12" Front coil spring
2	PCR 310-40170	Standard front Integra shocks-----ALUMINUM
1	PCR 310-40190L	Left rear Standard Integra shock-----ALUMINUM
1	PCR 310-40190R	Right rear Standard Integra shock-----ALUMINUM
2	BRP 9052	Integra coil over kits
1	PCR 310-30336	Thread protector for Threaded body shocks
1	BRP 997BK	Front coil spring assist collars
1	PCR 310-3006-005	Take up springs
1	PFR 7757.11.12.44	Front 11 series brake pads
1	PFR 7754.13.16.44	Rear 13 series brake pads
1	PFR 299.20.0045.01	Left rear directional brake rotor 11.75"
1	PFR 299.20.0045.02	Right rear directional brake rotor 11.75"
1	SIM 29063/W30010BK	Simpson seat belts-----3" lap and 2" shoulder for HANS
1	STG DDM103-20	19-5/8" 32 SPLINE DRIVESHAFT
1	STG DYM205	BILLET STEEL TRANSMISSION YOE
1	STG DYM225	BILLET STEEL REAR PANION YOE
2	STG DYM235	BILLET STEEL 32 SPLINE DRIVESHAFT SLIP YOE
2	STG U1612HD	DRIVESHAFT 1310 U-BOLT STRAP KIT (2 REQ)
2	STG U1644	1310 DRIVESHAFT U-JOINT (2 REQ)
1	TP 1500	800 CCA 31# Battery
1	TP CK-BRP-01	Complete + and - Heavy duty battery cable kit
1	TP GK-BRP-02	Engine ground wire kit
1	BRP 9467	Master Switch PROTECTOR for Total Power #TP75904-01
1	GAU 6020	Master Switch by pass wire for remote ON / OFF SWITCH
1	BRP 9152	Rear end filler
1	XRP 234510	45 degree #10 Push On Fitting
1	XRP 230010	Straight #10 Push On Fitting
2	XRP 340010	#10 push on XRP hose for rear end filler
1	XRP 980009	DMI Side bell filler plug for DMI rear ANB o ring MALE to AN10 MALE

(Other kit options available - Contact your dealer for more information)

BICKNELL CHASSIS UPGRADES

UPGRADE #	DESCRIPTION
1	Powder paint Chassis (and body mounts with bumpers if ordered) Standard colours of paint = White, Black, Red, Blue, Gray, Orange
2	Upgrade Powder paint to Yellow, Clear, or Met Silver
3	Upgrade Powder Candy colour 2 coat / Candy Blue, Purple, Silver, Red, Flour orange
4	Tall Roll Cage (2" taller than stock)
5	Driver back 3" from stock
6	Removable front shock towers
7V2	Rubber floor chassis upgrade (includes bolt in rubber floor, 8-2208G, & tie rod)
7V3	Rubber floor chassis upgrade (includes 4-2208G)
9	4 bearing torsion rack (only available with Split rack)
10	Left panhrad mount & short link slug
11	Rear frame knock outs CHA142L and 142R
16C	Double rail side bars (BRP 7128 & 7129) in place of 7101 & 7102
16D	Double rail side bar left (BRP 7128 & 7101 right)
17	Chrome bumper package
26	Complete Coloured Body
27	Coloured Exterior Body Panels or Coloured Wings & Deck
28	Coloured fiberglass / scoop, cowl, wheel tub and roof
29B	Add front & rear door bracing BRB 2952 & 2953
29C	Add 2 BRP 7121, 2 BRP 7122, 7123, 7124, 2 BRP 7125 installed with dzus buttons
29D	Aluminum Dzus buttons
30	Powder painted front spoiler
38	BRB2960, 2961, 2962 SPOILER Fairing (3 dzus to front of spoiler)
36	Powder painted Door posts
37	Louver floor pan
BRP 9508	Hood pin kit (installed with car order)



Option 4

COMPLETE ROLLING CHASSIS WITH ALL PARTS LISTED IN
OPTION 3, OR UPGRADE ANY COMPONENTS TO YOUR LIKING.




2019 BODY DIAGRAM

Standard options on this diagram:

- 2" tall cage
- standard floor
- 3" driver back
- 2" deep rear deck

USE BRB LINE CODE UNLESS OTHERWISE NOTED



BICKNELL RACING PRODUCTS WILL NOT BE RESPONSIBLE FOR MIS-ORDERED BODY PANELS



BICKNELL
RACING PRODUCTS

2019 Body Diagram REV 001

OPTIONAL BODY PANELS

ALL BODY PANELS ARE MADE FROM .050" ALUMINUM


WHEN ORDERING PANELS / FIBERGLASS
ADD THE FOLLOWING COLOR OPTION:

01-WHITE 02- RED
03- BLACK 04- BLUE
05- YELLOW 06- X RED
07 MATTE SILVER (WINGS & DECK ONLY)
09 - ORANGE (OUTER DOORS & QUARTERS ONLY)


ie. BRB 2921L-03 (BLACK)

Note- Serial number is required when ordering
panels / fiberglass to ensure proper fit.


OPTIONAL SAIL PANELS




OPTIONAL 2014 - 2019 STANDARD REAR DECK




2014 - 2019 2" DEEPER REAR DECK



OPTIONAL 2013 - 2019 HIGH V HOOD



OPTIONAL LATE MODEL PLASTIC



ALUMINUM FRONT SPOILERS

Aluminum Wedge Style



Requires BRP 7110, BRP 7110R Nose Mounts

Aluminum Flat Style - 1" Offset



Requires BRP 7210, BRP 7210R Nose Mounts

Aluminum Ledge Style - 1" Offset



Requires BRP 7210, BRP 7210R Nose Mounts


DESCRIPTION	END PLATE HEIGHT	P/N
STD Nose - Wedge Style	14"	BRP 2950
1 1/2" Raised Nose - Wedge Style	12 1/2"	BRP 2950-1.5

DESCRIPTION	END PLATE HEIGHT	P/N
STD Nose - Flat Style - OFFSET 1"	15"	BRB 2012FSPOILER
1 1/2" Raised Nose - Flat Style - OFFSET 1"	13 3/4"	BRB 2012FSPOILER-1.5

DESCRIPTION	END PLATE HEIGHT	P/N
Flat Nose- Ledge Style	14"	BRB 2013
1 1/2" Raised Nose - Ledge Style	12 1/2"	BRB 2013-1.5

Note- Serial number is required when ordering noses to ensure proper nose for chassis

FRONT NOSE SKIRTING



DESCRIPTION	P/N
Nose Skirting Main Plate	BRB 2960-XX
Nose Skirting Back Plate (Plain Aluminum Only)	BRB 2961
Nose Skirting Plastic	BRB 2962-XX


01 = WHITE 04 = BLUE
02 = RED 05 = YELLOW
03 = BLACK 06 = X-RED

RADIATOR TIN

DESCRIPTION	P/N
Left Lower Radiator Air Deflector	BRB 16-54L
Right Lower Radiator Air Deflector	BRB 16-54R
Left Upper Radiator Deflector	BRB 16-55L
Right Upper Radiator Deflector	BRB 16-55R
Bottom Radiator Deflector (trim to fit depending on radiator placement)	BRB 16-56
Top Radiator Deflector (trim to fit depending on radiator placement)	BRB 16-57
3.25" Radiator Tray	BRB 12-24
5" Radiator Tray	BRB 2324
Front Radiator Screen Kit (comes with bolts and clamps)	BRP 9400

Did You Know...

The lower radiator deflector (BRB 16-56) bolts to the chassis, and has notches for the front radiator screen. The screen then clamps to the upper bar with the supplied clamps!



SEE PAGE 185 FOR RADIATOR MOUNTS AND CLAMPS



DOOR STIFFENERS AND TUBULAR BRACING

Tubular Door Bracing Supports

ALL TUBULAR BRACING IS POWDER COATED BLACK



WHEN ORDERING DOOR / QUARTER STIFFENERS-
ADD THE FOLLOWING COLOR OPTION


01 - WHITE 02 - RED 03 - BLACK 04 - BLUE
05 - YELLOW 06 - XRED 07 - MATTE SILVER

ie. BRB 2952-03

DESCRIPTION	P/N
Left / Right Front Strut - Front Rolled Down Front Wings (21 13/16" Long)	BRP 7121
Left / Right Front Strut - Front Flat Front Wings (18" Long)	BRP 7121S
Left / Right Middle Strut - All Wings (18 3/4" Long)	BRP 7122
Left Door Horizontal Brace (71 3/8" Long)	BRP 7123
Right Door Horizontal Brace (70 7/8" Long)	BRP 7124
Rear Quarter Window Strut - All Wings (25" Long)	BRP 7125
Left / Right Front Strut - Front Rolled Down Front Wings with 2" Tall Doors (22 5/8" Long)	BRP 7121-2
Left / Right Front Strut - Front Rolled Down Front Wings with 3" Tall Doors (23" Long)	BRP 7121-3
Left / Right Middle Strut - All Wings with 2" Tall Doors (19 3/4" Long)	BRP 7122-2
Left / Right Middle Strut - All Wings with 3" Tall Doors (20 1/16" Long)	BRP 7122-3
2" Deep Rear Deck Brace Kit (Includes H Brace and 2 struts)	BRP 7130
STD Rear Deck Brace Kit (Includes H Brace and 2 struts)	BRP 7132

NOTE- All measurements are actual tube lengths, not center to center dimensions and are for identifying parts

Door / Quarter Edge Stiffeners



DESCRIPTION	P/N
Left / Right Front Edge Door Stiffener (installs on front edge of door) sold each	BRB 2952
Left / Right Rear Quarter Panel Stiffener (installs on rear edge of quarter) sold each	BRB 2953

Aluminum Door & Quarter Panel Braces

DESCRIPTION	P/N
Aluminum Front Door Brace - Flat Style Wings - 22 1/2" Long	BRB 2003FDB
Aluminum Front Door Brace - Down Style Wings - 25 3/4" Long	BRB 2009FDB
Aluminum Left Side Middle Door Brace - 23" Long	BRB 2003MDB
Aluminum Door To Quarter Panel Brace - 12" Long	BRB 2003DTQPB
Aluminum Rear Quarter Panel Brace - 22" Long	BRB 2003QPB

Wing & Roof Supports




DESCRIPTION	P/N
Right Front Wing Support	BRP 7126
Left Front Wing Support	BRP 7127
Bolt On Body Brace Clamp	BRP 9457
Roof Mount Support (also requires BRP 9457 Body Brace Clamp)	BRP 9477

Did You Know...

All BRP body panels are CNC punched or laser cut from .050" aluminum.
We did this for accuracy and repeatability, and every panel will fit exactly the same.
We also stock all standard panels in the standard 6 colors.
Choose BRP body panels!



CHASSIS PART LIST



SEE PAGE 189-192 FOR MORE CHASSIS PART #'S



BICKNELL
RACING PRODUCTS

**NOTE: SEE PAGE 190 FOR RADIUS
ROD MOUNTS AND SLUGS**

2002 to Present Midrail Chassis Parts List

When Ordering chassis parts, please advise sales staff of serial number of chassis being repaired. The serial number

STD NOSE- CHA 149
1 1/2" RAISED NOSE - CHA 151

SEE PAGE 192

CHA 168

Diagonal Chassis Bar
(goes between CHA 152 & 138L)
CHA 128

STEEL REPAIR SLEEVES

1 1/2" X .095" Wall - CHA 90
1 1/2" X .120" Wall - (Use 1 1/4" X .095" Wall)
1 1/4" X .095" Wall - CHA 136
1 1/4" X .065" Wall - CHA 114

1 1/4" - CHA 127
1" - CHA 263

1 1/4" - CHA 126
1" - CHA 264

BRP 1547
brake line tab

STD NOSE- CHA 150
1 1/2" RAISED NOSE - CHA 152

1 1/2" - CHA146L
1" - CHA 266

CHA 65

CHA 100-1L

CHA 123

CHA 75

CHA 54

CHA 100BOF

SEE PAGE 192

CHA 168

CHA 217

STD NOSE - CHA 138L
1.5" RAISED - CHA 138L-1.5

CHA 118

STD NOSE - CHA 74
1.5" RAISED - CHA 74-1.5

CHA 111

CHA 100-1R

CHA 87

RIGHT - CHA 63-10
LEFT - CHA 63-11

CHA 75

CHA 100BOF-2018

CHA 170

1 1/4" - CHA 127
1" - CHA 263

1 1/2" - CHA146R
1" - CHA 265

AA 028C

STD - CHA 199
HS STYLE - CHA 278-2018

CHA 528

CHA 106
CHA 106-1.5

CHA 517

1 1/4" - CHA 126
1" - CHA 264

STD NOSE - CHA 138R
1.5" RAISED (2019) - CHA 138R



STD NOSE - CHA 74
1.5" RAISED - CHA 74-1.5

For 2019 complete welded front floor "X"
PT # - CHA 218-2019
Made from the following:

1- CHA 217
1- CHA 118
1- CHA 278-2019

For 2018, use CHA 218HS-2018
or CHA 218 for no hockey stick

CHASSIS PART LIST CONT'D




CHASSIS PART LIST CONT'D

Right Rear Radius Rod Mount


9" X 7" Battery box - CHA 63-9X7
9 3/4" X 5" Battery box - CHA 63-9.75X5
10 1/4" X 7" Battery box - CHA 63-10.25X7

Lower Seat Plate - CHA 67
Seat Bar - CHA 223
3" back seat bar - CHA 223-3
Rear Seat Mount - CHA 70



DESCRIPTION	P/N
Complete Welded Right Rear Radius Rod Tree - Non Tapped Slugs	CHA 139
Complete Welded Right Rear Radius Rod Tree - Tapped Slugs	CHA 139T


Left Rear Radius Rod Mount



DESCRIPTION	P/N
Complete Welded Left Rear Radius Rod Bar - Non Tapped Slugs	CHA 53
Complete Welded Left Rear Radius Rod Bar - Tapped Slugs	CHA 53T


CHASSIS PART LIST CONT'D

Front Radius Rod Post




DESCRIPTION	P/N
Complete Left Front Radius Rod Post - Non Tapped	CHA 50L
Complete Left Front Radius Rod Post - Tapped	CHA 50LT
Complete Right Front Radius Rod Post - Non Tapped	CHA 50R
Complete Right Front Radius Rod Post - Tapped	CHA 50RT

Bolt On Style



Weld On Style




Bolt On Shock Tower Tops

DESCRIPTION	P/N
Aluminum Bolt On Shock Tower Top - Std Length	BRP 9262
Aluminum Bolt On Shock Tower Top - 1" Longer	BRP 9431
Steel Bolt On Shock Tower Top - Std Length	CHA 100BO

CHASSIS FRONT CLIPS

2019 Style Front Clips



DESCRIPTION	P/N
Shock Towers Forward Clip with Mid-Rail. No Radius Rod Posts, No Diagonal Brace, or Any Floor Parts. No Uprights front of 2 X 4. Has Bolt On Shock Towers.	BRP FCLIP1-1.5BO-2019
Shock Towers Forward Clip with Mid-Rail. No Radius Rod Posts, No Diagonal Brace, or Any Floor Parts. No Uprights front of 2 X 4. Has Welded On Shock Towers.	BRP FCLIP1-1.5-2019
Radiator Forward Clip with Mid-Rail. No Radius Rod Posts, No Diagonal Brace, or Any Floor Parts. Has Uprights front of 2 X 4. Has Bolt On Shock Towers.	BRP FCLIP2-1.5BO-2019
Radiator Forward Clip with Mid-Rail. No Radius Rod Posts, No Diagonal Brace, or Any Floor Parts. Has Uprights front of 2 X 4. Has Weld On Shock Towers.	BRP FCLIP2-1.5-2019
Complete Front Clip Less 2 X 4. Comes Complete with Floor, Radius Rod Posts, and bracing. Has Bolt On Front Shock Towers.	BRP FCLIP3-1.5-BO-2019
Complete Front Clip Less 2 X 4. Comes Complete with Floor, Radius Rod Posts, and bracing. Has Weld On Front Shock Towers.	BRPFCLIP3-1.5-2019

NOTE: 2019 Front Clip Requires CHA 278-2019

**ALL CHASSIS PARTS ARE ALSO AVAILABLE
INDIVIDUALLY - SEE PAGES 188-192**




Partial Rear Clips

DESCRIPTION	P/N
Rear Upper Clip - Includes rear bar, 4 pockets, 2 upright posts, and all panel fastener tabs and is completely welded and ready to install	BRP RCLIP1


FLOOR SLIDERS

Standard Floor Slider




DESCRIPTION	P/N
Standard Floor Slider Assembly	CHA 99H
Front 45° 1 1/4" Brace (2 required)	CHA 120
Left Rear 45° 1 1/4" Brace	CHA 121
Right Rear 45° 1 1/4" Brace	CHA 119
Slider Rod For STD Floor (2 required)	BRP 421
Rubber Biscuit Assembly	BRP 424BL
Floor Slider	BRP 417S
Lock Collar (2 Required)	BRP 181-1A
HS Style Front Brace (2 Required)	CHA 274
HS Style Rear Brace (2 Required)	CHA 275

VER 2 Rubber Floor



DESCRIPTION	P/N
Ver 2 Rubber Floor Cross Brace Kit	CHA 185
Ver 2 Front Cross Brace Only	CHA 185-1
Ver 2 Rear Cross Brace Only	CHA 185-2
Left Side Brace (Add 'DROP' for drop rail)	CHA 295
Right Side Brace	CHA 296
Weld On Saddle	CHA 187
Slider Rod For Ver 2 (2 Required)	BRP 9115
Rubber Biscuit Assembly	BRP 424BL
Floor Slider	BRP 417S
Lock Collar (4 Required)	BRP 181-1A
Replacement Saddle Bolt (4 Required)	BOL 082505C
Replacement Rubber Bushing (8 Req)	BRP 2208G
Replacement Clevis Tab (2 Required)	A-A 409A

VER 3 Rubber Floor



DESCRIPTION	P/N
Ver. 3 Rubber Floor Slider Assembly	BRP CHA99HV3
HS Style Front 1 1/4" Brace (2 Required)	CHA 274
HS Style Rear 1 1/4" Brace (2 Required)	CHA 275
Slider Rod For Ver 3 (2 Required)	BRP 9115
Rubber Biscuit Assembly	BRP 424BL
Floor Slider	BRP 417S
Lock Collar (4 Required)	BRP 181-1A
Replacement Rubber Bushing (4 Req)	BRP 2208G
STD Style Front Brace (2 Required)	CHA 120
STD Style LR Brace	CHA 121
STD Style RR Brace	CHA 119
Aluminum 2208G Bushing Replacement	CHA 221


SEE PAGES 42-43 FOR MORE INFO

SET-UP STANDS



DESCRIPTION	P/N
Left Front Set-up Block - 4 7/16" tall	BRP 1553
Right Front Set-up Block - 3 11/16" tall	BRP 1552
Left Rear Set-up Block - 4 1/4" tall	BRP 1538
Left Rear Drop Rail Setup Stand - 5 3/4" tall	BRP 9570
Right Rear Set-up Block - 3 3/4" tall	BRP 1539

CHASSIS PARTS



DESCRIPTION	P/N
Battery Hold Down For Modified Chassis	BRP 1541
Throttle Cross Shaft For Modified Chassis	BRP 409
Throttle Rod - goes from peddle to cross shaft (12 1/2" - 5/16" F tap)	BRP 410R-2
Aluminum Floor Mounted Billet Gas Pedal with Roller Bearings	BRP 9374
Steel Flat Foot Style Gas Pedal	BRP 413
Aluminum Flat Foot Style Gas Pedal	BRP 414
22 and 24 gallon Fuel Cell Straps (sold in pairs)	BRP 1542
32 Gallon Fuel Cell Straps (sold in pairs)	BRP 1543
DIRTCar Syracuse LEGAL Fuel Cell Straps (sold in pairs)	BRP 1540

RAD MOUNTS



DESCRIPTION	P/N
Full Containment Rad Mount Kit	BRP 1508FC
Full Containment Left	BRP 1508L
Full Containment Right	BRP 1508R
Full Containment Top	BRP 1508T



DESCRIPTION	P/N- RED	P/N- BLACK
New Style Clamp On Radiator Mount (sold in packs of 2)	BRP 9053	BRP 9053BK
5" Wide Upper Radiator Mount	BRP 1508	
3 3/4" Wide Upper radiator Mount	BRP 1508-1	
Upper Radiator Extension Post	BRP 1508E	
Clamp On Radiator Mount (sold each)	BRP 1576	
Lower Rad Tray	BRB 2324	
5" Backset Billet Clamp On Rad Mount (sold in packs of 2)	BRP 9342	
Rubber Mounted Rad Mount (sold each)	BRP 9476	


CHASSIS BOLT KITS



Fits 2000 - To Current Mid Rail Chassis

DESCRIPTION	P/N
Complete Chassis Bolt Kit	BRP 408-3
Front End Bolt kit	BRP 408-5

WINDOW SCREENS



DESCRIPTION	P/N
Heavy Duty Window Screen (.120" Thick Wire) - 26 1/2"W X 11 1/4"T	BRP 7107BHD
Tall Cage Window Screen (.120" Thick Wire) - CHROME	BRP 7119C
Tall Cage Window Screen (.120" Thick Wire) - 26 1/2" X 13 1/2" WITH 1" X 1" HOLES	BRP 7119
Tall Cage Window Screen (.120" Thick Wire) - 26 1/2" X 13 1/2" WITH 1" X 2" HOLES	BRP 7119-1X2

Did You Know...

All window screens have 1" X 1" holes (except 7119-1X2) and are powder coated black for a durable finish. The 7119 is also available in chrome!

MINI / TQ SPINDLES

Note: Spindles, King Pins and King Pin Shims Sold Separately



Use 3006 Hub

DESCRIPTION	P/N
7° Alum. Spindle / Steel Snout	BRP 2990
5/8" King Pin	BRP 4155
Replacement Bushing	BRP 4153
Replacement Snout	BRP 2990S
Castle Nut	BRP 4151
King Pin Shim - 5/8" X .150"	BRP 4156
King Pin Shim - 5/8" X .125"	BRP 4156-1



Use 3006 Hub

DESCRIPTION	P/N
7° Alum. Spindle / Steel Snout	BRP 2994
11/16" King Pin	BRP 2996
Axle Eye - 1.125"dia. X 1.75" long	BRP 2997
Replacement Bushing	BRP 2991
Replacement Snout	BRP 2995
Castle Nut	BRP 4151



Use 3006 or 4146 Hub

DESCRIPTION	P/N
10° Alum. Spindle / Steel Snout	BRP 4152HD
5/8" X 3.650" King Pin	BRP 4155
Replacement Bushing	BRP 4153
Replacement Snout	BRP 4154
Spindle Castle Nut	BRP 4151
King Pin Shim - 5/8" X .150"	BRP 4156
King Pin Shim - 5/8" X .125"	BRP 4156-1
Left Front Steering Arm	BRP 4158
Right Front Steering Arm	BRP 4159



Use 4188 Hub

DESCRIPTION	P/N
10° Alum. Spindle / Steel Snout	BRP 4191
5/8" X 3.850" King Pin	BRP 4194
Replacement Bushing	BRP 4153
Replacement Snout	BRP 4192
Nylock	BOL 163F
King Pin Shim - 5/8" X .150"	BRP 4156
King Pin Shim - 5/8" X .125"	BRP 4156-1
Snap Ring	BRP 4193
Axle Eye	BRP 4163

MINI / TQ ALUMINUM HUBS



DESCRIPTION	P/N
4 ON 4" Alum. Hub - 1/2" F Studs	BRP 3006
Dust Cap	BRP 3007
Outer Bearing	SUP LM11949
Outer Race	SUP LM11910
Inner Race	SUP L44610
Inner Bearing and Seal	BRP 2999



DESCRIPTION	P/N
4 ON 4" Alum. Hub - 1/2" F Studs	BRP 4188
Replacement Inner/Outer Bearing	BRP 4148
Replacement Stud	BRP 4190
1/2" C Narrow Nylock	BOL 083C
1/2" F Flanged Whiz Nut	BRP 4150
Outer Race	SUP LM 11910



DESCRIPTION	P/N
4 On 4" Alum. Hub Only	BRP 4146
Inner Bearing	BRP 4148
Outer Bearing	BRP 4149
Dust Cap	BRP 3007

DIRECT MOUNT WHEEL CENTERS



DESCRIPTION	P/N
Front Aluminum Hub (fits BRP 4152HD hub)	BRP 4144



DESCRIPTION	P/N
Front Aluminum Hub (fits BRP 4191 hub)	BRP 4189



DESCRIPTION	P/N
Splined Aluminum Hub (fits all micro splined axles)	BRP 4131

1 1/4" REAR KEYED STEEL AXLES

DESCRIPTION	P/N
1 1/4" X .250" Wall 4130 Steel Keyed Axle - Available in the following lengths: 44", 46", and 48"	BRP 4097-length
1 1/4" X .188" Wall 4130 Steel Keyed Axle - Available in the following lengths: 35", 38", 40", 42", and 44"	BRP 4321-length

KEYED HUBS AND ROTORS

Rotors



DESCRIPTION	P/N
3/16" Rotor - 4 on 3" bolt Steel 8" diameter	BRP 4177
3/16" Drilled Rotor - 4 on 3" bolt Steel - 9 1/2" Diameter	BRP 4178

6 on 5 1/4" Sprocket Hubs



DESCRIPTION	P/N
1 1/4" Split Sprocket Hub	BRP 4128
1 3/8" Split Sprocket Hub	BRP 4129

4 on 4" Wheel Hubs



DESCRIPTION	P/N
1 1/4" Split Hub with 1/2" F Studs	BRP 4134
1 3/8" Split Hub with 1/2" F Studs	BRP 4135
1 1/2" Split Hub with 1/2" F Studs	BRP 4136

REAR SPLINED MICRO SPRINT AXLE

1 5/8" - 27 Spline " Gundrilled Aluminum Axles



LENGTH	RH SPLINE LENGTH	LH SPLINE LENGTH	P/N
51" Long Splined Aluminum Axle	8 1/2"	14"	MFG LAF007

Micro Sprint Axle Spacers



Splined		Non Splined	
WIDTH	P/N	WIDTH	P/N
1/2"	BRP 4114-1	1/8"	BRP 4094
1"	BRP 4114-3	1/4"	BRP 4094-1
2"	BRP 4114-6	3/8"	BRP 4094-2
		1/2"	BRP 4094-3
		3/4"	BRP 4094-4
		1"	BRP 4094-5
		1"	BRP 4094-5R
		1 1/2"	BRP 4094-6
		2"	BRP 4094-7
		2 1/2"	BRP 4094-8
		3"	BRP 4094-9
		3 1/4"	BRP 4094-10
		3 3/4"	BRP 4094-11
		4"	BRP 4094-12
		5"	BRP 4094-13
		6"	BRP 4094-14

DESCRIPTION	P/N
Splined Bearing Insert	BRP 4115
Splined Bearing Insert - Wide	BRP 4116
Taper Spacer to Seat Nut	BRP 4113



Micro Sprint Hubs & Sprockets



DESCRIPTION	P/N
4 on 4" Splined Hub for 15° Nut	BRP 4106



DESCRIPTION	P/N
4 on 4" Splined Hub for 30° Nut	BRP 4105



DESCRIPTION	P/N
Splined Rotor Mount (Uses BRP 4177 & 4178 Rotor)	BRP 4108



DESCRIPTION	P/N
Splined Sprocket Hub - 6 on 5 1/4" 1.200" Wide with 1/4" F mounting holes	BRP 4126



DESCRIPTION	P/N
Splined Sprocket Hub - 6 on 5 1/4" 1.200" Wide with 1/4" F mounting holes	BRP 4126-1



Micro Sprint Axle Nuts

DESCRIPTION	P/N
15° Taper Right Hand Nut (Stallard)	BRP 4110
15° Taper Left Hand Nut (Stallard)	BRP 4111
30° Taper Right Hand Nut	BRP 4110-1
30° Taper Left Hand Nut	BRP 4111-1
Flat End Right Hand Nut (Lafier)	BRP 4109
Flat End Left Hand Nut (Lafier)	BRP 4109-1

MINI SPRINT AXLE

Aluminum Axle Spacers

LENGTH	P/N
1/4"	BRP 2909
1/2"	BRP 2909-1
5/8"	BRP 2909-2
1"	BRP 2909-3
1.5"	BRP 2909-5
2"	BRP 2909-6
2 1/2"	BRP 2909-7
3"	BRP 2909-10

Tapered Spacers

DESCRIPTION	P/N
Tapered Cone Spacer	BRP 2894
Female Taper to Flat Spacer	BRP 2908

Bearing Inserts

DESCRIPTION	P/N
Aluminum Insert For 2910 Bearing	BRP 2905
Double Insert For BRP 2910 Bearing	BRP 2907
Single Insert For BRP 2910-1 Bearing	BRP 2906

Sprocket Hubs

DESCRIPTION	P/N
6 on 5 1/4" Sprocket or Brake Hub (Hench Style) - Brake Hub for 31 spline axle and Hyper 046-142 rotor	BRP 2935

Pin Splined Hubs

DESCRIPTION	P/N
4 on 4" Splined Hub with 1/2"F Studs	BRP 2930
Replacement 1/2"F Stud	BRP 2932
4 on 4" Hub with Drive Pins	BRP 2936
4 on 4" Pressure Plate	BRP 2936-1
3/8" Nylock for replacement Pin	BRP 2917

Rear Axle Nuts

DESCRIPTION	P/N
1 7/8" Right Hand Axle Nut	BRP 2892
1 7/8" Left Hand Axle Nut	BRP 2893

BIRDCAGE BEARINGS

DESCRIPTION	P/N
6011 Bearing for Use with BRP 2941	BRP 2910
6211 Bearing for Use with BRP 2906	BRP 2910-1

MINI SPRINT ROTORS

DESCRIPTION	P/N
Drilled Rotor -10" Diameter Steel X .320" Thick (2" Spline)	BRP 63
Drilled Rotor - 10" Diameter Aluminum X .375" Thick (2" Spline)	BRP 63A

WING SLIDER

DESCRIPTION	P/N
Aluminum Wing Slider for 1" Tubing	BRP 4175

TORSION ARMS

TORSION STOPS

DESCRIPTION	P/N
7/8" Broach Aluminum Torsion Stop	BRP 2962
3/4" Broach Aluminum Torsion Stop	BRP 4172

DESCRIPTION	BROACH	P/N
5/8" Torsion Arm Blank	3/4"	BRP 4170
1/2" Thick X 15 1/2" Long Torsion Arm Blank	3/4"	BRP 4164
5/8" Thick X 15 1/2" Long Torsion Arm Blank	7/8"	BRP 4165-1

BRP SPINDLE HOUSING



DESCRIPTION	P/N
Aluminum Spindle Housing	BRP 4337
Adjustable King Pin Assembly (sold each)	BRP 4338
Weld On Spindle Plate (sold each)	BRP 4336



DESCRIPTION	P/N
Replacement Spindle Bearing	BRP 4339
Spindle Castle Nut	BRP 4345N



DESCRIPTION	P/N
Left Front Spindle Assembly	BRP 4341
Right Front Spindle Assembly	BRP 4342
Offset Left Front Spindle Assembly	BRP 4341-1
Offset Right Front Spindle Assembly	BRP 4342-1

* BRP 4341-1 and BRP 4342-2 - Increased Ackerman For Less Scrub Radius *

HEX STYLE STEERING



DESCRIPTION	P/N
Hex Aluminum Steering Hub	BRP 4366
Black Hex Aluminum Steering Hub	BRP 4366BK
Upper Shaft Support Block	BRP 4368
Lower Shaft Support	BRP 4369
Steering Shaft Split Pin	BRP 4370
Steering Shaft Nut	BRP 4371
5/8" Bore Aluminum Collar	BRP 181-1A
Steering Shaft Support	BRP 1105
Rod End (sold each) 2 Required	BRE 1101R

BRP FRONT HUBS




DESCRIPTION	P/N
X-Kaliber Front Hub with Bearings Installed	BRP 4333BK
Replacement Bearing (sold each)	BRP 4334

3/8" TIE RODS




LENGTH	PLAIN P/N
6"	BRP 4340-6
7"	BRP 4340-7
7 1/2"	BRP 4340-75
8"	BRP 4340-8
9"	BRP 4340-9
10"	BRP 4340-10
10 1/2"	BRP 4340-105
11"	BRP 4340-11
12"	BRP 4340-12
12 1/2"	BRP 4340-125
13"	BRP 4340-13
14"	BRP 4340-14
14 1/2"	BRP 4340-145
16"	BRP 4340-16
17 1/2"	BRP 4340-175
18"	BRP 4340-18
72" UNTAPPED	BRP 4340-720

GAS PEDALS



DESCRIPTION	P/N
Gas Pedal	BRP 4393
Gas Pedal Rod	BRP 4394
Gas Pedal Rod Spring	BRP 4395
Gas Cable Tab	BRP 4396
Gas Cable	BRP 4397
Gas Cable Fitting	BRP 4398

BRAKE PEDALS



DESCRIPTION	P/N
Brake Pedal	BRP 4390
Brake Rod	BRP 4391
1/4" F Clevis	BRP 4389
43" X 3/16" Brake Hose	BRP 4419-43
3/16" Brake Hose	BRP 4419-XX
48" X 3/16" Brake Hose	BRP 4419-48
Pedal Grips (sold in pairs)	BRP 4392

STEEL AXLES



BRP 4097-44

DESCRIPTION	P/N
1 1/4" x .250" Wall Chrome Moly Hollow Axle 40" Long	BRP 4097-40
1 1/4" x .250" Wall Chrome Moly Hollow Axle 44" Long	BRP 4097-44
1 1/4" x .250" Wall Chrome Moly Hollow Axle 46" Long	BRP 4097-46
1 1/4" x .250" Wall Chrome Moly Hollow Axle 48" Long	BRP 4097-48
1 1/4" x .188" Wall Chrome Moly Hollow Axle 35" Long	BRP 4321-35
1 1/4" x .188" Wall Chrome Moly Hollow Axle 38" Long	BRP 4321-38
1 1/4" x .188" Wall Chrome Moly Hollow Axle 40" Long	BRP 4321-40
1 1/4" x .188" Wall Chrome Moly Hollow Axle 42" Long	BRP 4321-42
1 1/4" x .188" Wall Chrome Moly Hollow Axle 44" Long	BRP 4321-44
1/4" X 8" Long Keystock for rear Axles	BRP 4352
Replacement Snap Ring	BRP 4320S

REAR AXLE PARTS



BRP 4346



BRP 4347




BRP 4348



BRP 4349

DESCRIPTION	P/N
Rear Weld On Bearing Plate	BRP 4346
Aluminum Bearing Cassette	BRP 4347
Rear Axle Bearing	BRP 4348
1 1/4" 2 Piece Aluminum Collar	BRP 4349
X Kaliber 2 Piece Aluminum Collar	BRP 4349BK
1/4" X 8" Long Keyway for Axle	BRP 4352

MCP MASTER CYLINDERS




BRK 15-1511

DESCRIPTION	P/N
Master Cylinder Assembly - DOT 5 Fluid	BRK 15-1511
Master Cylinder Assembly - DOT 3 Fluid	BRK 15-1512
PARTS	
DOT 5 Rebuild Kit	BRK 15-1510
DOT 3 Rebuild Kit	BRK 15-1509
Master Cylinder Cap	BRK 15-1513
Master Cylinder Cap Filler Plug	BRK 15-1516
Brass Fitting	BRP 4398

REAR HUBS & SPROCKETS



BRP 4351BK




BRP 4357



BRP 4356

DESCRIPTION	P/N
1 1/4" Rear Wheel Hub	BRP 4351BK
1 1/4" Lightweight Sprocket Hub	BRP 4357
1 1/4" Lightweight Sprocket Hub	BRK 4357BK
1 3/8" Lightweight Sprocket Hub	BRK 4356

BRAKE ROTORS



BRP 4355D



BRP 4354BK

DESCRIPTION	P/N
7" Diameter X 3/16" Steel Drilled Rotor	BRP 4355D
1 1/4" Rotor Mounting Hub	BRP 4354
1 1/4" Rotor Mounting Hub - X Kaliber	BRP 4354BK
1 3/8" Rotor Mounting Hub	BRK 4354-1

BRAKE PADS / CALIPER



BRK 15-1501



BRK 15-1531



DESCRIPTION	P/N
MCP Caliper Brake Pad (sold each)	BRK 15-1501
Caliper Assembly	BRK 15-1531
Caliper Rebuild Kit	BRK 15-1530
Caliper Adjuster Assembly	BRK 15-1536
Caliper Bleed Screw (sold in packs of 4)	BRC 220-0064

UNIVERSAL CHAIN GUARD



BRK 35-3594

DESCRIPTION	P/N
Universal Chain Guard (black powder coated)	BRK 35-3594
Chrome Universal Chain Guard	BRK 35-3593

ACCORD #35 SPROCKETS



BRK 35-3553

TOOTH	P/N
53	BRK 35-3553
54	BRK 35-3554
55	BRK 35-3555
56	BRK 35-3556
57	BRK 35-3557
58	BRK 35-3558
59	BRK 35-3559
60	BRK 35-3560
61	BRK 35-3561
62	BRK 35-3562
63	BRK 35-3563
64	BRK 35-3564
65	BRK 35-3565
66	BRK 35-3566
67	BRK 35-3567
68	BRK 35-3568
69	BRK 35-3569
70	BRK 35-3570
71	BRK 35-3571
72	BRK 35-3572
73	BRK 35-3573
74	BRK 35-3574
76	BRK 35-3576
78	BRK 35-3578

SPROCKET GUARD



BRK 35-3590

DESCRIPTION	P/N
53 - 64 Sprocket Guard	BRK 35-3590
65 - 72 Sprocket Guard	BRK 35-3591

KART LUBES



BRK 35-3542

CHO 5460H

DESCRIPTION	P/N
15.5 Oz Chain Lube Spray Can	BRK 35-3542
0W20 Full Synthetic Karting Oil	
1 quart	CHO 5460H
0W20 Full Synthetic Karting Oil	
1 gallon	CHO 5460G

DELUXE CHAIN TOOL



BRK 35-3500

DESCRIPTION	P/N
#35 Deluxe Chain Tool	BRK 35-3500
#35 Replacement Pin	BRK 35-3501

CHAIN



Silver Pro Chain

BRK 35-3521

DESCRIPTION	P/N
#35 Connecting Link	BRK 35-3524
40" (106 links) of #35 Chain	BRK 35-3521
10 Feet (320 Links) of #35 Chain	BRK 35-3522

DRAGGIN SKIN RACING CLUTCH



BRK 40-4012



DESCRIPTION	P/N
13,14,15 tooth clutch kit	BRK 40-1315
15,16,17 tooth clutch kit	BRK 40-1517
13 - 22 Universal Drum	BRK 40-4030
12 Tooth Clutch Drum	BRK 40-4012
13 Tooth Sprocket	BRK 40-4013

GASKETS



BRK 60-6050

DESCRIPTION	10 PACK
Tank Mount Gasket	BRK 60-6020
Intake Gasket	BRK 60-6040
Head Gasket	BRK 60-6050
Crankcase Gasket	BRK 60-6060
Valve Cover Gasket	BRK 60-6070
Exhaust Gasket	BRK 55-5530



BRK 45-4550

DESCRIPTION	P/N
Briggs Carb Diaphragm (sold in packs of 10)	BRK 45-4550


INLINE FUEL FILTERS



BRK 65-6530

DESCRIPTION	P/N
Inline Fuel Filter (fits 1/4" fuel line)	BRK 65-6530

STEERING WHEELS



DESCRIPTION	P/N
12" Aluminum Steering Wheel	BRP 4363
14" Aluminum Steering Wheel	BRP 4601

MUFFLER / EXHAUST PARTS

RLV 4 Cycle Mufflers



DESCRIPTION	P/N
1 1/8" I.D. Muffler	BRK 55-6011

Exhaust Flange Gaskets

DESCRIPTION	P/N
Package of 10 gaskets	BRK 55-5530

GAS TANKS



DESCRIPTION	P/N
Kart Gas Tank	BRP 9337

CARBURETOR ACCESSORIES



DESCRIPTION	P/N
Briggs Carburetor Support Plate	BRP 4381
Throttle Cable Stops (comes with screw) package of 4	BRK 45-4541
Briggs Throttle Return Spring	BRK 45-4530
Round Style Throttle Clevis	BRK 45-4520
Briggs Complete Throttle Kit	BRK 45-4510
Honda Throttle Cable Guide	BRP 4386

FABRIC AIR FILTERS



O.D. X HEIGHT	I.D.	OFFSET	P/N
3" X 4"	1 11/16" - Honda	None - centered	BRK 65-5001
3.5" X 4"	2 7/16" - Briggs	None - centered	BRK 65-5006
3.5" X 4"	2 7/16" - Briggs	20° angle	BRK 65-5007

Foam Pre - Filters



DESCRIPTION	P/N
3.5" X 5" Red - open end	BRK 65-3550
3.75" X 6" Yellow - open end	BRK 65-3760
3.75" X 6" Yellow - closed end	BRK 65-3761
3.5" X 8" Blue - open end	BRK 65-3580
4.5" X 5" Blue - open end	BRK 65-4550

Air Filter Adaptors




DESCRIPTION	P/N
Briggs Air Filter Adaptor - 2 7/16"	BRP 4380
Honda Air Filter Adaptor - 1 11/16"	BRP 4383

MOTOR MOUNT CLAMPS



DESCRIPTION	P/N
International Rail - Large Mount	BRK 30-3001
American Rail - Small Mount	BRK 30-3002

REUSABLE DIAPER PINS



DESCRIPTION	P/N
Large Pin - (spindles etc.)	BRK 90-9001
Small Pin - (1/4" - 3/8" bolts)	BRK 90-9002

CLAMP BRACKETS / SEAT MOUNTS



DESCRIPTION	P/N
Blank Steel Half Clamp	BRP 4325
1" Vertical Pocket (5" long)	BRP 4326
3/4" Seat Post (10" Long)	BRP 4329
3/4" Seat Post (14" Long)	BRP 4329-14
1 1/8" Seat Brace	BRP 4330
Weld On Steel Tab (1/8" Hole)	BRP 4350
1 1/8" Aluminum Chassis Clamp	BRP 4323
1 1/4" Aluminum Chassis Clamp	BRP 4323-1

PLASTIC SEATS



DESCRIPTION	P/N
Rubber Seat Grommets	BRK 05-0503
Medium Plastic Seat	BRK 05-0504
Large Plastic Seat	BRK 05-0505
X Large Plastic Seat	BRK 05-0506
XX Large Plastic Seat	BRK 05-0507

KART LASER ALIGNMENT KITS



BRP 9319



BRP 9318

DESCRIPTION	P/N
Deluxe Kart Laser Alignment Kit - Includes 1- rear axle laser adaptor, 1- alignment mirror, 1- laser pointer, 1- BRP 9318 caster/camber gauge and plastic carrying case	BRP 9319
Standard Kart Alignment Kit - Includes 1- rear axle laser adaptor, 1- alignment mirror, 1- laser pointer and plastic carrying case	BRP 9320
Replacement Laser Pointer for BRP 9319 / BRP 9320	BRP 9315
Kart Digital Camber Gauge (comes with BRP 9316 and carrying case)	BRP 9318

HOOSIER KART TIRES

Part Number	Tire Size	Tread Pattern	Tread Width	Approx. Dia	Approx. Circ.	Recommended Wheel Width	Compound
HOO 11325	10.5 X 5-6		4.75"	10.5"	32.75"	6.5"	D10A, D20A, D30A
HOO 11600	11.0 X 6.0-6		6.0"	11.0"	33.0"	8.25-8.5"	D10A, D20A, D30A
HOO 11800	11.0 X 8.0-6		7.5"	11.0"	34.0"	10"	D10A, D20A, D30A
HOO 11900	11.0 X 5.5-6		5.5"	11.0"	34.5"	6-6.5"	D10A, D20A, D30A
HOO 11920	11.0 X 6.5-6		6.5"	11.0"	35.5"	6.5-8"	D10A, D20A, D30A
HOO 11940	12.0 X 8.0-6		8"	12.0"	37.5"	9-10"	D10A, D20A, D30A
HOO 11960	12.0 X 9.0-6		9"	12.0"	38.5"	9-10"	D10A, D20A, D30A D50

COMPOUND APPLICATIONS

D10A is designed for a soft, wet, tacky track condition.
 D20A is slightly tougher than the D10A and works well on crumbs or marbled tracks.
 D30A is slightly tougher than the D20A and is designed for loose conditions or surfaces that clean off and become dry-slick.
 The A40 is tougher than the D30A and is designed for drying track conditions that are transitioning and may lack overall grip (dusty, loose, sandy, etc.).
 The 50 compound is designed for a hard packed track that forms a high grip racing groove.

CROSS REFERENCE

HOOSIER COMPOUND	COLD DUROMETER	CROSS REFERENCE
D10A	33-35	Burris SS-11
D20A	43-46	Burris SS-22
D30A	48-50	Burris B33B
A40	55-57	Vega MBS (Yellow)
50	60-62	Maxxis Pink 9.0

MOD LITE HUBS & ROTORS

Toyota Front Hub Assembly



BRP 8001



BRP 8000



BRP 8010

DESCRIPTION	P/N
Toyota Front Hub Assembly (comes with 1/2" F studs, races, & dust cap) **does not come with bearings or seals**	BRP 8001
Toyota Front Hub Assembly - has 1/2" F holes for screw in studs (comes with races & dust cap - NO STUDS)	BRP 8000
Replacement Dust Cap For BRP 8001	BRP 8008
Replacement Inner Race	SUP LM67010
Replacement Outer Race	SUP LM11910
Inner Bearing	SUP LM67048
Outer Bearing	SUP LM11949
Inner Hub Seal	NAT 1174
Replacement Stud (4 required)	BRP 2932
9 7/8" O.D. X 1/4" Thick Rotor - 4 on 3.820" - 2.875" register	BRP 8009
9 1/2" O.D. X 1/4" Thick Rotor - 4 on 3.820" - 2.875" register	BRP 8010
Toyota Weld On Steel Spindle Snout	BRP 8002



BRP 7996



BRP 8013

Chevette Front Hub Assembly

DESCRIPTION	P/N
Chevette Front Hub Assembly (comes with studs, races, & dust cap) **does not come with bearings or seals**	BRP 7996
Replacement Dust Cap For BRP 7996	BRP 7997
Replacement Inner Race	SUP L44610
Replacement Outer Race	SUP LM11710
Inner Bearing	SUP L44649
Outer Bearing	SUP LM11749
Inner Hub Seal	SKF 14858
Replacement Stud (4 required)	BRP 2932
9 1/2" O.D. X 1/4" Thick Rotor - 4 on 4.151" - 3.510" register	BRP 8013
Chevette Weld On Steel Spindle Snout	BRP 7995

Quick Change Rear Hub Assembly

DESCRIPTION	P/N
Quick Change Rear Hub Assembly (comes with studs, races, **does not come with bearings, seals or drive flange**)	BRP 8003
Replacement Inner or Outer Race	BRP 116
Inner or Outer Bearing	BRP 118
Inner Hub Seal	WIN 7203
Replacement Stud (4 required)	BRP 2065
9 7/8" O.D. X 1/4" Thick Rotor - 4 on 4.219" - 3.56" register	BRP 8011
10 1/2" O.D. X 1/4" Thick Rotor - 4 on 4.219" - 3.56" register	BRP 8012
17 Spline Aluminum Drive Flange for BRP 8003 Hub	BRP 8006
4 on 4 1/4" or 4 1/2" 24 Spline Aluminum Drive Flange for BRP 8003 Hub - red anodized	BRP 347



BRP 8003



BRP 8011



BRP 8006



BRP 347

DWARF / MOD LITE AXLES



BRP 8054 shown

23 Spline Toyota Taper (Bert Hub)

AXLE LENGTH	P/N
17 1/8"	BRP 8051
28 3/8"	BRP 8053

31 X 24 Spline

AXLE LENGTH	P/N
16"	BRP 3100L
29 3/4"	BRP 3130L

31 X 17 Spline

AXLE LENGTH	P/N
16"	BRP 8054
29 1/4"	BRP 8055

WHEEL SPACERS



BRP 8027

DESCRIPTION	P/N
1/8" Thick Wheel Spacer - 4 on 4 1/2" - Black Anodized	BRP 8026
1/4" Thick Wheel Spacer - 4 on 4 1/2" - Black Anodized	BRP 8027
3/8" Thick Wheel Spacer - 4 on 4 1/2" - Black Anodized	BRP 8028
1/2" Thick Wheel Spacer - 4 on 4 1/2" - Black Anodized	BRP 8029

CALIPER BRACKETS



BRP 8064

DESCRIPTION	P/N
3/8" Brake Caliper Bracket	BRP 8035
3/8" Rear Axle Retainer	BRP 8040
Universal Birdcage Mount - Fits 2 1/2" Tube (3 1/4" mount - 9 7/8" O.D.)	BRP 8064
Brake Caliper Bracket For BRP 8064 (3 3/4" mount - 9 7/8" O.D.)	BRP 8065

ENGINE ACCESSORIES



BRP 8022



BRP 8080

DESCRIPTION	P/N
Honda Engine Flange	BRP 8020
Kawasaki Engine Flange (anodized black)	BRP 8021
Suzuki Engine Flange (anodized black)	BRP 8022

DESCRIPTION	P/N
Fuel Pump Clamp - Fits 1" tube and 2 1/2" fuel pump	BRP 8080
Air Adaptor	MFG PCH16

RACK & PINIONS



10.1:1 Mod Lite Rack & Pinion

DESCRIPTION	P/N
10.1 Ratio Mod Lite Rack & Pinion - 5/8" 36 Spline (uses 1/2" rod ends)	BRP 9321
- 3 1/2" Mounting studs on bottom for rack plate on chassis	
Steel Tie Rod Clevis	BRP 9321C

Non Adjustable Micro Rack & Pinion

DESCRIPTION	P/N
Non Adjustable Micro Sprint Rack 5/8" 36 Spline (uses 7/16" rod ends)	
- 3/8" Mounting holes on 1.75" Centers	BRP 9331
Splined Adaptor For Mod Lite Rack to 5/8" Weld On Shaft	BRP 9333
Splined Adaptor For Mod Lite Rack to 3/4" Weld On Shaft	BRP 9334

BRP 9321 Replacement Parts

DESCRIPTION	P/N
Main Body	BRP 9321A
Main Shaft	BRP 9321B
Tie Rod Clevis	BRP 9321C
Pinion Shaft	BRP 9321D
Pinion Bushing End Cap	BRP 9321F
Pinion Bushing Cap	BRP 9321G
Back Lash Tension Cap	BRP 9321H
Back Lash Bronze Bushing	BRP 9321I
Outer 1 1/8" SH. Bushing	BRP 9321J
Rubber Shaft Bellows	BRP 9321K
Pinion Shaft Seal	BRP 9321L
5/8" Pinion Bushing	BRP 9321M

BRP 9331 Replacement Parts

DESCRIPTION	P/N
Main Rack Shaft	BRP 9331B
Pinion Gear Shaft	BRP 9331C
Seal Cap Only	BRP 9331D
Press In Rack Bushing	BRP 9331E
7/16" Clevis (2 Required)	BRP 9331F
Rack Bellow (2 Required)	BRP 9331G
Brass Bushing	BRP 9331H
Pinion Shaft Seal	BRP 9321L
Stainless Steel Spiral Lock	BRP 9331J
Replacement O-Ring	NIA 221

3RD LINK / PANHARD MOUNTS



DESCRIPTION	P/N
Panhard Mount For Quick Change Rear - 3/8" thick PRO style	BRP 8056
Mod Lite Adjustable Panhard Mount - Double Sided	BRP 8059
3rd Link Mount For Mod Lite - Clamps on 2 1/2" Tube (use with BRP 8072)	BRP 8071
Left Side 3rd Link Mount - Bolts To Rear End Center Section	BRP 8072

SHOCK SLIDERS & COIL KITS




DESCRIPTION	RED P/N	BLACK P/N
Multi Hole Slider Clamp		BRP 8032
1" Extended Shock Slider Clamp		BRP 8033
1" Double Shear Shock Slider Assembly		BRP 8034
Left Front Mod Lite Shock Slider	BRP 9138	BRP 9138BK
Right Front Mod Lite Shock Slider	BRP 9139	BRP 9139BK

CHASSIS CLAMPS



DESCRIPTION	RED P/N	BLACK P/N
1" Standard Short Chassis Clamp - 1/2" Hole	BRP 4180	BRP 4180BK
1" Standard Long Chassis Clamp - 1/2" Hole	BRP 4181	BRP 4181BK

CROSS SHAFTS



DESCRIPTION	P/N
Mod Lite A Frame Cross Shaft	BRP 8045
Cross Shaft Pinch Clamp	BRP 8046